ชื่อเรื่อง การวิเคราะห์หาปริมาณแคคเมียม ตะกั๋ว และสังกะสีในข้าวสาร โดยวิชีอะตอมมิกแอบซอฟซันสเปกโตรโฟโตเมตรี

ชื่อผู้เขียน นายบุญกล้า พรหมบุรี การค้นคว้าแบบอิสระเชิงวิทยานิพนซ์ วิทยาศาสฅรมหาบัณฑิต สาขาการสอนเคมื มหาวิทยาลัยเชียงใหม่ 2529

## บทคักย่อ

ไค้ทำการวิเคราะห์หาปริมาณแคกเมียม คะกั่ว และสังกะสีในข้าวสาร 20 ตัวอย่าง ในจังหวัดเชียงใหม่ โดยวิชีอะตอมมิกแอบซอฟซันสเปกโตรโฟโตเมตรี ในภารย่อยสลายข้าวสารตัวอย่าง ได้ศึกษาเพื่อหาสารเคมีที่เป็นออกซิแคนท์หลายชนิด พบว่าออกซิแคนท์ที่เหมาะสมคือ สารผสมระหวางกรดไนตริกเพ่มข้นกับไฮโครเจนเปอร์-ออกไซค์ (35 %) อัตราส่วน 1:2 โดยปริมาตร พบว่าปริมาณของแคคเมียม คะกั่ว และสังกะสีในข้าวสารตัวอย่างอยู่ในช่วง 0.04-0.11, 0.70-1.80 และ 16.50-20.50 ไมโครกรัมต่อกรัม ตามลำดับ ผลรบกวนอันเนื่องมาจากสารเจือปนตาง ๆ ในสารตัวอย่าง ทำใหลดลงได้โดยใช้วิธีสแตนดาร์ดแอดดิชัน ความเบี่ยงเบนมาตรฐาน สัมพัทธ์ของการหาปริมาณแลดเมียม ตะกั่ว และสังกะสีมีค่าเป็น 0 %, 3.2 % และ 1.1 % ตามลำดับ ร้อยละการกลับคืนของแคดเมียม ตะกั่ว และสังกะสีเป็น 98.2, 98.6 และ 95.3 ตามลำดับ

Research Title Determination of Cadmium, Lead and Zinc in Milled

Rice by Atomic Absorption Spectrophotometry

Name Mr. Boonkla Promburi

Research For Master of Science in Teaching Chemistry
Chiang Mai University 1986

## Abstract

An atomic absorption spectrophotometric determination of cadmium, lead and zinc in twenty samples of milled rice in Chiang Mai province was carried out. Various oxidents have been investigated as digesting reagents. It was found that the most suitable oxident for digesting the milled rice samples was a mixture between concentrated nitric acid and hydrogen peroxide (35 %) in the ratio of 1:2 by volume. The cadmium, lead and zinc contents in the milled rice samples were found to be 0.04-0.11, 0.70-1.80 and 16.50-20.50 µg/g, respectively. Matrix effects could be reduced by using the standard addition method. The relative standard deviations of the methods for determining cadmium, lead and zinc were 0 %, 3.2 % and 1.1 %, respectively. The percentage recoveries of the added cadmium, lead and zinc were found to be 98.2, 98.6 and 95.3, respectively.