

ชื่อเรื่องการค้นคว้าอิสระ พฤติกรรมเสี่ยงทางเพศของวัยรุ่นในอำเภอเมืองจังหวัดน่าน

ชื่อผู้ศึกษา

นางสาวจันทร์แรม ทองศิริ

สาขารณศาสตรมหาบัณฑิต

สาขารณศาสตร

คณะกรรมการสอบการค้นคว้าแบบอิสระ

ผู้ช่วยศาสตราจารย์ชวพรพรรณ	จันทร์ประสิทธิ์	ประธานกรรมการ
ผู้ช่วยศาสตราจารย์รุจิภาส	ภูสวาท	กรรมการ
ผู้ช่วยศาสตราจารย์กรรณิการ์	พงษ์สนิทธิ	กรรมการ
ผู้ช่วยศาสตราจารย์ประยงค์	ลิ้มตระกูล	กรรมการ

บทคัดย่อ

การศึกษาเชิงพรรณนาคครั้งนี้ มีวัตถุประสงค์เพื่อศึกษาถึงพฤติกรรมเสี่ยงทางเพศของวัยรุ่น และปัจจัยที่มีอิทธิพลต่อการเกิดพฤติกรรมเสี่ยงทางเพศ ในเขตอำเภอเมือง จังหวัดน่าน กลุ่มตัวอย่างที่ศึกษาคัดเลือกโดยใช้วิธีการเลือกตัวอย่างแบบเจาะจงโดยคัดเลือกโรงเรียนมัธยมศึกษา สายสามัญ 2 โรงเรียนและวิทยาลัยอาชีวศึกษา 2 สถาบัน จากนั้นสุ่มตัวอย่างอย่างง่ายจากนักเรียน ในระดับมัธยมศึกษาปีที่ 4-6 และนักศึกษาอาชีวศึกษาชั้น ปวช. 1-3 จำนวน 500 คน เก็บรวบรวม ข้อมูลโดยใช้แบบสอบถามที่สร้างขึ้นเองโดยผู้ศึกษา วิเคราะห์ข้อมูลโดยใช้สถิติเชิงพรรณนา

ผลการศึกษาพบว่า ในภาพรวมกลุ่มตัวอย่างมีพฤติกรรมเสี่ยงทางเพศร้อยละ 13.3 มีเพศสัมพันธ์ครั้งแรกตั้งแต่อายุ 12-19 ปี และมีเพศสัมพันธ์ครั้งแรกกับคนรักมากที่สุด ร้อยละ 81.7 และร้อยละ 31.7 มีคู่นอน 1-2 คน ในช่วงสามเดือนที่ผ่านมากลุ่มตัวอย่างที่มีพฤติกรรมทางเพศจะ ไม่มีเพศสัมพันธ์กับหญิงบริการทางเพศแต่จะมีกับเพื่อนโดยที่ไม่ได้ใช้ถุงยางอนามัย

การเกิดพฤติกรรมเสี่ยงทางเพศของกลุ่มตัวอย่างอาจเกี่ยวข้องกับปัจจัยที่สำคัญ 3 ประการ คือ ปัจจัยนำ ปัจจัยสนับสนุน และปัจจัยเอื้ออำนวย ในด้านปัจจัยนำนั้นพบว่า ประมาณร้อยละ 28 กลุ่มตัวอย่างยังมีความเข้าใจ ไม่ถูกต้องเกี่ยวกับการมีเพศสัมพันธ์ที่ปลอดภัย ส่วนปัจจัยสนับสนุน

พบว่า เพื่อนมีอิทธิพลในการชักนำให้กลุ่มตัวอย่างมีเพศสัมพันธ์ร้อยละ 95 ส่วนการดื่มสุรานั้นพบว่า ภายหลังจากการดื่มสุรากลุ่มตัวอย่างร้อยละ 65 จะมีเพศสัมพันธ์โดยไม่ใช้ถุงยางอนามัย ทัศนคติเป็นสื่อที่มีส่วนกระตุ้นให้กลุ่มตัวอย่างมีความรู้สึทางเพศร้อยละ 67.6 และปัจจัยเอื้ออำนวยพบว่า ร้อยละ 61.3 ของกลุ่มตัวอย่างเคยเข้าไปเที่ยวในสถานเริงรมย์ หรือสถานบริการทางเพศ ถึงแม้ว่าร้อยละ 54.9 ของสถาบันการศึกษาของกลุ่มตัวอย่างจะอยู่ใกล้สถานบริการดังกล่าว

จากผลการศึกษาในครั้งนี้เนื่องจากผลการศึกษาในประเด็นของพฤติกรรมเสี่ยงทางเพศมีการกระจายของกลุ่มตัวอย่างที่ไม่เหมาะสม ทำให้ไม่สามารถทดสอบนัยสำคัญทางสถิติได้ แต่เป็นที่น่าสังเกตว่าการลดพฤติกรรมเสี่ยงทางเพศในกลุ่มวัยรุ่นนั้น ควรคำนึงถึงปัจจัยนำด้านความรู้เกี่ยวกับการมีเพศสัมพันธ์ที่ปลอดภัย ทัศนคติและความเชื่อเกี่ยวกับพฤติกรรมการมีเพศสัมพันธ์ ปัจจัยสนับสนุนด้านเพื่อน การดื่มสุรา สิ่งพิมพ์และสื่อที่มีส่วนกระตุ้นความรู้สึทางเพศ ปัจจัยเอื้ออำนวยด้านการอยู่ใกล้และการเข้าถึงสถานเริงรมย์หรือสถานบริการทางเพศ รวมทั้งการปลูกฝังความรู้ทัศนคติและความเชื่อในเชิงบวกเกี่ยวกับพฤติกรรมการมีเพศสัมพันธ์ให้แก่วัยรุ่น เพื่อให้วัยรุ่นมีพฤติกรรมทางเพศที่ถูกต้อง

Independent Study Title Sexual Risk Behaviour among Adolescents Muang
District Nan Province

Author Miss Janram Dhongsiri

Master of Public Health Public Health

Examining Committee

Asst. Prof. Chawapornpan	Chanprasith	Chairman
Asst. Prof. Rujipas	Poosawang	Member
Asst. Prof. Kannikar	Pongsanit	Member
Asst. Prof. Prayong	Limtragool	Member

Abstract

The main focus of this descriptive study was to examine sexual risk behaviour including factors influencing such risk behaviour among adolescents in Muang district, Nan province. The study sample was composed of 500 adolescents, purposively and randomly drawn from two secondary high schools, grade four to six, and two technical colleges, year one to three. Questionnaire was adopted to obtain desired data. Descriptive statistics was then used for data analysis.

The major results showed that among the study sample, 13.3 percent of them had sexual intercourse initially at the age between 12-19 years. For this group, they usually had sexual relation with their lovers (81.7 percent) though generally they had 1-2 partners (31.7 percent). During the past three months, they had never had sexual

intercourse with any sex worker but with thier friends and mostly without condom use.

The sexual risk behaviour among the study sample could be explained as the following factors: predisposing factors, reinforcing factors and enabling factors. Regarding predisposing factors about 28 percent of the study sample have a misunderstanding of safe sex. Concerning reinforcing factors, it was found that peer group had the highest influence to sexual risk behaviour (95 percent). Drinking alcohol had also leading to sexual relation without condom use (65 percent). According to media, video was found to be most important in stimulating sexual desire of the study sample (67.6 percent). with regard to enabling factor, 61.3 percent of the study sample used to visit places like brothel though 54.9 percent of the educational institutes of the study sample were located nearby such places

As a result of inappropriate distribution of the study sample in term of sexual risk behaviour, the statistical test could not be done. However it is observed that to reduce sexual risk behaviour among adolescents, knowledge about safe sex, attitude and belief about sexual behaviour as well as media such as video should take into consideration. This was anticipated to help adolescents to be well recognized with sexual behaviour.