

เอกสารอ้างอิง

- การุณพันธุ์ สุรพงศ์. (2543). ภาวะแทรกซ้อนทางวิสัยญี่วิทยา. ใน วรรณ สมบูรณ์วีระลักษณ์, เทวรักษ์ วีระวัฒกานนท์, ปวินา บุญบูรพาวงศ์ และสมรตัน จารุลักษณานนท์. (บรรณาธิการ). *วิสัยญี่วิทยาพื้นฐาน* (พิมพ์ครั้งที่ 1) (หน้า 173-187). กรุงเทพฯ : บริษัท เท็กซ์ แอนด์ พับลิเคชั่น จำกัด.
- จริยา เกิดธรรมยมณี. (2541). การดูแลผู้ป่วยระยะพักฟื้นหลังผ่าตัด. ใน ฐิติมา ชินะโชค, แสงโสม ปีระวรากรณ์, ราทรพ์ ประญุทนรพาล, นุชต์โรช เพ็ชญ์ไพบูลย์ และพุฒิพรณี วรกิจโภคทร. (บรรณาธิการ). *วิสัยญี่วิทยาระดับพื้นฐาน* (พิมพ์ครั้งที่ 1) (หน้า 269-275). กรุงเทพฯ : บริษัท พี.เอ.ลิฟวิ่ง จำกัด.
- จุฑามณี สิทธิสังข์. (2542). ยานอนหลับ. ใน จุฑามณี สิทธิสังข์ และรัชนี เมฆมนณี (บรรณาธิการ). *เภสัชวิทยา เล่ม 1* (พิมพ์ครั้งที่ 2) (หน้า 200-218). กรุงเทพฯ : บริษัท ไทยมิตรการพิมพ์.
- " ". (2542). ยาลดความอ้วน. ใน จุฑามณี สิทธิสังข์ และรัชนี เมฆมนณี (บรรณาธิการ). *เภสัชวิทยา เล่ม 1* (พิมพ์ครั้งที่ 2) (หน้า 121-133). กรุงเทพฯ : บริษัท ไทยมิตรการพิมพ์.
- ชุครี พิศาณบุตร, นุชต์โรช เพ็ชญ์ไพบูลย์, เรืองศิลป์ เช华รัตน, ฤทธิ์ เสาร์คุณ, ยุพิน รุ่งเวชรุ่งวิทยา, ม.ก. โอหงส์ สวัสดิ์มงคล, กาญจนा สมเจริญ และสร้อยสุวรรณ ปิยภัทร. (2540). The Efficacy of Ginger Root on Postoperative Nausea and Vomiting after Out patient Gynaecologic Laparoscopy, a Randomized Double Blind Placebo Controlled Comparison with Droperidol. *วิสัยญี่สาร* 23(2), 89-93.
- ฐิติมา ชินะโชค. (2541). ก๊าซที่ใช้ในการให้ยาสลบ. ใน ฐิติมา ชินะโชค, แสงโสม ปีระวรากรณ์, ราทรพ์ ประญุทนรพาล, นุชต์โรช เพ็ชญ์ไพบูลย์ และพุฒิพรณี วรกิจโภคทร. (บรรณาธิการ). *วิสัยญี่วิทยาระดับพื้นฐาน* (พิมพ์ครั้งที่ 1) (หน้า 39-46). กรุงเทพฯ : บริษัท พี.เอ.ลิฟวิ่ง จำกัด.
- " ". (2541). ยากลุ่ม opioid. ใน ฐิติมา ชินะโชค, แสงโสม ปีระวรากรณ์, ราทรพ์ ประญุทนรพาล, นุชต์โรช เพ็ชญ์ไพบูลย์ และ พุฒิพรณี วรกิจโภคทร. (บรรณาธิการ). *วิสัยญี่วิทยาระดับพื้นฐาน* (พิมพ์ครั้งที่ 1) (หน้า 63-80). กรุงเทพฯ: พี.เอ.ลิฟวิ่ง

- ธีโนมา ชินะโอะติ. (2541). ยาหยอดนกถ่านเนื้อ. ใน ธีโนมา ชินะโอะติ, แสงโสม ปิรยะรากรณ์, ราธีพย์ ประญุทนรพด, นุชสโตรช เพ็ชญ์ไพบูลย์ และ พุฒิพิรรณี วรกิจโภคทร. (บรรณาธิการ). วิสัญญีวิทยาระดับพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 95-110). กรุงเทพฯ : บริษัท พี.เอ. ลิฟวิ่ง จำกัด.
- ธรรมบวร เนติ. (2541). วิธีการให้ยาจะน้ำรักษา. ใน ธีโนมา ชินะโอะติ, แสงโสม ปิรยะรากรณ์, ราธีพย์ ประญุทนรพด, นุชสโตรช เพ็ชญ์ไพบูลย์ และ พุฒิพิรรณี วรกิจโภคทร. (บรรณาธิการ). วิสัญญีวิทยาระดับพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 181-192). กรุงเทพฯ: พี.เอ.ลิฟวิ่ง
- ราดา ศรีตรีระการ. (2539). ประวัติวิสัญญีวิทยา. วิสัญญีสาร 22(4), 272-273.
- นงดักษณ์ ชินสนมูรัน และ อดิศก็ด วงศ์ชรงค์ปี. (2543). เกสัชพลศาสตร์. ใน สุวัฒน์ วิมลวัฒนาภันฑ์ (บรรณาธิการ). ตำราเภสัชวิทยา เล่ม 1 (พิมพ์ครั้งที่ 4)(หน้า 43-89). กรุงเทพฯ: ห้างหุ้นส่วนจำกัดพิทักษ์การพิมพ์.
- นงดักษณ์ สุขวนิชช์ศิลป์. (2542). ยาด้านการอาเจียน. ใน จุฑามณี สิทธิศิลปังษ์ และรัชนี เมฆมนณี (บรรณาธิการ). เภสัชวิทยา เล่ม 1 (พิมพ์ครั้งที่ 2) (หน้า 504-516). กรุงเทพฯ : บริษัท ไทยมิตรการพิมพ์.
- นันทา เลือกสวัสดิ์. (2539). วิธีการพยาบาลศัลยกรรม. คณาจารย์ภาควิชาการพยาบาลศัลยศาสตร์ คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่. นครฟิล์มอินเตอร์กรูฟ จำกัด.
- บัณฑิต จินตนาปราโมทย์. (2541). การให้ยาจะน้ำรักษาผู้ป่วยโรคอ้วน. ใน ธีโนมา ชินะโอะติ , แสงโสม ปิรยะรากรณ์, ราธีพย์ ประญุทนรพด, นุชสโตรช เพ็ชญ์ไพบูลย์ และ พุฒิพิรรณี วรกิจโภคทร. (บรรณาธิการ). วิสัญญีวิทยาระดับพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 395-400). กรุงเทพฯ: พี.เอ.ลิฟวิ่ง.
- บุญหลง ศิริวัฒน์. (2536). คลื่นไส้และอาเจียน (NAUSEA AND VOMITING). ใน กำพล กลั่นกลืน และองอาจ ไพรสัพทรงกรู. (บรรณาธิการ). อาการของโรคระบบทางเดินอาหารที่พบบ่อย และการบำบัด (พิมพ์ครั้งที่ 1) (หน้า 1-20). กรุงเทพฯ: พี.บี.ฟอร์น บุคส์ เซนเตอร์.
- ประคง กรณสูตร. (2542). ต่อติเพื่อการวิจัยทางพฤติกรรมศาสตร์ (พิมพ์ครั้งที่ 3). กรุงเทพฯ: ค่ายสุขาการพิมพ์.
- ประมวล วีรุตมเสน. (2532). สรีรวิทยาการเรวิญพันธุ์ (พิมพ์ครั้งที่ 1). กรุงเทพฯ: โรงพยาบาลจุฬาลงกรณ์มหาวิทยาลัย.

- ปวีณา บุญบูรพงศ์.(2543). การเดือกไฟยาจะบความรู้สึก ใน วรรณ สมบูรณ์วิมูลย์, เทวรักษ์ วีระวัฒนาณท์, ปวีณา บุญบูรพงศ์ และสมรัตน์ จารุลักษณานันท์ .(บรรณาธิการ). วิสัญญีวิทยาพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 151-156). กรุงเทพฯ : บริษัท เท็กซ์ แอนด์ พับลิเคชั่น จำกัด.
- ปั่น ศรีประจิตติชัย. (2543). OPIOIDS. ใน วรรณ สมบูรณ์วิมูลย์, เทวรักษ์ วีระวัฒนาณท์, ปวีณา บุญบูรพงศ์ และสมรัตน์ จารุลักษณานันท์ .(บรรณาธิการ). วิสัญญีวิทยาพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 93-104). กรุงเทพฯ : บริษัท เท็กซ์ แอนด์ พับลิเคชั่น จำกัด.
- พงษ์รารา วิจิตรเวชไพบูล. (2539). การใส่ท่อช่วยหายใจ (พิมพ์ครั้งที่ 1). กรุงเทพฯ: พี.เอ.ลิฟวิ่ง
- พรทิพย์ ตัณมุขยกฤต. (2541). หลักการให้สารน้ำและเลือดร่างผ่าตัด. ใน ฐิติมา ชินะโชค , แสงโสม ปีระวรารณ์, ราրทิพย์ ประษุทนรพล, นุชสโตรช เพ็ชญ ไพบูลย์ และ พุทธพิพรรณี วรกิจโภคทร. (บรรณาธิการ). วิสัญญีวิทยาระดับพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 153-164). กรุงเทพฯ: พี.เอ.ลิฟวิ่ง.
- พรอรุณ เจริญราช. (2543).Intravenous anesthetic agents. ใน วรรณ สมบูรณ์วิมูลย์, เทวรักษ์ วีระวัฒนาณท์, ปวีณา บุญบูรพงศ์ และสมรัตน์ จารุลักษณานันท์ .(บรรณาธิการ). วิสัญญีวิทยาพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 77-92). กรุงเทพฯ : บริษัท เท็กซ์ แอนด์ พับลิเคชั่น จำกัด.
- พุทธพิพรรณี วรกิจโภคทร. (2541). การให้สารน้ำหลังผ่าตัด. ใน ฐิติมา ชินะโชค , แสงโสม ปีระวรารณ์, ราրทิพย์ ประษุทนรพล, นุชสโตรช เพ็ชญ ไพบูลย์ และ พุทธพิพรรณี วรกิจโภคทร. (บรรณาธิการ). วิสัญญีวิทยาระดับพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 285-289). กรุงเทพฯ: พี.เอ.ลิฟวิ่ง.
- เพลินจิตต์ ศิริวันสาṇฑ์ และ มาลี ป่วงคลาง.(2539). Postoperative Nausea Vomiting (PONV): Incidence of Bowel Manipulation During Intraabdominal Surgery. วิสัญญีสาร 22(1), 38-45.
- เพลินจิตต์ ศิริวันสาṇฑ์, ชนิด วีรังคบุตร และ ขอนใจ บัวทอง. (2536). The Incidence of Nausea & Vomiting After Narcotic Administration in Thai Patients. วิสัญญีสาร 19(1), 13-18.
- มะลิ รุ่งเรืองวนิช, วรสรวง ทองสุข, อรทัย ตันติศิรินทร์, นฤมล ทองลิ่ม และ ชริยา อดิพัฒน์. (2538). Postoperative Sore Throat and Hoarseness : a Comparison between Endotracheal Intubation and Laryngeal Mask Insertion. วิสัญญีสาร 21(4), 206-210.

* เยาวลักษณ์ เลาหะจินดา. (2540). การวิเคราะห์ข้อมูลด้วยไค-สแควร์. ใน ยุวดี ภาษา, มาลี เดิศมาเล่วงศ์, เยาวลักษณ์ เลาหะจินดา, วีໄล ลีสุวรรณ, พรรณวี พุรવัฒน์ และ รุจิเรศ ชนูรักษ์. (บรรณาธิการ). วิจัยทางการพยาบาล (พิมพ์ครั้งที่ 6)(หน้า 260-277). กรุงเทพฯ: บริษัท สยามคิดปิกรณ์พิมพ์ จำกัด.

รื่นเริง ลีลานุกรม. (2543). ยาหย่อนกล้ามเนื้อ. ใน วรรณ สมบูรณ์วิบูลย์, เทวรักษ์ วีระวัฒานันท์, ปรีณา บุญบุรพ์ และสมรัตน์ จารุลักษณ์นาันท์. (บรรณาธิการ). วิสัญญีวิทยาพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 105-124). กรุงเทพฯ : บริษัท เทกซ์ แอนด์ พับลิเคชั่น จำกัด.

รังสิตา พิณเมืองงาม. (2533). การให้ยาสลบผู้ป่วยอ้วน. ใน ชาญณรงค์ เสจีymพรพานิชย์. (บรรณาธิการ). คู่มือวิสัญญีวิทยา เล่ม 1 (พิมพ์ครั้งที่ 1)(หน้า 261-269). กรุงเทพฯ: ชนวิชช์การพิมพ์.

วรกา สุวรรณจินดา. (2530). ฤทธิ์ของยาสลบกับภาวะแทรกซ้อนของระบบทางเดินอาหาร (Effect of anesthesia Related to Gastrointestinal Complication). ใน อังกาน ปราการรัตน์ และ วรกา สุวรรณจินดา. (บรรณาธิการ). กัยของยาจะงับความรู้สึก (พิมพ์ครั้งที่ 1) (หน้า 133-147). กรุงเทพฯ: สำนักพิมพ์กรุงเทพเวชสาร.

วรรณวิมล แสงโฉต. (2544). ยาใหม่ในการให้ยาจะงับความรู้สึก. ใน ฐิติมา ชินะโฉต, สุวรรณี สุราศรณ์วงศ์, วรรณวิมล แสงโฉต และรื่นเริง ลีลานุกรม. (บรรณาธิการ). ตำราพื้นฟูวิชา การวิสัญญีวิทยา (พิมพ์ครั้งที่ 1)(หน้า 1-9). กรุงเทพฯ: พี.เอ.ลิฟวิ่ง

วารุณี ภูริสัมบวรรณ. (2533). การประเมินและเตรียมผู้ป่วยก่อนให้ยาสลบ. ใน ชาญณรงค์ เสจีymพรพานิชย์. (บรรณาธิการ). คู่มือวิสัญญีวิทยา เล่ม 1 (พิมพ์ครั้งที่ 1) (หน้า 203-211). กรุงเทพฯ: ชนวิชช์การพิมพ์.

"——". (2533). การให้สารน้ำและElectrolytes. ใน ชาญณรงค์ เสจีymพรพานิชย์. (บรรณาธิการ). คู่มือวิสัญญีวิทยา เล่ม 1 (พิมพ์ครั้งที่ 1)(หน้า 512-545). กรุงเทพฯ: ชนวิชช์การพิมพ์.

ศิริพร ปิติมานะอารี. (2541). การให้ยา ก่อนการจะงับความรู้สึก. ใน ฐิติมา ชินะโฉต, แสงโจน ปีระยะวรากรณ์, ธรรมพิพัฒ์ ประพุทธ์พรพล, นุชสโตร์ เพ็ชรญาพศิษฐ์ และ พุทธพิพรณี วรกิจโภคทร. (บรรณาธิการ). วิสัญญีวิทยาระดับพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 135-144). กรุงเทพฯ: พี.เอ.ลิฟวิ่ง

ศิริวรรณ จิรสิริธรรม และ สมศรี เพ่าสวัสดิ์. (2530). Prevention of Post-Operative Shivering by Nalbuphine Hydrochloride : A Controlled Study. วิสัญญีสาร 14 (1), 1-10.

- ศรีส่ง นลลิกามาส. (2533). ยาสลบชนิดสูดลม. ใน ชาญพงษ์ เสจิณพราพันช์.
 (บรรณาธิการ). คู่มือวิสัญญีวิทยา เล่ม 1 (พิมพ์ครั้งที่ 1) (หน้า 292-322). กรุงเทพฯ: หุน
 วิชช์การพิมพ์.
- สมรัตน์ จาเรลักษณานันท์. (2543). Balance Anesthesia. ใน วรรณ สมบูรณ์วินูลย์,
 เทوارักษ์ วีระวัฒกานนท์, ปรีดา บุญบูรพาวงศ์ และสมรัตน์ จาเรลักษณานันท์.
 (บรรณาธิการ). วิสัญญีวิทยาพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 157-163). กรุงเทพฯ: บริษัท
 เท็กซ์ แอนด์ พับลิเคชั่น จำกัด.
- ศิริรัตน์ ศรีพุทธรัตน์, สุกคลา การณุ คณะ พุ่มพวง กิ่งสังวาลย์. (2542). Low-dose Versus Standard-dose Droperidol for Prevention of Postoperative Nausea-vomiting and Sedation Effect. วิสัญญีสาร 25(3), 151-157.
- สุปรารภ นิรุตติสาสน์. (2543). การประเมินและเครื่องผู้ป่วยก่อนให้ยาอะเจ็ปความรู้สึก. ใน วรรณ สมบูรณ์วินูลย์, เทوارักษ์ วีระวัฒกานนท์, ปรีดา บุญบูรพาวงศ์ และ สมรัตน์ จาเรลักษณานันท์. (บรรณาธิการ). วิสัญญีวิทยาพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 1-13). กรุงเทพฯ: บริษัท เท็กซ์ แอนด์ พับลิเคชั่น จำกัด.
- สุรพงษ์ วงศ์วัชราวนนท์, ชิตา กิตติจิรวงศ์, ชวัช ชาญชัยานนท์ และ อกริศ ลิน. (2543). การป้องกัน
 ภาวะคลื่นไส้อเจียนหลังตรวจ/ผ่าตัดเล็กทางนรีเวช โดยวิธีส่องกล้องในผู้ป่วยนอกร
 เปรียบเทียบระหว่าง Droperidol, Dexamethasone และ Saline. วิสัญญีสาร 26(4),
 211- 219.
- สร้างค์ สะกุครัตนะ. (2543). Gaseous and volatile anesthetic agents. ใน วรรณ สมบูรณ์วินูลย์,
 เทوارักษ์ วีระวัฒกานนท์, ปรีดา บุญบูรพาวงศ์ และสมรัตน์ จาเรลักษณานันท์.
 (บรรณาธิการ). วิสัญญีวิทยาพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 57-92). กรุงเทพฯ: บริษัท
 เท็กซ์ แอนด์ พับลิเคชั่น จำกัด.
- หน่วยข้อมูลสถิติภาควิชาชีวิสัญญีวิทยา. (2544). คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่.
 อรพารณ มาตั้งคสมบัติ. (2542). ยาลดอาการวิตกกังวล. ใน 茱ามณี สิทธิสังฆ์ และรัชนี เมมมนณี
 (บรรณาธิการ). เกสัชวิทยา เล่ม 1 (พิมพ์ครั้งที่ 2) (หน้า 178-199). กรุงเทพฯ: บริษัท
 ไทยมิตรการพิมพ์.
- อังกาน ปราการรัตน์. (2525). ทฤษฎีของยาคอมสลบ. ใน อังกาน ปราการรัตน์ และวรา สุวรรณจินดา.
 (บรรณาธิการ). ตำราชีวิสัญญีวิทยา (พิมพ์ครั้งที่ 1) (หน้า 86-92). กรุงเทพฯ: โรงพิมพ์
 ขุนทดค์โปรดักชั่น.

- อังกาบ ปราการรัตน์. (2530). ภาวะและโรคแทรกซ้อนเกี่ยวกับระบบประสาท. ใน อังกาบ ปราการรัตน์ และ วงศ์สุวรรณจินดา. (บรรณาธิการ). ภัยของยาและน้ำดื่มที่มีผลต่อความรู้สึก (พิมพ์ครั้งที่ 1)(หน้า 179-204). กรุงเทพฯ: สำนักพิมพ์กรุงเทพเวชสาร.
- อังคณา เหลืองทีเทพ. (2541). ขาดดมสลบ. ใน ฐิติมา ชินะโชค, แสงโสม ปิยะวรารอน্নี, ราษฎร์พิรุณ ประษุทนรพล, นุชสิริ เพ็ชญ์ไพบูลย์ และ พุทธิพรวณี วงศ์กิจโภคทร. (บรรณาธิการ). วิสัญญีวิทยาระดับพื้นฐาน (พิมพ์ครั้งที่ 1) (หน้า 47-62). กรุงเทพฯ: พี.เอ.ลิฟวิ่ง
- อ้วนวย คัจฉาวรี. (2530). โรคหู คอ จมูก (พิมพ์ครั้งที่ 2). กรุงเทพฯ: ไม่ปรากฏสถานที่พิมพ์.
- อุทัช สวารสุ. (2525). การให้ยาสลบโดยวิธีการบริหารทางหลอดคลอดเลือดดำ. ใน อังกาบ ปราการรัตน์ และ วงศ์สุวรรณจินดา. (บรรณาธิการ). ตำราวิสัญญีวิทยา (หน้า 204-223). กรุงเทพฯ: สำนักพิมพ์กรุงเทพเวชสาร.
- Achord, J.L. (1995). Nausea and Vomiting.in: Haubrich, W.S., & Schaffner, F. (eds.), Gastrointestinal (5nd ed.)(pp.41-48). Philadelphia: W.B.SAUNDERS COMPANY.
- Aitkenhead, A.R., & Smith, G. (1996). Text book of Anesthesia (3rd ed.). New York: Churchill Livingstone.
- Akhtar, T.M., Kerr, W.J.,&Kenny, G.N. (1993).Effect of nitrous oxide on post-operation nausea and vomiting during propofol anesthesia for short surgical operations. Eur J Anaesthesiol 10(5), 337-341.
- Askin, D.F. (1997). Administration of Medication. In: Kerr, J.R., & Sirotnik, M.K. (eds.), Canadian Fundamentals of Nursing (p. 789-868). St.Louis: Mosby.
- Bevan, D.R.& Donati, F. (1997). MUSCLE RELAXANTS. In: Barash, P.G.,Cullen, B.F.,& Stoelting, R.K.(eds.), CLINICAL ANESTHESIA (3rd ed.). (pp.385-412). Philadelphia: Lippincott-Raven Publishers.
- Bevan, D.R.,&Donati, F. (1995). Muscle Relaxant and Clinical Monitoring. In: Healy Thomas, E.J.,&Cohen, P.J.(eds.), Wylie and Churchill-Davison's A Practice of Anaesthesia (6nd ed.)(pp.147-171). London: Edward Arnold.
- Brown, D.L.,&Thompson, G.E. (1988). Anesthetic Choice.in: Brown, D.L. (ed.), RISK AND OUTCOME IN ANESTHESIA (PP.151-183). Philadelphia: J.B.lippincott Company.

- Burnard, H.R. (1994). *Research methods in anthropology: Qualitative and Quantitative approaches* (2nd ed.). London: SAGE Publication.
- Castella, X., Gilabert, J., & Perez, C. (1991). Arytenoid dislocation after tracheal intubation: an unusual cause of Acute respiratory failure? *Anesthesiology* 74, 613-615.
- Chandler, M. (2002). Tracheal intubation and Sorethroat: a mechanical explanation. *Anaesthesia* 57(2), 155-161.
- Chanvej, L., Kijssirikul, S., Thongsuksai, P., & Naheeml. (2001). Post-operative nausea and vomiting in out-patient gynecologic laparoscopy: a comparison of thiopental-nitrous oxide, propofol- nitrous oxide and total intravenous anesthesia using propofol. *J Med Assoc Thai.* 84(5), 697-704.
- Coda, B.A. (1997). OPIOIDS. In: Barash, P.G., Cullen, B.F., & Stoelting, R.K.(eds.), *CLINICAL ANESTHESIA* (3rd ed.) (pp.329-358). Philadelphia: Lippincott-Raven Publishers.
- Collins, V.J. (1993). *Principles of ANESTHESIOLOGY* (3rd ed.). Philadelphia: LEA & FEBIGER.
- Cousins, M., & Seaton, S. (1995). Volatile Anesthetic Agents and their Delivery Systems. In: Healy, T.E.J., & Cohen, P.J.(eds.), *Wylie and Churchill-Davidson's A Practice of Anesthesia* (6th ed.) (pp.104-127). London: Edward Arnold.
- Davis, L.L., & Grant, J.S. (1997). Selection and use of content experts for instrument development. *Research in Nursing & Health* 20(3), 269-274.
- Drain, C.B. (1999). Postoperative Management and Critical Care. in: Cecil, B.(ed.), *Principle and Practice of Nurse Anesthesia* (pp. 675-701). Stamford: Appleton&Lange.
- Faithfull, N.S. (1991). Post-operative headache-a multifactorial analysis. *Eur J Anaesthesiol* 8 (1), 59-63. [Online]. Available <http://www.ncbi.nlm.nih.gov/entrez/query> [2003, Aug 4].
- Fee, J.P.H. (1998). Preoperative evaluation, scoring Systems and premedication. In: Morgan, M., & Hall, G.M. (eds.), *SHORT PRACTICE OF ANESTHESIA* (pp.123-145). London: CHAPMAN&HALL MEDICAL.
- Galloway, M.M. (1999). Perioperative Care. In: Harkness, G.A., & Dincher, J.R. (eds.), *Medical-Surgical Nursing TOTAL PATIENT CARE* (10th ed.)(pp.479-514). St.Louis: Mosby.

- Grimsehl, K., Whiteside, J.B., & Mackenzie, N. (2002). Comparison of cyclizine and ondansetron for the prevention of postoperative nausea vomiting in laryngoscope day-case gynaecological surgery. *Anesthesia* 57, 44-81.
- Guyton, A.C.&Hall, J.E. (1996). *Text Book of Medical Physiology* (9thed.). Philadelphia: W.B.SAUNDERS COMPANY.
- Halloran, C.M., Graneh, P., Bosonet, L., Hartley, M.N., Sutton, R., & Neoptolenos, JP. (2002). Complications of pancreatic cancer resection. *Dig Surg* 19(2), 138-146. [Online]. Available <http://www.ncbi.nlm.nih.gov/entrez/query> [2003,Jan 9]
- Hammas, B., Thorn, S.E.,& Wattwil, M. (2002). Superior prolonged antiemetic prophylaxis with a four-drug multimodal regimen-comparison with propofol or placebo. *Acta Anaesthesiol Scand* 46(3), 232-237.
- Hammer,M. (1998). Control of postoperative pain, nausea and vomiting. in: Morgan, M.&Hall, G.M. (eds.), **SHORT PRACTICE OF ANAESTHESIA** (pp.652-674). London: CHAPMAN&HALL MEDICAL.
- Hawthorn, J. (1995). **UNDERSTANDING AND MANAGEMENT OF NAUSEA AND VOMITING**. Oxford: Blackwell Science.
- Hisham, A.N., Roshilla, H., Amri, N., & Aina, E.N. (2001). Post Thyroidectomy sorethroat following endotracheal intubation. *AZN J Surg* 711(11), 669-671.
- Iitomi,T.,Toriumi, S.,Kondo, A.,Akazawa, T.,&Nakahara, T. (1995). Incidence of nausea and vomiting after cholecystectomy performed via laparoscope. *Masui* 44(12), 1627-1631. [Online]. Available <http://www.ncbi.nlm.nih.gov/entrez/query> [2003, July 29]
- Jantorn, P.,& Soranasataporn, C. (1990). Post-operative Respiratory Complications: Incidence and Prevention. *The Thai Journal of Anesthesiology* 16 (4), 208-212.
- Jones, R.M. (1989). INHALATIONAL AND INTRAVENOUS AGENTS. In: Nimmo, W.S., & Smith, G.(eds.), **ANESTHESIA**(pp. 34-59) .Oxford: BLACKWELLS CEINTIFIC PUBLICATIONS.
- Kamm, M.A. (1990). Role of surgical treatment in patients with severe constipation. *Ann Med* 22(6), 435-442.

- Kapler, L.D. (1997). Nutrition. In: Kerr, J.R., & Sirotnik, M.K. (eds.), **Canadian Fundamentals of Nursing** (pp. 1088-1127). St.Louis: Mosby.
- Kloub, R. (2001). Sore throat following tracheal intubation [online]. **Middle East J Anesthesiol** 16(1), 29-40 [Online]. Available <http://www.ncbi.nlm.nih.gov/entrez/query> [2003, Jan 9]
- Krange, P., Apefel, C.C., Papenfuss, T., Rauch, S., Lobmann, U., Rubsam, B., Greim, C.A., & Roewer, N. (2001). An increased body mass index is no risk factor for postoperative nausea and vomiting. Asystemic review and results of original data. **Acta Anaesthesiol Scand** 45(2), 160-166.
- Krumholz, W., Stoyanov, M., Kothe, M. & Hempelmann, G. (1985). Influence of various premedication agents, inhalation anesthetics and adjuvants on anesthesia with an opioid, alfentanyl. **Anasth Intensivther Notfallmed** 20(4), 171-174. [Online]. Available <http://www.ncbi.nlm.nih.gov/entrez/query> [2003, Aug 5].
- Lau, H., & Brooks, D.C. (2002). Contemporary Outcomes of Ambulation Laparoscopic Cholecystectomy in a Major Teaching Hospital. **World J Surg** 26(9), 1117-1121.
- Langevin, S., & Lessard, M.R., Trepanier, C.A., & Barivault, J.P. (1999). Alfentanyl causes less postoperative nausea vomiting than equipotent dose of fentanyl or sufentanil in out patients. **Anesthesiology** 91(6), 1666-1673.
- Lee, M., & Feldman, M. (1993). NAUSEA AND VOMITING. In: Seisenger, M.H., & Fodtran, J.S. (eds.), **Gastrointestinal Disease : Pathophysiology/Diagnosis/Management** (5th ed.) (pp.509-523). Philadelphia: W.B. SAUNDER COMPANY.
- Mathews, S., Mulla, A.I.A., Varghese, P.K., Radium, K., & Mumtaz, S. (2002). Postanesthetic Shivering- a new look at Tramadol. **Anesthesia** 57, 387-403.
- Mecca, M.S. (1997). POSTOPERATIVE RECOVERY. In: Barash, P.G., Cullen, B.F., & Stoelting, R.K. (eds.), **CLINICAL ANESTHESIA** (3rd ed.) (pp.1279-1304). Philadelphia: Lippincott-Raven Publishers.
- Monteriro Jose, M.P., & Dahlöf Carl, G.H. (2000). Single Use of Substances. In: Olesen, J., Yfelt-Hansen, P., & Michael A. Welch, K. (eds.), **The Headaches** (2nd ed.) (pp.861-869). Philadelphia: LIPPINCOTT WILLIAM & WILKINS.

- Morgan, Jr,G.E., & Mikhail, M.S. (1996). **Clinical Anesthesiology** (2nded.). Stamford: APPLETON & LANGE.
- Morgan, Jr,G.E., Mikhail, M.S.,& Murray, M.J. (2002). **Clinical Anesthesiology** (3rded.). New York: McGraw-Hill.
- Moyers, J.R. (1997). PREOPERATIVE MEDICATION. In: Barash, P.G., Cullen, B.F.,& Stoelting, R.K.(eds.), **CLINICAL ANESTHESIA** (3rded.)(pp.519-534). Philadelphia: Lippincott-Raven Publishers.
- Murphy, M.R. (1992). Opioids. In: Barash, P.G., Cullen, B.F.,& Stoelting, R.K.(eds.), **CLINICAL ANESTHESIA** (2nded.)(pp.413-438). Philadelphia: J.B.LIPPINCOTT COMPANY.
- Nagel, M. (1994). Nursing Care of Adults with Vascular Disorders. In: Monahan, F.D., Drake, T., & Neibors, M. (eds.), **NURSING CARE OF ADULTS** (pp.794-844). Philadelphia: W.B.Saunders Company.
- Orkin, F.K. (1996). Postoperative Nausea and Vomiting. In: Gravenstein, N.,&Kirby, R.R.(eds.), **Complications in ANESTHESIOLOGY** (2nded.)(pp.691-699). Philadelphia: Lippincott-Raven Publishers.
- Oyos, R.L.,& Dull, D.L. (1998). Recovery management of the Healthy Patient. In: Longnecker, D.E, Tinker, J.K.& Morgan, Jr.,G.E. (Eds.), **Principle and Practice of ANESTHESIOLOGY**(2nd ed.). St.Louis: Mosby
- Ozaki, M., Minami, K., Sata, T., & Shigematsu, A. (2001). Transdermal ketoprofen mitigates the severity of postoperative sorethroat. *Can J Anaesth* 48 (11), 1080-1083.
- OZcan, A.A.,Gunes, Y.,& Haciakupoglu, G. (2003).Using diazepam and atropine before strabismus surgery to prevent postoperative nausea and vomiting : A randomized, controlled study. *J AAPOS* 7(3), 210-212. [Online]. Available <http://www.ncbi.nlm.nih.gov/entrez/query> [2003,July 29].
- Pino, R.M.,& Basta, S.J. (1998). Pharmacology of Neuromuscular Blocking Drugs. In: Longnecker, D.E., Tinker, J.H., & Mogan, Jr,G.E.(eds.), **Principles and Practice of ANESTHESIOLOGY** (2nded.)(pp.765-790). St.Louis. Mosby.

- Porter, B.R.,&Gomez, M.N. (1998). Premedication. In: Longnecker, D.E., Tinker, J.H., & Mogan, Jr, G.E. (eds.), **Principles and Practice of ANESTHESIOLOGY** (2nd ed.) (pp.52-72). St.Louis: Mosby.
- Potter, P.A.Perry, A.G. (1995). **BASIC NURSING Theory and Practice** (3rd ed.). St.Louis: Mosby.
- Potter, P.A.Perry, A.G. (1997). **Canadian Fundamentals of Nursing**. St.Louis: Mosby.
- Pusch, F., Berger, A., Wildling, E., Tiefenthaler, W.,&Wrafft, P. (2003). The effects of systolic arterial blood pressure variations on postoperative nausea and vomiting. *Anesth Analg* 96(1), 302-303.
- Reihner, E., Grunditz, R., Gieseche, K.,&Gustafsson, L.L. (2000). Postoperative Nausea and Vomiting after breast surgery: efficacy of prophylactic ondansetron and droperidol in a randomized placebo-controlled study. *Eur J Anaesthesiol* 17, 197-203.
- Richter, J.J. (1992).Mechanisms of General Anesthesia. In: Barash, P.G., Cullen, B.F.,& Stoelting, R.K.(eds.), **CLINICAL ANESTHESIA** (2nd ed.)(pp.129-139). Philadelphia: JB.Lippincott Co.
- Roizen, M.F. (2000). Anesthetic Implications of Concurrent Disease. In: Miller, R.D. (ed.), **ANESTHESIA** (5nd ed.)(pp.903-1016). New York: CHURCHILL LIVINGSTONE.
- Rosenfeld, B.A.,& Oyos, T.L. (1998). Postanesthetic Care Unit. In: Longnecker, D.E., Tinker, J.H., & Mogan, Jr,G.E. (eds.), **Principles and Practice of ANESTHESIOLOGY** (2nd ed.)(pp.2305-2330). St.Louis: Mosby.
- Rosow, C.E.,&Dershawitz, M. (1998). Pharmacology of Opioid Analgesic Agents. In: Longnecker, D.E., Tinker, J.H., & Mogan, Jr,G.E.(eds.), **Principles and Practice of ANESTHESIOLOGY** (2nd ed.)(pp.1233-1259). St.Louis: Mosby.
- Saarnivaara, L. (1984). Comparison of halothane and enflurane anaesthesia for tonsillectomy in adults. *Acta Anaesthesiol Scand* 28(3), 319-324.
- Schindler, E., Benson, M., Junger, A., Miller, M., Sticher, J.,&Hempelmann, G. (2000). Recovery of balance anesthesia with various inhalation anesthetics in comparison to intravenous anesthetics: a retrospective analysis of 20,060 patients. *Anaesthesia Intensivmed Notfallmed Schmerzther* 25(6), 375-380. [Online]. Available <http://www.ncbi.nlm.nih.gov/entrez/query> [2003,Aug 5].

- Stedler, M., Bardiau, F., Seidel, L., Albert, A., & Boogaerts, J.G. (2003). Difference in risk factors for postoperative nausea and vomiting. *Anesthesiology* 9(1), 46-52.
- Stern, R.M. (2002). The psychophysiology of nausea. *Acta Bio Hung* 53(4), 589-599. [Online]. Available <http://www.ncbi.nlm.nih.gov/entrez/query> [2003,Aug 1].
- Taylor, A.T. (1999). NAUSEA AND VOMITING, in: Dipro, J.T., Talbert, L., Yee, G.C., Matzke, G.R., Wells, B.G., & Michael, L. (eds.), *Pharmacotherapy A Pathophysiologic Approach* (4th ed.)(pp.586-598). Stamford: Connecticut.
- Taylor, C. (1997). Nausea and vomiting, in: Bruce, L., & Finlay, T. (eds.), *Nursing in Gastroenterology* (pp.1-25). New York: CHURCHILL LIVINGSTONE.
- Thompson, C.L., & Yuan, A. (1999). MANAGEMENT OF PERSONS WITH VASCULAR Problems. In: Phipps, W.J., Sands, J.K., & Marek, J.F.(eds.), *MEDICAL-SURGICAL NURSING Concepts & Clinical Practice* (6th ed.)(pp.747-784). St.Louis: Mosby.
- Yamamoto, T., Yamanaka, T., Hatakeyama, Y., Kitaoku, Y., & Hosoi, H. (2003). A study of factors influencing intensity and annoyance in vertigo or dizziness. *Nippon Jibinkoka kaiho* 106(2), 143-149. [Online]. Available <http://www.ncbi.nlm.nih.gov/entrez/query> [2003,July 29].