ชื่อเรื่องการค้นคว้าแบบอิสระ

ปัจจัยที่มีผลต่อการมารับบริการที่สถานีอนามัยของประชาชน ในตำบลวังหิน อำเภอเมือง จังหวัดตาก

ชื่อผู้เขียน

นางจันทร์นิภา ตันภูมิประเทศ

สาธารณสุขศาสตรมหาบัณฑิต

คณะกรรมการสอบการค**้นคว้าแ**บบอิสระ

รองศาสตราจารย์อำไพ ชนะกอก ประธานกรรมการ อาจารย์นงเยาว์ อุคมวงศ์ กรรมการ รองศาสตราจารย์ประยงค์ ลิ้มตระกูล กรรมการ รองศาสตราจารย์ชลอศรี แคงเปี่ยม กรรมการ

บทคัดย่อ

การศึกษาครั้งนี้มีวัตถุประสงค์เพื่อศึกษาการมารับบริการที่สถานีอนามัยของประชาชน ในตำบลวังหิน และความสัมพันธ์ระหว่างปัจจัยพื้นฐาน (เพศ อายุ อาชีพ รายได้ การศึกษาและ หลักประกันค้านสุขภาพ) ปัจจัยส่งเสริม(ลักษณะของความเจ็บป่วย การรับรู้เกี่ยวกับภาวะสุขภาพ ความคิดเห็นเกี่ยวกับการให้บริการของเจ้าหน้าที่สถานีอนามัย และความคาดหวังต่อการได้รับ บริการค้านต่างๆจากเจ้าหน้าที่สถานีอนามัย) และปัจจัยด้านสิ่งอำนวยความสะดวก (ระยะทาง ระยะเวลาและความสะดวกในการเดินทางไปรับบริการ) กับการมารับบริการที่สถานีอนามัยของ ประชาชนในตำบลวังหิน กลุ่มตัวอย่างคือ บุคคลที่เป็นตัวแทนครัวเรือนที่เคยไปรับบริการที่สถานีอนามัยวังหิน ตั้งแต่มกราคม 2542 – กรกฎาคม 2543 จำนวน 170 คน และตัวแทนครัวเรือน ที่ไม่เคยไปรับบริการที่สถานีอนามัยวังหินแต่ไปรับบริการที่สถานบริการสาธารณสุขแห่งอื่นๆ จำนวน 90 คน รวมทั้งสิ้น 260 คน ใช้วิธีสุ่มแบบหลายขั้นตอน เครื่องมือที่ใช้ในการศึกษา คือแบบสัมภาษณ์ วิเคราะห์ข้อมูลโดยใช้สถิติเชิงพรรณนา ใค-สแคว์ ฟัชเชอร์ เอ๊กแซกท์ และ หาค่าสัมประสิทธิ์สหลัมพันธ์แบบพอยท์ใบซีเรียล

ผลการศึกษาพบว่า การมารับบริการที่สถานีอนามัยด้านการรักษาพยาบาลร้อยละ 42.3 รองลงมาคือด้านการส่งเสริมสุขภาพ และด้านการควบคุมและป้องกันโรคร้อยละ 28.1 และ 22 ตามลำดับ

ปัจจัยพื้นฐานที่มีความสัมพันธ์กับการมารับบริการที่สถานีอนามัย อย่างมีนัยสำคัญ ทางสถิติ (p < 0.05) ได้แก่ อาชีพ รายได้ การศึกษา และหลักประกันด้านสุขภาพ ปัจจัยส่งเสริม ที่มีความสัมพันธ์กับการมารับบริการที่สถานีอนามัย อย่างมีนัยสำคัญทางสถิติ (p < 0.05) คือ ความคิดเห็นเกี่ยวกับการให้บริการของเจ้าหน้าที่สถานีอนามัย และปัจจัยด้านสิ่งอำนวยความสะควก ที่มีความสัมพันธ์กับการมารับบริการที่สถานีอนามัย อย่างมีนัยสำคัญทางสถิติ (p < 0.05) คือ ระยะเวลาที่ใช้ในการเดินทางไปรับบริการที่สถานีอนามัย ปัจจัยที่ไม่มีความสัมพันธ์กับการมารับบริการ ที่สถานีอนามัย ปัจจัยที่ไม่มีความสัมพันธ์กับการมารับบริการ ที่สถานีอนามัย ได้แก่ เพศ อายุ ลักษณะของความเจ็บป่วย การรับรู้เกี่ยวกับภาวะสุขภาพ ความคาดหวังต่อการได้รับบริการด้านต่างๆ ระยะทางและความสะดวกในการเดินทางไปรับบริการ

ดังนั้น การคำเนินงานของเจ้าหน้าที่สถานีอนามัยควรเน้นในเชิงรุก คือการส่งเสริมสุขภาพ การควบกุมและป้องกันโรคมากกว่าการตั้งรับในการรักษาพยาบาล เพื่อให้เกิดการเปลี่ยนแปลง พฤติกรรมสุขภาพที่ไม่ถูกต้องและมีสุขภาพอนามัยที่ดี นอกจากนี้ควรเร่งรัดให้ทุกครอบครัว มีหลักประกันด้านสุขภาพ

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

Independent Study Title

Factors Affecting Utilization Health Center Services of People in Tambon Wanghin Amphoe Muang Changwat Tak

Author

Mrs. Channipa Tanpumiprated

Master of Public Health

Independent Study Examining Committee:

Assoc. Prof. Ampai Chanakok Chairperson

Lect. Nongyao Udomvong Member

Assoc. Prof. Prayong Limtragoon Member

Assoc. Prof. Chalorsri Dangpiam Member

Abstract

The objectives of this study were to study health services utilization at health center among the people in Tambon Wanghin. The relationship between predisposing factors (gender, age, occupation, income, education, and health insurance), enabling factors(types of illness, perceived health status, opinions towards health care providers' services, and expectation of health care services from the health care providers) and convenience factors (distance, travel time, and convenient of transportation) and the utilization of health services were also examined. The sample was selected by multistage sampling which consisted of 260 people: 170 people who were representative of each family attending the services at Wanghin health center and 90 people attending other health centers during January 1999 – September 2000. The data were collected by interview form and analyzed by using descriptive statistics, chi – square, Fisher's Exact and the point biserial coefficient of correlation ($r_{\rm pb}$).

The results showed that: 42.3 % of people received curative and nursing care, 28.1 % received services in health promotion, and 22.0 % received in controlling and prevention.

The predisposing factors were significantly associated with the utilization of health services were occupation, income, education and health insurance (p < 0.05). The enabling factor was significantly associated with the utilization of health services was the opinions towards the health care providers' service (p < 0.05). The convenience factor was significantly associated with the utilization of health services was the travel time (p < 0.05). The results showed that gender, age, types of illness, perceived health status, expectation of health care services from the health care providers, distance, and convenient of transportation were not associated with health center services.

Thus the health care provider should be more active in health promotion, and controlling and prevention than passive service in curative and nursing to change unhealthy behavior and to promote health. Besides, every family should have health insurance to insure their health.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved