

ชื่อเรื่อง การค้นคว้าแบบอิสระ อัตรานวัตกรรมของผู้ป่วยโรคปอดอุดกั้นเรื้อรังที่รับบริการใน  
โรงพยาบาลน่านน้อย จังหวัดน่าน

ผู้เขียน นางอนงค์ พูใบ

ปริญญา พยาบาลศาสตรมหาบัณฑิต (สุขภาพจิตและการพยาบาลจิตเวช)

คณะกรรมการที่ปรึกษาการค้นคว้าแบบอิสระ

รองศาสตราจารย์ ดร. พิชราภรณ์ อารีย์ ประธานกรรมการ  
อาจารย์ สมบัติ สกุลพรรณ กรรมการ

บทคัดย่อ

ผู้ป่วยโรคปอดอุดกั้นเรื้อรังมีการเปลี่ยนแปลงทางด้านร่างกายและจิตใจ ซึ่งการเปลี่ยนแปลงเหล่านี้จะส่งผลกระทบต่ออัตรานวัตกรรมของผู้ป่วยได้ การศึกษาครั้งนี้เป็นการศึกษาเชิงพรรณนา โดยมีวัตถุประสงค์เพื่อศึกษาอัตรานวัตกรรมของผู้ป่วยโรคปอดอุดกั้นเรื้อรังที่มารับบริการในโรงพยาบาลน่านน้อย จังหวัดน่าน เลือกกลุ่มตัวอย่างแบบเฉพาะเจาะจงจำนวน 77 คน เครื่องมือที่ใช้เป็นแบบสอบถามประกอบด้วย 2 ส่วนได้แก่ แบบบันทึกข้อมูลส่วนบุคคล และแบบวัดอัตรานวัตกรรมเนสซี (ฉบับภาษาไทย) แปลโดย อำไพ ศิริพิพัฒน์ (2515) ซึ่งผ่านการทดสอบความเชื่อมั่นของอัตรานวัตกรรมโดยรวม เท่ากับ .92 และอัตรานวัตกรรมรายด้าน เท่ากับ .66 ถึง .86 วิเคราะห์ข้อมูลโดยใช้สถิติเชิงพรรณนา

ผลการศึกษาพบว่ากลุ่มตัวอย่างมีค่าเฉลี่ยของอัตรานวัตกรรมโดยรวมเป็นไปในทางลบ ร้อยละ 55.8 อัตรานวัตกรรมโดยรวมในทางบวก ร้อยละ 44.2 ซึ่งจำแนกตามเกณฑ์ค่าเฉลี่ยของคะแนนอัตรานวัตกรรมของคนไทย เมื่อพิจารณาอัตรานวัตกรรมเป็นรายด้านพบว่า ด้านศีลธรรมจรรยา ด้านส่วนตัว ด้านสังคม และด้านพฤติกรรม เป็นไปในทางบวก ร้อยละ 63.3, 59.7, 53.2 และ 55.8 ตามลำดับ ส่วนด้านร่างกาย ด้านความเป็นเอกลักษณ์ ด้านความพึงพอใจในตนเอง ด้านครอบครัว และการวิพากษ์วิจารณ์ตนเอง เป็นไปในทางลบ ร้อยละ 84.4, 62.3, 70.1, 63.6 และ 85.7 ตามลำดับ

จากผลการศึกษาครั้งนี้สามารถนำไปประยุกต์ใช้ในการวิเคราะห์ปัญหา เพื่อนำไปสู่การวางแผนการพยาบาลในผู้ป่วยโรคปอดอุดกั้นเรื้อรัง และใช้เป็นข้อมูลพื้นฐานสำหรับการศึกษาต่อไป

**Independent Study Title** Self-concept of Patients with Chronic Obstructive Pulmonary Disease at Nanoi Hospital, Nan Province

**Author** Mrs. Anong Poobai

**Degree** Master of Nursing Science (Mental Health and Psychiatric Nursing)

**Independent Study Advisory Committee**

Associate Professor Dr. Patcharaporn Aree      Chairperson

Lecturer Sombat      Skulphan Member

### **ABSTRACT**

Physical and psychological changes of patients with chronic obstructive pulmonary disease could affect their self-concept. The purpose of this descriptive study was to examine the self-concept of patients with chronic obstructive pulmonary disease. Purposive sampling was adopted to recruit 77 patients at Nanoi Hospital, Nan Province. The instruments used in this study were a questionnaire consisting of two parts: a demographic data form and the Tennessee Self-concept Scale (1965), back translated by Aumpai Sriripipat (1972). The reliability of the total self-concept scale was .92 and for each component was in the range of .66 to .86. Data were analyzed by descriptive statistics.

The result of this study revealed that the subject's self-concept scores were negative compared with the normative score for Thai people (55.8 %) and positive (44.2 %), considering each component, moral-ethical self, social self, personal self, and behavior (63.3%, 59.7%, 53.2% and 55.8 % respectively), and physical self, identity, self-satisfaction, family self and self-criticism reported negative self-concepts (84.4%, 62.3%, 70.1%, 63.6% and 85.7% respectively).

The findings of this study could be applied to problem analysis for nursing care plans for COPD patients and as basic information for further study.