ชื่อเรื่องการค้นคว้าแบบอิสระ ความเหนื่อยล้าในผู้ดูแลผู้ติดสุรา ที่มารับบริการแผนกผู้ป่วยนอก โรงพยาบาลสวนปรุง จังหวัดเชียงใหม่

ผู้เขียน

นางวิไล ทิพย์นันท์

ปริญญา

พยาบาลศาสตรมหาบัณฑิต (สุขภาพจิตและการพยาบาลจิตเวช)

คณะกรรมการที่ปรึกษาการค้นคว้าแบบอิสระ

รองศาสตราจารย์ คร.กรรณิการ์ กันธะรักษา ประธานกรรมการ อาจารย์สมบัติ สกุลพรรณ์ กรรมการ

บทคัดย่อ

การติดสุราเป็นโรคเรื้อรังทางจิตเวช ซึ่งส่งผลกระทบโดยตรงต่อผู้ติดสุรา และผู้ดูแล ผลกระทบจากการดูแลทำให้ผู้ดูแลเกิดความเหนื่อยล้าได้ การศึกษาเชิงพรรณนาครั้งนี้ มีวัตถุประสงค์เพื่อศึกษาระดับความเหนื่อยล้าในผู้ดูแลผู้ติดสุรา กลุ่มตัวอย่างที่ศึกษาเป็นผู้ดูแล ผู้ติดสุรา จำนวน 280 ราย ที่มารับบริการแผนกผู้ป่วยนอก โรงพยาบาลสวนปรุง จังหวัดเชียงใหม่ ระหว่างเดือนมีนาคม ถึงเดือนเมษายน 2549 เครื่องมือที่ใช้ในการศึกษาครั้งนี้เป็นแบบสอบถาม ประกอบด้วย 2 ส่วน คือ ส่วนที่ 1 แบบสอบถามข้อมูลทั่วไปของผู้ดูแลผู้ติดสุรา และผู้ติดสุรา ส่วนที่ 2 แบบสอบถามเหนื่อยล้าในผู้ดูแลผู้ติดสุรา ประเมินโดยการใช้แบบวัดความเหนื่อยล้า ของไปเปอร์ (Piper, 1986) ซึ่งแปลและดัดแปลงโดย กัญญารัตน์ ผึ่งบรรหาร (2539) ตรวจสอบ ค่าความเชื่อมั่นโดยใช้สูตรสัมประสิทธิ์อัลฟาของครอนบากได้เท่ากับ .95 วิเคราะห์ข้อมูลโดยใช้ สถิติเชิงพรรณนา

ผลการศึกษาพบว่าผู้ดูแลผู้ติดสุรา มีความเหนื่อยล้าอยู่ในระดับปานกลาง ค่าเฉลี่ย ของความเหนื่อยล้ำเท่ากับ 4.69 และกลุ่มตัวอย่างมีความเหนื่อยล้ำอยู่ในระดับปานกลาง คิดเป็น ร้อยละ 53.60 มีความเหนื่อยล้าอยู่ในระดับเล็กน้อย คิดเป็นร้อยละ 33.60 และมีความเหนื่อยล้ำ อยู่ใน ระดับมาก คิดเป็นร้อยละ 12.50

ผลการศึกษาครั้งนี้ สามารถใช้เป็นข้อมูลในการคัดกรองผู้ดูแลผู้ติดสุรา เพื่อป้องกัน การเกิดความเหนื่อยล้า และเป็นข้อมูลพื้นฐานในการทำวิจัยต่อไป **Independent Study Title** Fatigue Among Caregivers of Persons with

Alcohol Dependence Receiving Services at Suan Prung

Psychiatric Hospital, Chiang Mai Province

Author Mrs. Wilai Tipnun

Degree Master of Nursing Science (Mental Health and Psychiatric

Nursing)

Independent Study Advisory Committee

Associate Professor Dr. Kannika Kantaruksa Chairperson

Lecturer Sombat Skulphan Member

ABSTRACT

Alcohol dependence is a chronic psychiatric illness, which has a direct impact on persons themselves and their caregivers. The effects of caring for people with alcohol dependency can cause fatigue in the caregiver. The purpose of this descriptive study was to determine fatigue among caregivers of persons with alcohol dependence. The subjects were 280 caregivers of persons with alcohol dependence receiving services at Suan Prung Psychiatric hospital, Chiang Mai province during March to April 2006. Research instrument was a questionnaire comprising of two parts: 1) Demographic data of caregivers and alcohol dependence persons, and 2) Fatigue questionnaire modified from Piper Fatigue Scale (1986) by Kunyarat Poungbunhan (1996). Reliability ensured by Cronbach's alpha coefficient and was .95. Data were analyzed using descriptive statistics.

The study showed that fatigue in caregivers of persons with alcohol dependence was at a moderate level. The mean score was 4.69, and 53.60 % of caregivers were at a moderate level of fatigue, 33.60 % were at a mild level, and 12.50 % were at a severe level.

Results of this study could be used as basic data for screening to prevent fatigue in caregivers of persons with alcohol dependence and also providing baseline data for further



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright © by Chiang Mai University All rights reserved