

ชื่อเรื่องการค้นคว้าแบบอิสระ	ตัวชี้วัดคุณภาพทางการพยาบาลในการจำกัดพฤติกรรม ผู้ป่วยที่มีพฤติกรรมรุนแรงในโรงพยาบาลสวนปรุง						
ผู้เขียน	นางขวัญใจ ไชยสุรินทร์						
ปริญญา	พยาบาลศาสตรมหาบัณฑิต (การพยาบาลสุขภาพจิตและจิตเวช)						
คณะกรรมการที่ปรึกษาการค้นคว้าแบบอิสระ	<table> <tr> <td>อาจารย์ ดร.हरรษา</td> <td>เศรษฐบุปผา</td> <td>ประธานกรรมการ</td> </tr> <tr> <td>อาจารย์ ขวัญพนมพร</td> <td>ธรรมไทย</td> <td>กรรมการ</td> </tr> </table>	อาจารย์ ดร.हरรษา	เศรษฐบุปผา	ประธานกรรมการ	อาจารย์ ขวัญพนมพร	ธรรมไทย	กรรมการ
อาจารย์ ดร.हरรษา	เศรษฐบุปผา	ประธานกรรมการ					
อาจารย์ ขวัญพนมพร	ธรรมไทย	กรรมการ					

### บทคัดย่อ

ตัวชี้วัดคุณภาพทางการพยาบาลในการจำกัดพฤติกรรมรุนแรงผู้ป่วยที่มีพฤติกรรมรุนแรง มีความสำคัญต่อการพัฒนาคุณภาพของโรงพยาบาล และสามารถพัฒนาระบบบริการดูแลให้มีประสิทธิภาพ การศึกษาครั้งนี้เป็นการศึกษาย้อนหลัง (retrospective study) เพื่อศึกษาตัวชี้วัดคุณภาพทางการพยาบาลในการจำกัดพฤติกรรมผู้ป่วยที่มีพฤติกรรมรุนแรงในโรงพยาบาลสวนปรุง กลุ่มตัวอย่าง คือ แพ้มประวัตติของผู้ป่วยจิตเวชที่มีพฤติกรรมรุนแรงในโรงพยาบาลสวนปรุง และได้รับการจำกัดพฤติกรรม จำนวน 273 ราย เก็บรวบรวมข้อมูลระหว่าง เดือนสิงหาคม ถึง เดือนกันยายน พ.ศ. 2550 เครื่องมือที่ใช้ในการศึกษา คือ แบบบันทึกข้อมูลส่วนบุคคล และแบบประเมินตัวชี้วัดคุณภาพทางการพยาบาลในการจำกัดพฤติกรรมผู้ป่วยที่มีพฤติกรรมรุนแรง ซึ่งพัฒนาโดยผู้ศึกษา จากการทบทวนวรรณกรรม แบบประเมินตัวชี้วัดคุณภาพทางการพยาบาล ได้ค่าความตรงของเนื้อหา (content validity index [CVI]) เท่ากับ 0.88 วิเคราะห์ข้อมูลโดยใช้สถิติพรรณนา

ผลการศึกษาพบว่ากลุ่มตัวอย่าง 1) ได้รับการประเมินพฤติกรรมรุนแรงขณะรักษาตัวในโรงพยาบาล ร้อยละ 100 2) ได้รับการบอกเหตุผล ระยะเวลาการจำกัดพฤติกรรม และการดูแลขณะจำกัดพฤติกรรมร้อยละ 100 3) ได้รับความสุขสบายทางด้านร่างกายขณะได้รับการจำกัดพฤติกรรม ร้อยละ 91.57 4) อาการสงบหลังจากการจำกัดพฤติกรรมร้อยละ 89.74 5) ร่วมมือในการ

ผลการศึกษานี้สามารถใช้เป็นข้อมูลพื้นฐานที่มีความสำคัญต่อการพัฒนาคุณภาพ  
ของโรงพยาบาล และสามารถพัฒนาระบบบริการในการจำกัดพฤติกรรมผู้ป่วยที่มีพฤติกรรมรุนแรง  
ให้มีประสิทธิภาพต่อไป



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved

**Independent Study Title** Nursing Quality Indicators for Setting Limit Among Violent Patients in Suanprung Psychiatric Hospital, Chiang Mai Province

**Author** Mrs. Kwanjai Chaisurin

**Degree** Master of Nursing Science (Mental Health and Psychiatric Nursing)

**Independent Study Advisory Committee**

Lecturer Dr. Hunsana	Sethabouppha	Chairperson
Lecturer Kwaunpanomporn	Thummathai	Member


**ABSTRACT**

Nursing quality indicators for setting limit among violent patients is important to hospital accreditation and can be used to help the improvement of effective services. The aim of this retrospective study was to examine nursing quality indicators for setting limit among violent patients in Suanprung Psychiatric Hospital. Sample was 273 folders of violent patients with setting limit in Suanprung Psychiatric Hospital during August to September, 2007. Research instruments were demographic data, and the nursing quality indicators setting limit among violent patients scale, which was developed by the researcher from reviewed literature. The nursing quality indicators for setting limit among violent patients scale had the content validity index (CVI) of 0.88. Data were analyzed using descriptive statistics.

The results of the study demonstrated that 1) one hundred percent of patients were assessed of violent behaviors during hospitalization, 2) one hundred percent of patients were informed of the rationale, time for setting limit, and nursing care during setting limit, 3) ninety-one point five seven percent of patients felt physical comfort during setting limit, 4) eighty-nine point seven four percent of patients were calm after setting limit, 5) ninety three point zero four percent of patients were compliant to treatment after setting limit. 6) Ninety-nine point six three

percent of patients were evaluated for cancellation of setting limit, and 7) ninety-nine point six three percent of patients were safe and reported no complications after setting limit.

The results of this study can be used as basic information to improve hospital accreditation and can be used to develop an effective services system for setting limit among violent patients.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University  
All rights reserved