

## TABLE OF CONTENTS


	page
ACKNOWLEDGEMENT . . . . .	i
ABSTRACT . . . . .	iii
TABLE OF CONTENTS . . . . .	ix
LIST OF TABLES . . . . .	viii
LIST OF FIGURES . . . . .	x
CHAPTER 1 : INTRODUCTION . . . . .	1
CHAPTER 2 : LITERATURE REVIEW . . . . .	4
SYSTEMS AND SIMULATION MODELS . . . . .	4
CROP MODELS . . . . .	5
MODEL VALIDATION . . . . .	8
CHAPTER 3 : THE CERES-RICE MODEL . . . . .	11
GENERAL FEATURES OF CERES-RICE MODEL . . . . .	13
MODEL INPUTS . . . . .	13
GROWTH AND DEVELOPMENT . . . . .	16
Phasic Development . . . . .	16
BIOMASS PRODUCTION AND PARTITIONING . . . . .	18
Germination . . . . .	18
Leaf area and dry matter production . . . . .	18
Dry matter partitioning . . . . .	18
ROOT SYSTEM DYNAMICS . . . . .	19
GRAIN YIELD . . . . .	20
SOIL WATER BALANCE . . . . .	20
NITROGEN COMPONENT . . . . .	22

<b>CHAPTER 4 : MATERIALS AND METHODS</b> . . . . .	23
MODEL CALIBRATION . . . . .	23
Field experiment . . . . .	23
<u>Climatic data</u> . . . . .	24
<u>Soil data</u> . . . . .	24
<u>Crop data</u> . . . . .	25
DETERMINATION OF GENETIC COEFFICIENTS . . . . .	27
MODEL VALIDATION . . . . .	27
DATA ANALYSIS . . . . .	28
<b>CHAPTER 5 : RESULTS</b> . . . . .	31
OBSERVED PHENOLOGICAL EVENTS . . . . .	31
CALIBRATION AND DETERMINATION OF GENETIC COEFFICIENTS . . . . .	32
MODEL TESTING . . . . .	38
Phenological Simulations . . . . .	38
<u>Heading date</u> . . . . .	38
Duration of grain filling (heading to maturity) . . . . .	39
<u>Number of tillers m<sup>-2</sup></u> . . . . .	42
<u>Leaf Area Index (LAI)</u> . . . . .	48
Above Ground Biomass Production . . . . .	54
Grain Yield and Yield Components . . . . .	77
MODEL VALIDATION . . . . .	81
<b>CHAPTER 6 : DISCUSSION AND CONCLUSION</b> . . . . .	86
<b>REFERENCES</b> . . . . .	92
<b>APPENDICES</b> . . . . .	100
<b>CURRICULUM VITAE</b> . . . . .	121

## LIST OF TABLES

	Page
Table 1. General processes diagram for CERES-Rice model. . . .	12
Table 2. Phenology and growth genetic coefficients used in the CERES-Rice model version 2.10. . . . .	15
Table 3. Phenological stages of the CERES-Rice model. . . . .	17
Table 4. Treatment combination used in the experiment. . . . .	24
Table 5. Soil data for San Sai Series, as employed in the model testing. . . . .	26
Table 6. Planting, Transplanting, Heading and Harvesting dates from the experiments of RD7, NSPT and KDML105 at San Pa Tong Rice Experiment Station in 1989 -1991. . . . .	29
Table 7. Soil data for Hang Dong Series, as employed in the model validation. . . . .	30
Table 8. Observed phenological events of rice planted at Multiple Cropping Centre Experiment Station. . . . .	32
Table 9. Genetic coefficients of RD7, NSPT and KDML105 obtained from Jintrawet (1991). . . . .	33
Table 10. Genetic coefficients of the RD7, NSPT and KDML105 obtained after calibration of Jintrawet's (1991) coefficients. . . . .	38
Table 11. Simulated and observed heading date for RD7, NSPT and KDML105. . . . .	40
Table 12. Simulated and observed duration of grain filling (Heading to maturity) of RD7, NSPT, and KDML105. . . . .	41
Table 13. Statistical analysis results of model performance for tiller numbers $m^{-2}$ of RD7, NSPT, and KDML105. . . . .	47
Table 14. Statistical analysis results of model performance for LAI of RD7, NSPT and KDML105. . . . .	53
Table 15. Statistical analysis results of model performance for above ground biomass ( $g\ m^{-2}$ ) of RD7. . . . .	60
Table 16. Statistical analysis results of model performance for above ground biomass ( $g\ m^{-2}$ ) of NSPT. . . . .	68
Table 17. Statistical analysis results of model performance for above ground biomass ( $g\ m^{-2}$ ) of KDML105. . . . .	75

Table 18. Simulated and observed grain yield and yield components of three rice varieties at five different planting dates. . . . .	78
Table 19. Analysis of variance for observed grain yield. . . . .	80
Table 20. Simulated and observed heading and maturity dates (Julian day) and grain yield ( $\text{kg ha}^{-1}$ ) of RD7, NSPT and KDML105. . . . .	84



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
 Copyright© by Chiang Mai University  
 All rights reserved

## LIST OF FIGURES

	Page
Figure 1. Grain yield during 1980/81 - 1990/91 growing season in the North region. . . . .	2
Figure 2. Observed growing season (days from sowing to maturity) of RD7, NSPT, and KDML105 as influenced by planting date treatments. . . . .	33
Figure 3. Comparison of observed and simulated days to heading and maturity of RD7 using genetic coefficients obtained from Jintrawet (1991). . . . .	35
Figure 4. Comparison of observed and simulated days to heading and maturity of RD7 using new set of genetic coefficients which was obtained by calibrating Jintrawet's (1991) coefficients. . . . .	35
Figure 5. Comparison of observed and simulated days to heading and maturity of NSPT using genetic coefficients obtained from Jintrawet (1991). . . . .	36
Figure 6. Comparison of observed and simulated days to heading and maturity of NSPT using new set of genetic coefficients which was obtained by calibrating Jintrawet's (1991) coefficients. . . . .	36
Figure 7. Comparison of observed and simulated days to heading and maturity of KDML105 using genetic coefficients obtained from Jintrawet (1991). . . . .	37
Figure 8. Comparison of observed and simulated days to heading and maturity of KDML105 using new set of genetic coefficients which was obtained by calibrating Jintrawet's (1991) coefficients. . . . .	37
Figure 9. Comparison between simulated and observed tiller numbers $m^2$ of RD7 transplanted in (a) May, (b) June, (c) July, (d) August, and (e) September. + — + and — — represent simulated and observed data, respectively. . . . .	44
Figure 10. Comparison between simulated and observed tiller numbers $m^2$ of NSPT transplanted in (a) May, (b) June, (c) July, (d) August, and (e) September. + — + and — — represent simulated and observed data, respectively. . . . .	45
Figure 11. Comparison between simulated and observed tiller numbers $m^2$ of KDML105 transplanted in (a) May, (b) June, (c) July, (d) August, and (e) September. + — + and — — represent simulated and observed data, respectively. . . . .	46

Figure 12. Comparison between simulated and observed LAI of RD7 transplanted in (a) May, (b) June, (c) July, (d) August, and (e) September. + — + and — represent simulated and observed data, respectively. . . . . 50

Figure 13. Comparison between simulated and observed LAI of NSPT transplanted in (a) May, (b) June, (c) July, (d) August, and (e) September. + — + and — represent simulated and observed data, respectively. . . . . 51

Figure 14. Comparison between simulated and observed LAI of KDML105 transplanted in (a) May, (b) June, (c) July, (d) August, and (e) September. + represent simulated and observed data, respectively. . . . . 52

Figure 15. Comparison between simulated and observed above ground biomass of RD7 at May planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . . 55

Figure 16. Comparison between simulated and observed above ground biomass of RD7 at June planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . . 56

Figure 17. Comparison between simulated and observed above ground biomass of RD7 at July planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . . 57

Figure 18. Comparison between simulated and observed above ground biomass of RD7 at August planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . . 58

Figure 19. Comparison between simulated and observed above ground biomass of RD7 at September planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . . 59


Figure 20. Comparison between simulated and observed above ground biomass of NSPT at May planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . . 62

Figure 21. Comparison between simulated and observed above ground biomass of NSPT at June planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . . 63

Figure 22. Comparison between simulated and observed above ground biomass of NSPT at July planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . .	64
Figure 23. Comparison between simulated and observed above ground biomass of NSPT at August planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . .	65
Figure 24. Comparison between simulated and observed above ground biomass of NSPT at September planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . .	66
Figure 25. Comparison between simulated and observed above ground biomass of KDML105 at May planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . .	70
Figure 26. Comparison between simulated and observed above ground biomass of KDML105 at June planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . .	71
Figure 27. Comparison between simulated and observed above ground biomass of KDML105 at July planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . .	72
Figure 28. Comparison between simulated and observed above ground biomass of KDML105 at August planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . .	73
Figure 29. Comparison between simulated and observed above ground biomass of KDML105 at September planting date; (a) stem and leaf, (b) total dry weight and panicle. . . . .	74
Figure 30. Mean comparison of observed grain yield at various planting dates of RD7, NSPT, and KDML105. . . . .	81
Figure 31. Comparison between simulated and observed days to heading and maturity of RD7 during the 1989 to 1990 experiment at San Pa Tong Rice Experiment Station. . . . .	82
Figure 32. Comparison between simulated and observed days to heading and maturity of NSPT during the 1989 to 1991 experiment at San Pa Tong Rice Experiment Station. . . . .	82

Figure 33. Comparison between simulated and observed days to heading and maturity of KDML105 during the 1989 to 1991 experiment at San Pa Tong Rice Experiment Station. . . . . 83

Figure 34. Comparison between simulated and observed grain yield of RD7, NSPT, and KDML105 during the 1989 to 1991. . . . . 85



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved