

เอกสารอ้างอิง

เทวा เมลาnanท. 2531. การวิเคราะห์การเจริญเติบโตและผลผลิตของถั่วเหลือง
และถั่วลิสงภายในได้ดูปัญญาที่แตกต่างกัน วิทยานิพนธ์ปริญญาวิทยาศาสตรมหา
บัณฑิต (เกษตรศาสตร์) สาขาวิชาพืชไร่ มหาวิทยาลัยเชียงใหม่ 71 หน้า

Aina,P.O. and H.O. Fapohunda. 1986. Root distribution and water
uptake pattern of maize cultivars field grown under
difference irrigation. Plant and Soil. 94:257-265.

Allmaras,R.R., W.W. Nelson, and W.B. Voorhees. 1975a. Soybean
and corn rooting in Southern Minnesota:I. Water-uptake
sink. Soil Sci. Soc. Am. Proc. 39:764-770.

Allmaras,R.R., W.W. Nelson, and W.B. Voorhees. 1975b. Soybean
and corn rooting in Southern Minnesota : II. Root
distribution and related water in flow. Soil Sci. Soc.
Am. Proc. 39:771-777.

Arya,L.M., G.R. Blake, and D.A. Farrell. 1975. A field study of
soil water depletion patterns in presence of growing
soybean roots.III. Rooting characteristics and root
extraction of soil water. Soil Sci. Soc. Am. Proc.
39:438-444.

Barber, S.A. 1978. Growth and nutrient uptake of soybean roots under field conditions. *Agron.J.* 70:457-461.

Begg, J.E., and N.C. Turner. 1976. Crop water deficits. *Adv. Agron.* 28:161-207.

Bohm, W., H. Maduakor, and H.M. Taylor. 1977. Comparison of five methods for characterizing soybean rooting density and development. *Agron.J.* 69:415-419.

Boyer, J.S., R.R. Johnson, and S.G. Saupe. 1980. Afternoon water deficits and grain yields in old and new soybean cultivars. *Agron.J.* 72:981-985.

Brown, E.A., C.E. Caviness, and D.A. Brown. 1985. Response of selected soybean cultivars to soil moisture deficit. *Agron.J.* 77:274-278.

Cassel, D.K. and D.R. Nielsen. 1986. Field Capacity and available water capacity. In Arnold Klute (ed.). *Methods of soil analysis, Part I. Physical and Mineralogical Methods*. Second edition. *Agron. Mono.* 9: 901-926.

Cox, W.J., and G.D. Jolliff. 1986. Growth and yield of sunflower and soybean under soil water deficits. *Agron.J.* 78:226-230.

Cruz, R.T., and J.C. O'Toole. 1984. Dryland rice response to an irrigation gradient at flowering stage. *Agron.J.* 76:178-183.

Cure, J.D., R.P. Patterson, C.D. Raper Jr., and W.A. Jackson. 1982. Assimilate distribution in soybeans as affected by photoperiod during seed development. *Crop Sci.* 22: 1245-1250.

Fapohunda, H.O. 1985. A study of maize and cowpea yield response to irrigation using the line source sprinkler system. *Inter. J. Dev. Tech.* 3:313-143.

Fehr, R.R., and C.E. Caviness. 1977. Stage of soybean development. Special Report 80. Coop. Ext. Serv., Iowa State Univ., Logan, Utah, U.S.A.

French, R.J., and J.E. Schultz. 1984 a. Water use efficiency of wheat in Mediterranean - type Environment. I. The relation between yield ,water use and climate. *Aust. J. Agric.Res.* 35: 743-764.

French, R.J., and J.E. Schultz. 1984b. Water use efficiency of wheat in Mediterranean - type Environment. II. Some limitations to efficiency. Aust.Agric.J.Res. 35:765-775.

Gary, A.F., and W.W. Wilhelm. 1983. Root system characteristics of two soybean isolines undergoing water stress conditions. Agron.J. 75:973-977.

Hanks, R.J., J.Keller, V.P. Rasmussen, and G.D. Wilson. 1976. Line source sprinkler for continuous variable irrigation crop production studies. Soil Sci.Soc.Am.Proc. 40:426-429.

Hanks, R.J. 1974. Model for predicting plant yield as influenced by water use. Agron.J. 65:660-665.

Hansen, V.E. 1977. Irrigation principle and practices. John Wiley & Sons, New York. 417 pp.

Herrera, W.T., R.K. Pandey, A.N. Villegas, and J.W. Pendleton. 1983. The response of four legumes to drought using line source sprinkler system. In Selected Paper on Cropping System Research (The Pest Management) Compiled by The Rice Farming System Programme. IRRI, Los Banos, Laguna Philippines. p.32

Hicks, D.R. 1978. Growth and development. In A. G. Norman (ed.). *Soybean Physiology, Agronomy, and Utilization*. Academic Press. USA. p. 17-44.

Hillel,D.and V. Guron.1973. Relation between evapotranspiration rate and maize yield. *Water Resour. Res.* 9: 743-749.

Hoogenboom,G.,M.G.Huck, and C.M.Peterson.1987. Root growth rate of soybean as affected by drought stress. *Agron. J.* 79: 607-614.

Huck, M.G., C.M. Peterson, G. Hoogenboom, and C.D. Busch. 1986. Distribution of dry matter between shoots and roots of irrigated and nonirrigated determinate soybeans. *Agron. J.* 78:807-813.

Hume,D.J.,and A.K.H. Jackson. 1981. Pod formation in soybean at low temperatures. *Crop Sci.* 21: 933-937.

Hurd, E.A. 1974. Phenotype and drought tolerance in wheat. *Agric. Meteorol.*, 14: 39-55.

Klodpeng,T.,C.Sukasame, and C. Nimalungkul. 1985. Rooting depth and rooting density of some upland crops under rainfed condition. In *Upland Rainfed Cropping System Technical Report*. Faculty of Agriculture Chiangmai University.35pp.

Kramer, P.J. 1969. Plant and soil water relationships: A modern synthesis. TATA McGraw-Hill Publishing Co. Ltd. New Delhi, India. 482 pp.

Laohasiriwong, S. 1983. Yield response of selected soybean cultivars to water stress during different reproductive growth periods. In Soybean in Tropical and Subtropical Cropping Systems. Proceedings of a Symposium, Tsukuba, Japan. 26 Sep.-1 Oct. 1983. Revised Edition 1986. p. 383-386.

Lawn, R.J., and Hume, D.J. 1985. Response of tropical and temperate soybean genotypes to temperature during early reproductive growth. Crop Sci. 25: 137-142.

Malik, R.S., J.S. Dhakar and N.C. Turner. 1979. Influence of soil water deficits on root growth of cotton seedlings. Plant and Soil. 53:109-115.

Mayaki, W.C., L.R. Stone, and I.D. Teare. 1976. Irrigated and nonirrigated soybean, corn, and grain sorghum root system. Agron. J. 68: 532-534.

Mayers, J.D., R.J. Lawn, and D.E. Byth. 1991. Adaptation of soybean [Glycine max (L.) Merrill] to the dry season of the Tropics. II. Effects of genotype and environment on biomass and seed yield. *Aust. J. Agric. Res.* 42: 517-530.

Mckay, A.D., and S.A. Barber. 1986. Effect of nitrogen on root growth of two corn genotypes in the field. *Agron. J.* 78: 699-703.

Mitchell, R.L., and W.J. Russell. 1973. Root development and rooting patterns of soybean [Glycine max (L.) Merrill] evaluated under field conditions. *Agron. J.* 63: 313-316.

Newell, R.L., and W.W. Wilhelm. 1987. Conservation tillage and irrigation effects on corn root development. *Agron. J.* 79: 160-165.

Newman, E.T. 1966. A method of estimating the total length of root in a sample. *J. Appl. Ecol.* 3: 139-145.

Pandey, R.K., W.A.T. Herrera, and J.W. Pendleton. 1984a. Drought response of grain legumes under irrigation gradient.I. Yield and yield components. *Agron. J.* 76: 549-553.

- Pandey, R.K., W.A.T. Herrera, and J.W. Pendleton. 1984b. Drought response of grain legumes under irrigation gradient.II. Plant water status and canopy temperature. Agron. J. 76: 553-557.
- Pandey, R.K., W.A.T. Herrera, A.N. Villegas, and J.W.Pendleton. 1984. Drought response of grain legumes under irrigation gradient.III. Plant growth. Agron. J. 76: 557-560.
- Proffitt, A.P.B., P.R. Berliner, and D.M. Oosterhuis. 1985. A comparative study of root distribution and water extraction efficiency by wheat grown under high - and low - frequency irrigation. Agron. J. 77: 655-662.
- Raper Jr., C.D., and S.A. Barber. 1970. Rooting system of soybeans.I. Differences in root morphology among varieties. Agron. J. 62: 581-584.
- Reicosky, D.A., J.H. Orf, and C. Ponelis. 1982. Soybean germplasm evaluation for length of seed filling period. Crop Sci. 22: 319-322.

Robertson, W.K., L.C. Hammond, J.T. Johnson, and K.J. Boote.

1980. Effect of plant - water stress on root distribution of corn, soybeans and peanuts in sandy soil. Agron. J. 72: 548-550.

Sanders, J.L., and D.A. Brown. 1976. Effect of variation in the shoot : root ratio upon the chemical composition and growth of soybeans. Agron. J. 68: 713-717.

Seddigh, M., and G. D. Jolliff, 1984a. Effect of night temperature on dry matter partitioning and seed growth of indeterminate field-grown soybean. Crop Sci. 24:704-710.

Seddigh, M., and G. D. Jolliff, 1984b. Night temperature effects on morphology, phenology, yield and yield components of indeterminate field-grown soybean. Agron. J. 76: 824-828.

Senthong, C., K. Tedia, E. Barlaan and R.K. Pandey. 1986. Drought response of soybean genotypes during reproductive growth phase under irrigation gradient. Paper Present at IRRI Saturday Seminar on Rice Farming Systems Programme. IRRI, Los Banos, Philippines. 38 pp.

Senthong, C., and R.K. Pandey. 1989. Response of five food legume crops to an irrigation gradient imposed during reproductive growth. *Agron. J.* 81: 680-686.

Shibles, R.M., I.C. Anderson, and A.H. Gibson. 1975. Soybean. p. 151-189. In L.T. Evans (ed.). *Crop Physiology*. Cambridge University Press, Cambridge. 374 pp.

Sivakumar, M.V.K., H.M. Taylor, and R.H. Shaw. 1977. Top and root relations of field grown soybeans. *Agron. J.* 69: 470-473.

Sullivan, T.P., and W.A. Brun. 1975. Effect of root genotype on shoot water relations in soybeans. *Crop Sci.* 15, 213-216

Taylor, H.M., and B. Klepper. 1978. Rooting density and water extraction patterns of corn (Zea mays L.). *Agron. J.* 65: 965-968.

Taylor, H.M. 1980. Postponement of severe water stress in soybeans by rooting modifications : A progress report. In F.T. Corbin (ed.). *World Soybean Research Conference II: Proceedings*. Westview Press, Inc., New York, U.S.A. 897 pp.

Taylor, H.M., W.R. Jordan, and T.R. Sinclair (ed.). 1983. Limitations to efficient water use in crop production, Am. Soc. Agron., Inc., Publisher, Madison, Wisconsin, USA. 538 p.

Thomas, J.F., and C.D. Raper. 1978. Effect of day and night temperature during floral induction on morphology of soybeans. *Agron. J.* 70: 893-898.


Turk, J.J., A.E. Hall, and C.W. Asbell. 1980. Drought adaptation of cowpea. I. Influence of drought on seed yield. *Agron. J.* 72: 413-420.

Turner, N.C. 1979. Drought resistance and adaptation to water deficits in crop plants. In H.W. Mussell, and R.C. Staples(ed.). *Stress Physiology in Crop Plants*. Wiley - Interscience Publication, New York, U.S.A. p. 343-372.

Turner, N.C. 1986. Crop water deficits: A decade of progress. *Adv. Agron.* 39: 1-51.

Turner, N.C., and J.B. Passioura. 1986. Plant growth, drought and salinity. CSIRO, Melbourne. Australia. 201 p.

Willett, S.T., and H.M. Taylor. 1978. Water Uptake by soybean roots as affected by their depth and by soil water content. J. Agric. Sci. 90: 205~213.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright[©] by Chiang Mai University
All rights reserved