เอกสารอ้างอิง

กฤษฎา สัมพันธารักษ์. 2527. ปรับปรุงพันธุ์พืช. บริษัทโรงพิมพ์ไทยวัฒนาพานิช จำกัด 155 หน้า.

ยศพร จันทชุม, จรัส กิจบำรุง, พิเชษฐ์ กรุดลอยมา, อำนวย ทองดี, สนิท ชูวา, วิจิตร เบญจศีล, สมพงษ์ ทองช่วย, กริชชัย ใจลืบ และณรงค์ศักดิ์ เสนาณรงค์. 2532. ข้าวโพดพันธุ์ NS 104. ศูนย์วิจัยพืชไร่นครสวรรค์ สถานบันวิจัยพืชไร่ กรมวิชาการเกษตร. 25 หน้า.

สมจินตนา พรหมศร, ธวัช ลวะเปารยะ, สุรนันต์ สุภัทรพันธุ์ และชำนาญ ฉัตรแก้ว. 2533. การปรับปรุงประชากรข้าวโพดฝักอ่อนคอมพอสิต 1 ดีเอ็มอาร์ โดยการคัดเลือกแบบ S1 และ Full-Sib. ว.เกษตรศาสตร์ (วิทย์) 24: 417-423.

Abou-El-Fittouh, A.H., J.O. Pawlings and P.A. Miller. 1969. Classification of environments to control genotype by environment interaction with application to cotton. Crop Sci. 99 : 135-140.

Aday, B. 1975. The Philippine program in breeding for resistance to downy mildew of maize. Trop. Agric. Res. 8: 207-219.

Allard, R.W. and A.D. Bradshaw. 1964. Implications of genotype-environmental interaction in applied plant breeding. Crop Sci. 4 : 503-507.

Anahosur, K.H. and S.H. Patil. 1980. Chemical control of sorghum downy mildew in India. Plant Disease 64 : 1004-1006.

Bonde, M.R. 1982. Epidemiology of downy mildew disease of maize, sorghum and pearl millet. Tropical Pest Management 28(1) : 49-60.

Bonman, J.M., B.L. Renfro and N. Singburaudom. 1983. Correlation between resistance in maize to local and systemic infection by Peronosclerospora sorghi in Thailand. Plant Disease 67 : 219-220.

Boon-Long, J., V. Korpraditskul, U. Pupipat and B.L. Renfro. 1972. Progress report on downy mildew of corn in Thailand. Pro. 8th. Inter-Asian Corn Improve. Workshop. Bangkok, Thailand. pp. 122-130.

Borges F., O.L. 1987. Diallel analysis of maize resistance to sorghum downy mildew. Crop Sci. 27 : 178-180.

Chang, S.C. and C.P. Cheng. 1968. Inheritance of resistance to Sclerospora sacchari Miyake in corn. Rep. Corn Res. Cent. Tainan 6 : 1-6.

Compton, W.A., J.H. Lonquist and C.O. Gardner. 1964. Predicted response to recurrent selection with intra- and inter-varietal testers in corn (Zea mays L.). Crop Sci. 4 : 146-148.

Comstock, R.E. and R.H. Moll. 1963. Genotype - environment interactions. In Symposium on Statistical Genetics and Plant Breeding. NRS - NRC Plublication 892 : 164-196.

De leon, C. 1979. Source of resistance and gene management for control of downy mildew in maize. In Paper presented at the International Conference on the Graminaceous Downy Mildew Deseases. Billagio, Italy. Nov 28 - Dec 3, 1979. pp. 1-8.

De leon, C., G. Granados, R.W. Weddeburn and S. Pandey. 1993. Simultaneous improvement of downy mildew resistance and agronomic traits in tropical maize. Crop Sci. 33 : 100-102.

Dhillon, B.S. and A.S. Khehra. 1989. Modified S1 recurrent selection in maize improvenent. Crop Sci. 29 : 226-228.

Eberhart, S.A. and W.A. Russell. 1966. Stability parameters for comparing varieties. Crop Sci. 6 : 36-41.

Finlay, K.W. and G.N. Wilkinson. 1963. The analysis of adaptation in plant-breeding programme. Aust. J. Agric. Res. 14 : 742 -754.

Frederiksen, R.A. and B.L. Renfro. 1977. Global status of maize downy mildew. Ann. Rev. Phytopathol. 15 : 149-175.

Freeman, G.H. and J.M. Perkins. 1971. Environmental and genotype environvental components of variability. VII. Relations between genotypes grown in different environments and measures of these environments. Heredity 27 : 15-23.

Gomez, A.A., F.A. Aquilizan, R.M. Payson and A.G. Calub. 1963. Preliminary studies on the inheritance of the reaction of corn to downy mildew disease. Philipp. Agric. 47 : 113-116.

Gomez, K.A. and A.A. Gomez. 1984. Statistical Procedures for Agricultural Research. John Wiley & Sons Inc. Canada. 680 p.

Grudloyma P., Y. Chantachume, C. Kitbamroong, K. Jaiserb, S. Choowa, S. Noradachanon, P. Saengsoda and P. Duangpudta. 1987. Yield stability of corn : I. Open-pollinated varieties. In Thailand National Corn and Sorghum Program 1987 Annual Report. pp. 82-92.

Hakim, R. and M.Dahlan. 1973. Segregating behavior of Sclerospora maydis of corn. Proc. Inter-Asian Cron Impr. Work. 9 : 54 -58.

Hallauer, A.R. 1992. Use of genetic variation for breeding populations in cross-pollinated species. In H.T. Stalker and J.P. Murphy. (eds.). Plant breeding in the 1990s. Proceedings of the Symposium on Plant Breeding in the 1990s. C.A.B. International. pp. 38-67.

Hallauer, A.R. and J.B. Miranda, Fo. 1981. Quantitative genetics in maize breeding. The Iowa State University Press. 468 p.

Horner, E.S., E. Magloire and J.A. Morera. 1989. Comparison of selection for S2 progeny vs. testcross perfornance for population improvement in maize. Crop Sci. 29 : 868-874.

Jinahyon, S. 1973. The genetics of resistance and its implications to breeding for resistance in corn. Proc. 9th. Inter-Asian Corn Improve. Workshop. Kuala Lumpur pp. 30-39.

———. 1974. A review on breeding work for downy mildew resistance in Thailand. In Symposium on Downy Mildew of Maize. Proceeding of Symposium on Tropical Agriculture Research. September, 1974. pp. 221-231.

Jugenheimer, R.W. 1980. Corn improvement, seed production, and use. John Wiley & Sons, Inc. New York. 670 p.

Kaneko, K. and B.A. Aday. 1980. Inheritance of resistance to philippine downy mildew of maize Peronosclerospora philippinensis. Crop Sci. 20 : 590-594.

Kang, M.S. and D.P. Gorman. 1989. Genotype x environment interaction in maize. Agron. J. 81 : 662-664.

Kitbamroong, C., Y. Chantachume, P. Grudloyma, K. Jaiserb and S. Choowa. 1987. Maize improvement program of the department of agriculture Thailand. In Thailand National Corn and Sorghum Program 1987 Annual Report. pp. 66-73.

Lal, S. and I.S. Singh. 1984. Breeding for resistance to downy mildew and stalk rots in maize. Thior Appl Genet 69 : 111 -119.

Lener, I.M. 1954. Genetic homeostasis. Oliver and Boyd, Ltd., Edinburgh. 134 p.

Lewontin, R.C. 1957. The adaptations of populations to varying environments. Cold Spring Harbor Sym. Quant. Biol. 22 : 395-408.

Lin, C.S., M.R. Binns and L.P. Lefkovitch. 1986. Stability analysis : Where do we stand ?. Crop Sci. 26 : 894-899.

Odhiamboo, M.O. and W.A. Compton. 1989. Five cycles of replicated S_1 vs reciprocal, full-sib index selection in maize. Crop Sci. 29 : 314-319.

Odvody, G.N. and R.A. Frederiksen. 1984. Use of systemic fungicides metalaxyl and fosetyl-Al for control of sorghum downy mildew in corn and sorghum in South texas II : Foliar application. Plant Disease 68 : 608-609.

Paliwal, R.L. and W.S. Ernest. 1981. Improving adaptation and yield dependability in maize in the developing world. In FAO / SIDA Technical Conference on Improved Seed Production. Nairobi, Kenya. 2-6 June, 1984. pp. 1-17.

Panday, S. and C.O. Gardner. 1992. Recurrent selection for population variety, and hybrid improvement in tropical maize. Advance Agronomy 48 : 1-77.

Puddhanon, P. 1982. Breeding for downy mildew resistance in conjugation with desirable agronomic traits. In Paper Presented at Maize Breeding Seminar, 18 Oct, 1982. CIMMYT, Mexico.

Pupipat, U. 1974. Host range, geographic distribution and physiologic races of the maize downy mildews. In Symposium on Downy Mildew of Maize. Proceeding of Symposium on Tropical Agriculture Researches. September, 1974. pp. 63-73.

Pupipat, U., T. Sommartaya, K. Choonhawong, K. Pongboon and P. Juthawantana. 1981. Progress report in plant pathology for 1981. In Thailand National Corn and Sorghum Program 1981 Annual Report. pp. 155-161.

Renfro, B.L. 1980. Genetic control of disease resistance in corn. In The Eleventh Thai National Corn and Sorghum Report Program 1979 Annual Report. 24-28 March, 1980. Chiangmai, Thailand. pp. 1-10.

Rodriguez, O.A. and A.R Hallauer. 1988. Effect of recurrent selection in corn population. Crop Sci. 28 : 796-800.

Senanarong, A. 1973. Breeding for corn downy mildew resistance in Thailand. In Inter Asian Corn Improvement Workshop. Malaysian Agriculture Research and Department Institue, 10-12 December, 1973. pp. 69-76.

Senanarong, A. 1974. Present corn production status. In Symposium on downy mildew of maize. Proceeding of Symposium on Tropical Agriculture Researches, September, 1974. pp. 31-34.

Shabani, S. and R.A. Frederiksen. 1982. Symptom of sorghum downy mildew on maize following inoculations with conidia and oospores. Plant Disease 66 : 1006-1008.

Shurtleff, M.C. 1984. Compendium of corn diseases. The American Phytopathological Society. USA. pp. 29-31.

Simmonds, N.W. 1962. Variability in crop plants, its use and conservation. Biological Review. 37 : 422-465.

Singburaudom, N., W. Bunserbskul, J.M. Bonman and B.L. Renfro. 1980. The corn downy mildew project. In Thailand National Corn and Sorghum Program 1980 Annual Report. pp. 231-243.

Smith, O.S. 1979. A model for evaluating progress from recurrent selection. Crop Sci. 19 : 223-226.

Sriwatanapongse, S., S.Jinahyon and S.K. Vasal. 1992. Suwan-1 maize from Thailand to the world. (Mimeographed)

Tangonan, N.G., F.R. Alejandro, P.R. Miral, J.A. Arquelles and J.G. Elarde. 1988. Screening - evaluation of corn for reaction to downy mildew. SMARC Monitor 8 : 8.

Vasal, S.K., A. Ortega C. and S. Pandey. 1982. CIMMYT's maize germplasm management, improvement, and utilization program. CIMMYT. 26 p.

Walters, S.P., W.A. Russell, K.R. Lamkey and P.R. White. 1991. Performance and inbreeding depression between a synthetic and three improved population of maize. Crop Sci. 31 : 80-83.

Willy, V.D. Analysis of data across environments and yield estability analysis. (Mimeographed)

Yates, F. and W.G. Cochran. 1938. The analysis of groups of experiments. J. Agric. Sci. 28 : 556-560.