

เอกสารอ้างอิง

- กัลยา วนิชย์บัญชา. (2541). การวิเคราะห์ข้อมูลด้วย SPSS for Windows. (พิมพ์ครั้งที่ 2). ภาควิชาสถิติ คณะพาณิชยศาสตร์และการบัญชี จุฬาลงกรณ์มหาวิทยาลัย.
- เทอดชัย เวียรศิลป์. (2532). โภชนาศาสตร์สัตว์เคี้ยวเอื้อง (พิมพ์ครั้งที่ 2). ภาควิชาสัตวบาล คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่.
- พิพัฒน์ อรุณวิภาส, ทวีศักดิ์ ส่งเสริม, ปริยพันธุ์ อุดมประเสริฐ, ชนนคร ทิพยรักษ์, ชวัชชัย ศักดิ์ภูริ อร่าม และ วรวิทย์ วัชชวัลคุ. (2536). การศึกษาข้ออนหลังการเป็นพิษของทองแดงในลูกโค น.m. ว. โรงพยาบาลสัตว์, 4(2), 131-137.
- รัมภา อินทรรักษ์, ทาริกา ประมูลทรัพย์สิน, จิรา คงกระงง และสุชิน อัตภศาสตร์. (2537). ชาตุทองแดงเป็นพิษในแกะ. สัตวแพทย์สาร, ปีที่ 45, เล่ม 2, 27-32.
- วีกุล วีรานุวัติ และ กนกนาถ ชูปัญญา. (2525). เคมีคลินิก (พิมพ์ครั้งที่ 2). กรุงเทพฯ : โครงการตำราศิริราช คณะแพทยศาสตร์ศิริราชพยาบาล.
- AOAC. (1984). Official Methods of Analysis. Virginia : Association of official analytical chemists.
- Aoyaki, S and Baker, D.H. (1995). Effect of high copper dosing on hemicellulose digestibility in cecectomized cockerels. Poult Sci, 74(1), 208-211.
- Benjamin, M.M. (1961). Outline of Veterinary Clinical Pathology 2nd Ed. Iowa : Iowa State University Press.
- Camakaris, J. (1987). Copper transport absorption and storage. in J. McC. Howell and J.M. Gawthrone (Ed.), Copper in Animals and Man vol. II (pp. 63-78), Florida : CRC Press.
- Castellillo-Duran, C., Fisberg, M., Valenzuela, A., Egana, J.I. and Hany R. (1983). Conyrole trial of copper supplementation during the recovery from maramus. Am. J. Clin. Nutr., 37, 899-905.
- Clarke, E.G.C. and Clarke, M.L. (1975). Veterinary Toxicology. Edinburgh : R.&R. Clark Ltd.
- Committee on Mineral Nutrition. (1973). Tracing and Treating Mineral Disorders in Diary Cattle. Wageningen : Centre for agricultural publishing and documentation.

- Darshan, S.K., Daudu, P.A., Taylor, P.C., Mackey, B.E. and Turnlund, J.R. (1995). Effect of low copper diets on human immune response. *Am. J. Clin. Nutr.*, 62, 412-418.
- Delhaize, E., Loneragan, J.F. and Webb, J. (1987). Copper in plants, its relation to soils and availability to animals. in J. McC. Howell and J.M. Gawthrone (Ed.), *Copper in Animals and Man* vol. II (pp. 1-20), Florida : CRC Press.
- Du, Z., Hemken, R.W. and Harmon, R.J. (1996a). Copper metabolism of holstein and jersey cows and heifers fed diets high in cupric sulfate or copper proteinate. *J. Dairy Sci.*, 79(10), 1873-1880.
- Du, Z., Hemken, R.W., Jackson, J.A. and Trammell, D.S. (1996b). Utilization of copper in copper proteinate, copper lysine and cupric sulfate using the rat as an experimental model. *J. Anim. Sci.*, 74(7), 1657-1663.
- Eide, D.M., Adnoy, T. and Larsen, H.J. (1992). Selection for immune response in goats, The effect of immunization procedure on antibody response to Diphtheria toxoid and human serum albumin. *J. Anim. Sci.*, 70, 1432-1438.
- Fehrs, M.S., Miller, W.J., Gentry, R.P., Neathery, M.W., Blackmon, D.M. and Heinmiller, S.R. (1981). Effect of high but nontoxic dietary intake of copper and selenium on metabolism in calves. *J. Dairy Sci.*, 64(8), 1700-1706.
- Frieden, E. (1974). The biochemical evolution of the iron and copper proteins. in W.G. Hoekstra, J.W. Suttle, H.E. Ganther and W. Mertz. *Trace Element Metabolism in Animals 2* (pp. 105-118), Baltimore : University Park Press.
- Garrett, I.R. and Whitehouse, M.W. (1987). Copper and inflammation. . in J. McC. Howell and J.M. Gawthrone (Ed.), *Copper in Animals and Man* vol. II (pp. 107-122), Florida : CRC Press.
- Gawthorne, J.M. (1987). Copper interactions. in J. McC. Howell and J.M. Gawthrone (Ed.), *Copper in Animals and Man* vol. II (pp. 79-100), Florida : CRC Press.
- Gengelbach, G.P., Ward, J.D. and Spears, J.W. (1994). Effect of dietary copper, iron, and molybdenum on growth and copper status of beef cows and calves. *J. Anim. Sci.*, 72, 2722-2727.

- Georgievskii, V.I. The physiological role of microelements. (1982). in V.I. Georgievskii ,B.N. Annevkov and V.I. Samokhin (Ed.). Mineral Nutrition of Animals (pp. 171-224), Butterworths.
- Gooneratne, S.R. and Howell, J.McC. (1985). The cellular pathology of hepatic and renal cells in chronic copper poisoning in sheep. in C.F. Mills, I. Bremner and J.K. Chesters (Ed.). Trace Elements in Man and Animals 5 (pp. 187-189), Slough, UK : Commonwealth Agricultural Bureux.
- Gregory, E.M. and Fridovich, I. (1974). Superoxide dismutase, properties, distribution and functions. in W.G. Hoekstra, J.W. Suttle, H.E. Ganther and W. Mertz. Trace Element Metabolism in Animals 2 (pp. 486-488), Baltimore : University Park Press.
- Haque, I., Aduayi, E.A. and Sibanda, S. (1993). Copper in soils, plants, and ruminant animal nutrition with special reference to Sub-Saharan Africa. *J. plant Nutr.*, 16(11), 2149-2212.
- Harris, E.D. (1993). The transport of copper. in A.S. Prasad (Ed.). Essential and Toxic Trace Element in Human Health and Disease : An Update (pp. 163-179), Willey-Liss.
- Howell, J.McC. and Gooneratne, R.S. (1987). The pathology of copper toxicity in animals . in J. McC. Howell and J.M. Gawthrone (Ed.), Copper in Animals and Man vol. II (pp. 21-44), Florida : CRC Press.
- Keen, C.L. and Graham, T.W. (1989). Trace elements, copper. in J.Y. Kaneko (Ed.). Clinical Biochemistry of Domestic Animals. 4th Ed. (pp. 757-766), New York : Academic Press.
- Ketama, J., Panichphon, V. and Kawashina, T. (1998). Mineral contents in feed resources in Thailand. in T. Kawashina and P. Vijchulata (Ed.). Status and Requirement of Minerals in Ruminants in Thailand. (pp. 91-98), JIRCAS Working Report No. 10.
- Koller, L.D., Mulheern, S.A., Frankel, N.C., Steven, M.G. and Williums, J.R. (1986). Immune dysfunction in rats fed a diet deficient in copper. *Am. J. Clin. Nutr.*, 45, 997-1002.
- Kornegay, E.T., Van Heugten, P.H.G., Lindemann, M.D. and Blodgett, D.J. (1989). Effects of biotin and high copper levels on performance and immune response of weanling pigs. *J. Anim. Sci.*, 67, 1471-1477.
- Ledoux, D.R., Henry, P.R. and Ammerman, C.B. (1996). Response to high dietary copper and duration of feeding time on tissue copper concentration of sheep. *Nutr. Res.*, 16(1), 69-78.

- Lucasewycz, O.A. and Prohaska, J.R. (1992). Copper and the immune system. in I.M. Roitt and P.I. Delves. Encyclopedia of Immunology vol. I (pp. 408-409), Academic Press Ltd.
- Luo, X.G. and Dove, C.R.. (1996). Effect of dietary copper and fat on nutrient utilization, digestive enzyme activities and tissue mineral levels in weanling pigs. *J Anim. Sci.*, 74, 1888-1896.
- Maddux, J.M. and Keeton, K.S. (1987). Evaluation of neutrophil function in female goats. *Am. J. Vet.Res.*, 7, 1110-1113.
- McDowell, L.R. (1992). Minerals in Animal and Human Nutrition. New York : Academic Press.
- McDowell, L.R., Conrad, J.H., Ellis, G.L. and Loosli, J.K. (1983). Minerals for grazing ruminants in tropical regions. Gainesville : University of Florida. sited by N.F. Suttle. (1987). The nutritional requirement for copper in animals and man. . in J. McC. Howell and J.M. Gawthrone (Ed.), *Copper in Animals and Man* vol. II (pp. 21-44), Florida : CRC Press.
- Mertz, W. (1987). Trace Elements in Human and Animal Nutrition. California : Academic Press.
- Naylor, J.M., Kasari, T.R., Blakley, B.R. and Townsend, H.G. (1989). Diagnosis of copper deficiency and effects of supplementation in beef cows. *Can. J. Vet. Res.*, 53(3), 343-348. (Abstr.)
- Newberne, P.M., Hunt, C.E. and Young, V.R. (1968). The role of diet and the reticuloendothelial system in the response of rats to *Salmonella typhimunum* infection. *Br. J. Exp. Pathol.*, 44, 448-452. (Abstr.)
- Niederman, C.N., Blodgett, D., Eversole, D., Schurig, G.G. and Thatcher, C.D. (1994). Effect of copper and iron on neutrophil function and humoral immunity of gestating beef cattle. *J. Am. Vet. Med. Assoc.*, 204(11), 1796-1800. (Abstr.)
- NRC. (1988). Nutrient Requirement of Swine. 9th Ed. National Research Council. Washington, D.C. : National Academy Press.
- Prasad, T. and Kundu, M.S. (1995). Serum IgG and IgM responses to sheep red blood cells (SRBC) in weaned calves fed milk supplemented with zinc and copper. *Nutrition*, 11(5 suppl), 712-715.
- Prohaska, J.S., Downing, S. and Lukasewycz, O. (1983). Chronic dietary copper deficiency alters biochemical and morphological properties of mouse lymphoid tissues. *J. Nutr.*, 113, 1583-1590.

- Schonewille, J.T., Yu, S. and Beynen, A.C. (1995). High iron intake depress hepatic copper content in goats. *Vet. Q.*, 17(1), 14-17. (Abstr.)
- Smith, J.W., Tokach, M.D., Goodband, R.D., Nelissen, J.L. and Richert, B.T. (1997). Effects of the interrelationship between zinc oxide and copper sulfate on growth performance of early-weaned pigs. *J. Anim. Sci.*, 75, 1861-1866.
- Stabel, J.R., Speares, J.W. and Brown, Jr., T.T. (1993). Effect of copper deficiency on tissue, blood characteristic and immune function of calves challenged with Infectious Bovine Rhinotracheitis Virus and *Pasteurella hemolytica*. *J. Anim. Sci.*, 71, 1247-1255.
- Sunderman, F.W. and Nomoto, S. (1970). Measurement of human serum ceruloplasmin by its p-phenylenediamine oxidase activity. *Clin. Chem.*, 16, 903-910.
- Suttle, N.F. and Jones, D.G. (1986). Copper and disease resistance in sheep, a rare natural confirmation of interaction between a specific nutrient and infection. *Proc. Nutr. Soc.*, 45, 317-323. (Abstr.)
- Suttle, N.F. (1987). The nutritional requirement for copper in animals and man. . in J. McC. Howell and J.M. Gawthrone (Ed.), *Copper in Animals and Man* vol. II (pp. 21-43), Florida : CRC Press.
- Theil, E.C. and Calvert, K.T. (1978). The effect of copper excess on iron metabolism in sheep. *Biochem J.*, 170(1), 137-143.
- Todd, J.R. (1969). Chronic copper toxicity of ruminants. *Proc Nutr Soc.*, 28, 189-198. (Abstr.)
- Underwood, E.J. (1977). *Trace Elements in Human and Animal Nutrition*, 4th Ed. New York : Academic Press.
- Ward, J.D., Spears, J.W. and Kegley, E.B. (1993). Effect of copper level and source (copper lysine vs. copper sulfate) on copper status, performance and immune response in growing steers fed diets with or without supplemental molybdenum and sulfur. *J. Anim. Sci.*, 71, 2748-2453.
- Williams, D.J., Burk, R.F., Jenkinson, S.G. and Lawrence, R.A. (1981). Hepatic cytochrome P-450 and microsomal haem oxygenase in copper-deficient rats. *J. Nutr.*, 111, 979-986.
- Wooliams, C., Suttle, N.F., Wooliams, J.A., Jones, D.G. and Wiener, G.. (1986). Studies on lambs from liver genetically selected for low and high plasma copper status. I. Differences mortality. *Animal Prod.*, 43, 293-301.

Xin, Z., Waterman, D.F., Hemken, R.W. and Harmon, R.J. (1991). Effects of copper status on neutrophil function, superoxide dismutase and copper distribution in steers. *J. Anim. Sci.*, 74, 3078-3085.

Zervas, G., Nikolady, E. and Manzios, A. (1989). Comparative study of chronic copper poisoning in lambs and young goats. 6th International Trace Element Symposium vol. 2, 569-581. in Nutrition Abstracts and Reviews (series B). (1991). 61(5), 350.