

บรรณานุกรม

เกียรติเกย์ กาญจนพิสูตร. 2540. มะเขือเทศ. สูนย์พัฒนาตำราการเกษตรเพื่อชุมชน. นนทบุรี.

30 น.

พรพิพัช วงศ์แก้ว. 2533. โรคพืชวิทยาชั้นสูง. ภาควิชาโรคพืช. คณะเกษตรศาสตร์. มหาวิทยาลัยขอนแก่น. 287 น.

สมกพ ชีดราสันต์. 2540. การผลิตมะเขือเทศเพื่อการส่งออก. คณะเทคโนโลยีการเกษตร สถาบันเทคโนโลยีพระจอมเกล้าเจ้าคุณทหารลาดกระบัง. กรุงเทพฯ.

สุภกิจ 2536. การประเมินความเสี่ยหาย การเปลี่ยนแปลงประชากรและการป้องกันกำจัดเชื้อ *Pseudomonas solanacearum* E.F.Smith. ในแปลงทดลองโรคเหลวจากแบคทีเรียของมะเขือเทศ. วิทยานิพนธ์ปริญญาโท. มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ.

Adhikali, T.B., Manandhar J.B. and Hartman, G.L. 1992. Characterisation of *Pseudomonas solanacearum* and evaluation of tomato in Nepal. In. G. J. *Bacterial Wilt* : Proceeding of an International Conference. edited by Hartman, G.L. and A.C. Hayward. Kaoshiung, Taiwan , 28 - 31 October. 1992.

Alfan, N.K.V. 1989. Reassessment of plant wilt toxins. *Annual Review Phytopathology* 27 : 533 - 550.

Arndt, W., Kolle C., and Buchenauer, H. 1998. Effectiveness of fluorescent pseudomonads on cucumber and tomato plant under practical conditions and preliminary studies on mode of action of the antagonists. *Journal of Plant Diseases and Protection*. 105(2) : 198 - 215.

Aspiras, R. B. and A. R. de la Cruz. 1985. Potential biological control of bacterial wilt in tomato and potato with *Bacillus polymyxa* FU 6 and *Pseudomonas fluorescens*. In G. J. *Bacterial Wilt Disease in ASIA and South Pacific*, ACARDP Proceeding No. 13. Edited by Persley, G. J., P. Batugal, D. Gapasin, and P. Vanaes Zaeg. Kaoshiung , Taiwan .

AVRDC. 1991. Vilulent of *Pseudomonas solanacearum* and screening tomato for resistance to bacteria wilt . Asian Vegetable Research and Development Center Progress Report .188 - 193 pp.

AVRDC. 1993. Biovar identification of strains of *Pseudomonas solanacearum* and development of molecular detection methods using DNA probes. Asian Vegetable Research and Development Center Progress Report 208 - 212 pp.

AVRDC. 1994. Biological control of tomato Fusarium wilt. Asian Vegetable Research and Development Center Progress Report. 197 - 199 pp.

- AVRDC. 1997. Tomato diseases. Asian Vegetable Research and Development Center Progress Report. 172 p.
- Baker, K.F. 1987. Evolving concepts of biological control of plant pathogens. *Annual Review of Phytopathology* 25 : 62 - 85.
- Baker, K.F. and Cook R.J. 1974. Biological Control of Plant Pathogens. St. Paul : Am. Phytopathology. Soc. America. 466 p.
- Boucher, C.A., Gough C. I. and Arlat M. 1992. Molecular genetic pathogenicity determinants of *Pseudomonas solanacearum* with special emphasis on Hrp gene. *Annual Review of Phytopathology* 30 : 445 - 461.
- Broadbent, P. Baker , K.F. Frank N. and Holland J. 1977. Effect of *Bacillus spp.* an increased growth of seedlings in stremed and in nontreated soil. *Phytopathology* 67 : 1027 - 1034.
- Burr, T.J. , Schroth. M.N. and Suslow. T. 1978. Increased potato yield by treatment of seed pieces with specific strains of *Pseusomonas fluorescens* and *Pseudomonas putida*. *Phytopathology* 68 : 1377 - 1383.
- Celino, M.S. and Gottlieb D. 1952. Control of bacterial wilt of tomato by *Bacillus polymyxo* *Pathopathology* 42. (Abstract).
- Chen, W.Y. and Echandi E. 1982. Bacteriocin production and semiselective medium for detection isolation and quantification of *Pseudomonas solanacearum* in soil. *Phytopathology* 72 : 310 - 313.
- Coyer, P.D. and Mount M.S. 1984. Bacterization of potato with *Pseudomonas putida* and its influence on postharvest soft rot disease. *Plant Disease* 68. 703 - 706.
- Cook, R.J. and Baker K.F. 1983. The Nature and Practice of Biological Control of Plant Pathogen. St. Paul: Am. Phytopathology. Soc. America. 539p.
- Eddin, A.H. 1936. Brown rot of Irish potato and its control . *Fla. Agr. Expt. Sta. Bull.* 299 : 1 - 44.
- Elad, Y. and Chet I. 1987. Possible role of competition for nutrients in biocontrol of *Pythium damping - off* by bacteria . *Phytopathology* 77 :190 - 195.
- Enfinger, J.M., McCarter S.M. and Jawoski C.A. 1979. Evaluation of chemicals and application methods for control of bacterial wilt of tomato transplant . *Phytopathology* 64 :637 - 640.
- Fravel, D. R. 1988. Role of antibiosis in the biocontrol of plant disease. . *Annual Review of Phytopathology* 26 : 75 - 91.

- Fravel, D. R. and Spurr, J.R. 1971. Biocontrol of tobacco brown - spot disease by *Bacillus cereus* subsp. *mycoides* in a controled enviromment. *Phytopathology* 67 : 930 - 932.
- Frey, P., Prior.P., Maric C., Kotoujansky. A., Trigalet - Demery .D. and Trigalet . A. 1994. Hrp- mutants of *Pseudomonas solanacearum* as potential biocontrol agent tomato bacterial wilt . *Apply - environment - microbiology* 60 : 3175-3181.
- Gallegly, M.E. and Walker J.C. 1949. Ralation of environmental factors to bacterial wilt of tomato. *Phytopathology* 39 : 931 941.
- Hartman, G.L. Hong W.F, Hanudin. and Haywards. 1992. Potential of biological and chemical control of bacterial wilt with. In. G. J. *Bacterial Wilt* :Proceeding of an International Conference. edited by Hartman G.L. and A.C. Hayward. Kaoshiung, Taiwan, 28 - 31 October. 1992.
- Hayward, A.C. 1991. Biology and epidemiology of bacterial wilt caused by *Pseudomonas solanacearum*. *Annul Review Phytopathology* 29 : 65 - 87.
- Holt, J.G. Krieg N.R., Sneath P.H.A., Staley J.T. and William S.I. 1994. Bergey's Manual of Determinative Bacteriology. Meryland. U.S.A. 93 - 168 pp.
- Hsu, S. T., Chen, C.C., Liu H.Y. and Tzeng K.C. 1992. Colonization of root and control of bacterial wilt of tomato by fluorescent pseudomonas. In. G. J. *Bacterial Wilt* :Proceeding of an international conference edited by Hartman G.L. and Hayward A.C. Kaoshiung, Taiwan, 28 - 31 October . 1992.
- Husain, A. and Kelman.A. 1958. The role of pectic and cellulotic enzyme in pathogenesis by *Pseudomanas solanacearum* . *Phytopathology* 48 : 155 - 165.
- Howell, C.R. and Stipannovic R.D. 1977. Control of *Rhizoctonia solani* on cotton seeding with *Pseudomonas fluorescence* and with antibiotic produced by the bacterium. *Phytopathology* 69 : 480 - 482.
- Jone, J.B., Jone J.P., Stall R.E. and Zilter T.A. 1990. Bacterial Wilt. Compendium of Tomato Diseases. The American Phytopathology and Society.28 - 29 pp.
- Jone, W. amd Son. 1993. Biological control . *Plant Disease Control Principles and Practice*. 235 - 250 pp.

- Kataria, H.R., B. Wilmsmeiek and Buchenauer H. 1997. Efficacy of resistance inducers free-radical scavengers and an antagonistic strain of *Pseudomonas fluorescens* for control of *Rhizoctonia solani* AG-4 in bean and cucumber. *Plant Pathology* 46 : 897 - 909.
- Kempe, J., and Sequeira. L. 1983. Biological control of bacterial wilt of potatoes : attempts to induce resistance by treating tubers with bacteria . *Plant Disease* 67 : 497 - 503.
- Kloepper, J.W. 1991. Plant growth - promoting rhizobacteria as biological control agent of soilborn disease. The Biological Control of Plant Disease Proceeding of International Semina " Biological Control of Plant Disease and Virus Vacteres. Teachnology center for the ASPAC. Japan.
- Kloepper, J.W., Schroth M.N. and Miller, T.D.1980. Effective rhizosphere colonization by plant growth - promoting rhizobacteria on potato plant development and yield. *Phytopathology* 70 : 1078 - 1082.
- Lam, S.T. and Gaffney T.D. 1993. Biological activity of bacterial used in plant pathogen control. Biotechnology in Plant Disease Control. America. 291 - 320 pp.
- Leong, J., 1986. Siderophore their biochemistry and possible role in the biocontrol of plant pathogen. *Annual Review of Phytopathology* 24 : 187 - 209.
- Misaghi, I.J., Olsen M.W., Billtte S.M. and Sonoda R.M. 1992.The importance of rhizobacteria mobility in biocontrol of bacterial wilt of tomato. *Soil - Biology - Biochemistry* 24 : 287 - 293.
- Monitesinos, E., Bondterra A, Ophir.Y. and Beer.S.Y. 1996. Antagonism of selected bacterial strains to *Stemphylium vesicarium* and biological control of brown spot of pear under controlled enviroment condition. *Phytopathology* 86 : 856 - 863.
- Okabe, N. 1971. Population change of *Pseudomonas solanacearum* and microorganisms in artificially infested natural field soil. *Review Plant Protection. Reseach* 4 : 36.
- Pegg, K.G., Moffett M,L. and Colbran, R.C.1974. Diseases of gigger in Queensland. *Queensland Agricultural Journal* 100 : 611 - 615.
- Persley, G.J. 1985. Ecology of *Pseudomonas solanacearum* , the causal agent of bacterial wilt.. In G. J. Bacterial Wilt Disease in ASIA and South Pacific, ACARDP Proceeding No. 13. edited by Persley G. J., P. Batugal, D. Gapasin, and P. Vanaes Zaeg. Tainan.

- Rao, M.V.R., Sohi H.S. and Tikoo S.K. 1975. Reaction of wilt - resistant tomato varieties and lines to *Pseudomonas s solanacearum* in India. *Plant Disease Report.* Vol. 59. No.9. 734 - 736 pp.
- Robert, H. 1996. Principles and practice of managing soilborne plant pathogens. Molecular Basics of Pathogen Suppression by Antibiosis in Rhizosphere. The American plant pathological society. American. 80 - 103 pp.
- Rothrock, C.S. and Gottlieb D. 1984. Role of antibiosis in antagonism of *Streptomyces hygroscopicus* var. *geldanus* to *Rhizoctonia solani* in soil. *Canada Journal Micro biology* 30 : 1440 - 1447.
- Salmond, G.P.C. 1994. Secretion of extracellular virulence factors by plant pathogenic bacteria. *Annual Review of Phytopathology* 32 : 181 - 200.
- Schipper, S. B., Baker A. and Bakker P. 1987. Interaction of deleterious and beneficial rhizosphere microorganism and the effect of cropping practises. *Annual Review of Phytopathology* 25 :339 - 358.
- Schroth, .M.N., Hancock.J.G., 1982. Disease - suppressive soil and root - colonizing bacterial. *Science.* 216 : 1376 - 1381.
- Shekhawat, G.S., Chakrabarti S.K., Kishore V., Sunaina V. and Ashok V. Gadewar. 1992. Possibilities of biological management of potato bacterial wilt with strains of *Bacillus* sp. , *B. subtilis* , *Pseudomonas fluorescens* and Actinomycetes. In. G. J. *Bacterial Wilt* :Proceeding of an International Conference. edited by Hartman G.L. and A.C. Hayward.. Kaoshiung. Taiwan. 28 - 31 October . 1992.
- Sigee, D.C. 1993. Bacterial Plant Pathology Cell and Molegular Aspects. Britain University Press.England. London. 278 - 283 pp.
- Somodi, G.C., J.B.Jones and J.W. Scott. 1992. Comparison of inoculation techniques for screening tomato genotypes for bacterial wilt resistance. In. G. J. *Bacterial Wilt* :Proceeding of an International Conference. edited by Hartman G.L. and A.C. Hayward. Kaoshiung. Taiwan. 28 - 31 October . 1992. 120 - 123 pp.
- Stabb, E.V., Jacobson L.M. and Handelsman J. 1994. Zwittermycin A - producing strains of *Bacillus cereus* from diverse soil . *Apply Environment Microbial* 60 :4404 - 4412.

- Suslow,T.V. and Schrath M.W. 1982. Rhizobacteria of sugar beets effect of seed application and root colonization on yield. *Phytopathology* 73 : 199 - 208.
- Takii. 2536. Takii Seed . Vegetable Catalog New and Standard Varieties. No.9. America.
- Titatarn, V. 1985. Bacterial wilt in Thailand . In G. J. Bacterial Wilt Disease in ASIA and South Pacific, ACARDP Proceeding No. 13. edited by Persley G. J., P. Batugal, D. Gapasin, and P. Vanaes Zaeg. Tainan.
- Trigalet, A.and D. Trigalet - Demery. 1990. Use of avirulent mutants of *Pseudomonas solanacearum* for the biological control of bacterial wilt of tomato plant . *Physiological and Molecular Plant Pathology* 36 : 27 - 38.
- Trigalet, A., P. Frey and D. Trigalet - Damery. 1994 . Biological control of bacterial wilt caused by *Pseudomonas solanacearum* : state of art and understanding. Bacterial Wilt : The Disease and Its Causative Agent, *Pseudomonas solanacearum* . Biddles Ltd. England.
- Vaugham, E.K. 1964. Bacterial wilt of tomato caused by *Pseudomonas solanacearum*. *Phytopathology* 54 : 553 - 458.
- Vidaver, A. 1976. Prospects of control of phytopathogenic bacteria by bacteriophage and bacteriocins . *Annual Review of Phytopathology* 14 : 451 - 465.
- Walker, J.C. 1952. Disease of tomato. Disease of Vegetable Crops. London. 443 - 445 pp.
- Wall, G.C. and Sanchez. 1992. A biocontrol agent for *Pseudomonas solanacearum*. In. G. J. Bacterial Wilt :Proceeding of an International Conference. edited by Hartman G.L. and A.C. Hayward. Kaoshiung. Taiwan. 28 - 31 October . 1992.
- Weller, D.M. 1988. Biological control of soilborne plant pathogen in the rhizosphere with bacteria . *Annual Review Phytopathology* 26 : 379 - 407.
- Wilay, J. 1993. Biological control . Plant Disease Control Principle and Pracetice. London. 235 - 250 pp.
- Wilson, M. and Lindow S.F. 1993. Interaction between the biological control agent *Pseudomonas fluorescens* A506 and *Erwinia carotovora* in pear blossoms. *Phytopathology* 83 :117 - 123.
- Winkelmann, G.,Lupp, R. and Jung G. 1980. Herbicolin - new peptide antibiotics from *Erwinia herbicola* . *Journal Antibiotic* 33 : 313 - 318..
- Winstead, N.N. and A. Kelman. 1953. Inoculation techniques for evaluating resistance to *Pseudomonas solanacearum* . *Phytopathology* 42 : 628 - 634.

Xu, G.W. and Gross D.C. 1983. Selection of fluorescent pseudomonas antagonistic to *Erwinia carotovora* and suppressive of seed piece decay. *Phytopathology* 76 : 414 - 422.