

เอกสารอ้างอิง

นพีพิพิญ กฤชณามระ. 2538. การควบคุมสมดุลแคลเซียม. ใน : สอร์บิน กลไกและการออกฤทธิ์ร่วม. ภาควิชาสรีรวิทยา คณะวิทยาศาสตร์ มหาวิทยาลัยมหิดล. ไทยวัฒนาพานิช จำกัด, หน้า 189-215.

นันทนา คงเสนี. 2536. คู่มือปฏิบัติการนิเวศวิทยาน้ำจืด. สำนักพิมพ์จุฬาลงกรณ์มหาวิทยาลัย. กรุงเทพ. 117 หน้า.

บุญล้อม ชีวะอิสระกุล และสุขน ตั้งทวีพัฒน์. 2540 (ก). ไฟเตท : สารข้อความทางการใช้ประโยชน์ของฟอสฟอรัสในสัตว์. ว.สัตวบาล, 7(37):23-30.

(๑). บทบาทของเอนไซม์ไฟเตสในอาหาร
สัตว์. ว.สัตวบาล, 7(38):7-11.

ไพบูลย์ พาสพิชณ์. 2539. การใช้ยากเรปซีดเป็นแหล่งโปรดีนทดแทนกากระถ้วนเหลืองในอาหารสัตว์ปีก.วิทยานิพนธ์ปริญญาโท. บัณฑิตวิทยาลัย. มหาวิทยาลัยเชียงใหม่, เชียงใหม่. 118 หน้า.

มนต์ชัย ดวงจันดา. 2537. การใช้โปรแกรม SAS เพื่อวิเคราะห์งานวิจัยสัตว์. ภาควิชาสัตว์ศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยขอนแก่น ขอนแก่น, 129 หน้า.

ยงยุทธ อโสสกษา. 2543. ธาตุอาหารพืช. ภาควิชาปฐพีวิทยา คณะเกษตรศาสตร์ มหาวิทยาลัยเกษตรศาสตร์. 424 หน้า.

รุ่งนา ลั้มเจริญพร. 2543. การเสริมเอนไซม์ไฟเตสในอาหารไก่เนื้อที่ใช้ยากเรปซีดหรือกากระถ้วนตะวันเป็นแหล่งโปรดีนทดแทนกากระถ้วนเหลือง. ปัญหาพิเศษปริญญาโท ภาควิชาสัตวศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่ เชียงใหม่. 39 หน้า.

สุชน ตั้งทวีพัฒน์ และบุญล้อม ชีวะอิสระกุล. 2536. ผลการใช้เม็ดหรือกากระถ้วนตะวันระดับสูงในอาหารเป็ดไก่. ว.เกษตร, 9(2):130-143.

_____. 2539. การใช้ยากเรปซีดเป็นแหล่งโปรดีนในอาหารสัตว์ปีก. รายงานวิจัยเสนอต่อสถาบันวิจัยและพัฒนาวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยเชียงใหม่.

อุดม บุณยทรวพ. 2526. ต่อม Parathyroid ยอร์บินควบคุม Calcium metabolism. หน้า 3.1 – 3.25. ใน : สรีรวิทยา ระบบยอดบิน ภาควิชาสรีรวิทยา คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่.

- A.O.A.C. (Association of Official Analytical Chemists). 1990. Official Method of Analysis of the Association of Official Analytical Chemists. 15th ed. Washington, D.C.,U.S.A.
- Ashmed, H.D. and H. Zunino. 1993. Factors which affect the intestinal absorption of minerals. p.21-45. In : The Role of Amino Acid Chelates in Animal Nutrition. Ashmed, A.H.(ed.), Noyes Publications. New Jersey, USA.
- Ballam, G.C., T.S. Nelson and L.K. Kirby. 1984. Effect of fibre and phytate source and calcium and phosphorus level on phytate hydrolysis in the chick. Poult. Sci., 63:333-338.
-
1985. Effect of different dietary levels of calcium and phosphorus on phytate hydrolysis by chicks. Nutr. Rep. Intern., 32(4):909-913.
- BASF. 2542. นาทูฟอส (Natuphos[®]) สิ่งที่น่าสนใจเกี่ยวกับเอนไซม์ไฟฟีเตส. ปศุสัตว์แห่งยุค., 8(1):12 หน้า.
- Boling, S.D., M.W. Douglas, M.L. Johnson, X. Wang, C.M. Parsons, K.M. Koel Kebeck and R.A. Zimmerman. 2000(a). The effects of dietary available levels and phytase on performance of young and older laying hens. Poult. Sci., 79:224-230.
- Boling, S.D., M.W. Douglas, R.S. Shirley, C.M. Parsons and K.W. Koelkebeck. 2000(b). The effects of various dietary levels of phytase and available phosphorus on performance of laying hens. Poult. Sci., 79:535-538.
- Broz, J., P. Oldale, A.H.Perrin-Voltz, G.Rychen, J.Schulze, C.S.Nunes and C.Dimoes-Nunes. 1994. Effects of supplemental phytase on performance and phosphorus utilization in broiler chickens fed a low phosphorus diet without addition of inorganic phosphates. Br. Poult. Sci., 35:273-280.
- Caldwell, R.A. 1992. Effect of calcium and phytic acid on the activation of trypsinogen and the stability of trypsin. J. Agri. Food Chem., 40:43-46.
- Carlos, A.B. and H.M. Edwards. 1998. The effects of 1,25-dihydroxycholecalciferol and phytase on the natural phytate phosphorus utilization by laying hens. Poult. Sci., 77:850-858.
- Chapple, R.P., J.T. Yen and T.L. Veum. 1979. Effect of calcium/phosphorus rations and live yeast culture on phosphorus utilization for growing pigs. J. Anim. Sci., 49(Suppl.1):99 (Abstr).

- Coffey, R.D. and G.L. Cromwell. 1995. Bioavailability of phosphorus in cereal grains for chicks. *Poult. Sci.*, 74(Suppl.1):107(Abstr).
- Correll, D.L. 1998. The role of phosphorus in the eutrophication of receiving waters : a review. *J. Environ. Qual.*, 27:261-266.
- Costello, A.J.R., T. Glonek and T.C. Myers. 1976. Phosphorus – 31 nuclear magnetic resonance – pH titrations of myoinositol hexaphosphate. *Carbohydrate Res.*, 46:159-162.
- Cromwell, G.L. and T.S. Stahly. 1978. Study finds live yeast ineffective for swine use. *Feedstuffs*, 50:12.
- Denbow, D.M., V.Ravindran, E.T.Kornegay, Z.Yi and R.M.Huler. 1995. Improving phosphorus availability in soybean meal for broiler by supplement phytase. *Poult. Sci.*, 74:1831-1842.
- Dvořáková,J. and O. Volfová. 1996. Biodegradation of phytate. *International Biodeterioration and Biodegradation*, 37(3-4):248.
- Edwards, H.M.Jr. 1983. Phosphorus. 1. Effect of breed and strain on utilization of sub – optimal levels of phosphorus in the ration. *Poult. Sci.*, 62:77-84.
- Edwards, H.M.,Jr. 1992. Minimizing phosphorus excretion in poultry. In : Proc. Georgia Nutr.Conf. Feed Manufac., pp. 124-125. Atlanta, U.S.A.
- Edwards, H.M. and J.R. Veltmann. 1983. The role of calcium and phosphorus in the etiology of tibial dyschondroplasia in young chicks. *J. Nutr.*, 113:1568-1575.
- Eeckhout, W. and M. De Paepe. 1994. Total phosphorus, phytate – phosphorus and phytase activity in plant feedstuffs. *Anim. Feed Sci. Technol.*, 47:19-29.
- El Boushy, A.R. 1979. Available phosphorus in poultry. 1. Effect of phosphorus levels on the performance of laying hens their egg quality, hatchability, bone analysis and strength in relation to calcium and phosphorus in blood plasma. *Neth. J. Agric. Sci.*, 27:176-183.
- Engelen, A.J., F.C. Van Heeft, P.H.G. Randsdorp and Ed. L.C. Smit. 1994. Simple and rapid determination of phytase activity. *J. AOAC International*, 77(3):760-764.

- Evans, W.J., E.J. Mc Courtney and R.I. Shrager. 1982. Titration studies of phytic acid. *J. Am. Oil Chem. Soc.*, 59:139-141.
- Farrell, D.J., E. Martin, J.J. Pareez, M. Bongarts, M. Betts, A. Sudaman and E. Thomson. 1993. The beneficial effects of microbial phytase in diets of broiler chicks and ducklings. *J. Anim. Physiol. Anim. Nutr.*, 69:278-283.
- Gordon, R.W. and D.A. Roland. 1997. Performance of commercial laying hens fed-various phosphorus levels, with and without supplemental phytase. *Poult. Sci.*, 76:1172-1177.
- Hoppe, P.P. 1992. Review of the biological effects and the ecological importance of phytase in pigs. *In: Use of Natuphos in Pig and Poultry.* pp. 3-16. BASF Research and Practical Experience, No.30.
- Hossain, S.M. and A.G. Bertechini. 1998. Effects of varying levels of magnesium and available phosphorus on performance of layers. *Anim. Feed Sci. Technol.*, 71:363-368.
- Jan, D.F. and C.D.Lee. 1996. Effect of supplemental phytase on the availability of phosphorus in corn-soybean meal diets for broiler. *In: Proc. 8th AAAP Anim. Sci. Congress.*, Vol. II: pp. 806-807. Tokyo, Japan.
- Keshavarz, K. 1998 (a). Investigation on the possibility of reducing protein, phosphorus and calcium requirements of laying hens by manipulation of time of access to these nutrients. *Poult. Sci.*, 77:1320-1332.
- _____(b). Further investigations on the effect of dietary manipulation of protein, phosphorus and calcium for reducing their daily requirement for laying hens. *Poult. Sci.*, 77:1333-1346.
- _____. 2000 (a). Nonphytate phosphorus requirement of laying hens with and without phytase on a phase feeding program. *Poult. Sci.*, 79:748-763.
- _____. (b). Reevaluation of nonphytate phosphorus requirement of growing pullets with and without phytase. *Poult. Sci.*, 79:1143-1153.
- Khan, M.Z., S.Mahmood, M.Sarwar, M.Nisa and F.Gulzar. 1998. Effects of various mechanical and chemical treatments of rapeseed meal on the performance of broilers. *AJAS*, 11(6): 708-712.

- Knuckles, B.E. 1988. Effect of phytate and other myo-inositol phosphate esters on lipase activity. *J. Food Sci.*, 53:250-254.
- Knuckles, B.E. and A.A. Betschart. 1987. Effect of phytate and other myo – inositol phosphate esters on alpha – amylase digestion of starch. *J. Food Sci.*, 52:719-721.
- Knuckles, B.E., D.D. Kuzmicky, M.R. Gumbmann and A.A. Betschart. 1989. Effect of myo – inositol phosphate esters on *in vitro* and *in vivo* digestion of protein. *J. Food Sci.*, 54:1348-1350.
- Kornegay, E.T. and Z. Yi. 1996. Effects of microbial phytase on nutrient digestibility and utilization and performance of broilers, turkeys and pigs. Paper presented at Natuphos Phytase Day, Beijing Agricultural Univ., Beijing, China.
- Kwon, K., I.K. Han, S.W. Kim, I.S. Shin and K.S. Sohn. 1995. Effects of microbial phytase on performance, nutrient utilization and phosphorus excretion of broiler chicks fed corn-soy diets. *Korean. J. Anim. Sci.*, 37(5): 539-550.
- Lantzsch, H.J. 1961. Untersuchungen über die P-Absorption und P-Exkretion an graviden und laktierenden Sauen unter Verwendung des Radioisotopes P 32, Dissertation, Göttingen, German.
- Lease, J.G. 1967. Availability to the chick of zinc – phytate complexes isolated from some oilseed meals by an *in vitro* digestion method. *J. Nutr.*, 93:523-524.
- Ledoux, D.R., J.N. Broomhead, J.D. Firman and A.J. Bermudez. 1998. Efficacy of phytaseed®, a phytase containing transgenic canola to improve phytate phosphorus utilization from corn – soybean meal diets fed to turkey poult from day 1 to 35. *Poult. Sci.*, 77(Suppl.1):54(Abstr).
- Lenis, N.P. and A.W. Jongbloed. 1999. New technologies in low pollution swine diets : Diet manipulation and use of synthetic amino acids, phytase and phase feeding for reduction of nitrogen and phosphorus excretion and ammonia emission, review. *AJAS*, 12(2):305-327.
- Lei, X.G., P.K. Ku, E.R. Miller, M.T. Yokoyama and D.E. Ullrey. 1993. Calcium level affects the efficacy of supplemental microbial phytase in com-soybean meal diets of weanling pigs. *J. Anim. Sci.*, 72:139-143.

- Liu, J., D.W. Bollinger, D.R. Ledoux and T.L. Veum. 2000. Effects of dietary calcium : phosphorus ratios on apparent absorption of calcium and phosphorus in the small intestine, cecum and colon of pigs. *J. Anim. Sci.*, 78:106-109.
- Maddaiah, V.T., A.A. Kumick and B.L. Reid. 1964. Phytic acid studies. *Proc. Soc. Exp. Biol. Med.*, 115:391-394.
- Matsui, T., M. Hiraabayashi, Y. Iwama, T. Nakajima, F. Yano and H. Yano. 1996. Fermentation of soya – bean meal with *Aspergillus usami* improves phosphorus availability in chicks. *Anim. Feed Sci. Technol.*, 60:131-136.
- Matsui, T., Y. Nakagawa, A. Tamura, C. Watanabe, K. Fujita, T. Nakajima and H. Yano. 2000. Efficacy of yeast phytase in improving phosphorus bioavailability in a corn - soybean meal – based diet for growing pigs. *J. Anim. Sci.*, 78:94-99.
- Mc Dowell, L.R. 1992. Calcium and phosphorus. In : Minerals in Animal and Human Nutrition. Academic Press, INC. California., p.26-77.
- Mitchell, R.D. and H.M. Edwards, JR. 1996 (a). Effects of phytase and 1,25-dihydroxycholecalciferol on phytate utilization and the quantitative requirement for calcium and phosphorus in young broiler chickens. *Poult. Sci.*, 75:95-110.
-
- (b). Additive effects of 1,25-dihydrocholecalciferol and phytase on phytate phosphorus utilization and related parameters in broiler chickens. *Poult. Sci.*, 75:111-119.
- Mohammed, A., M.J. Gibney and T.G. Taylor. 1991. The effects of dietary levels of inorganic phosphorus calcium and cholecalciferol on the digestibility of phytate – P by the chick. *Br. J. Nutr.*, 66:251-259.
- Moran, E.T. Jr. and M.C. Todd. 1994. Continous submarginal phosphorus with broilers and the effect of preslaughter transportation : carcass defects, futher-processing yields and tibia-femur integrity. *Poult. Sci.*, 73:1448-1457.
- Nelson, T.S. 1976. The hydrolysis of phytate phosphorus by chicks and laying hens. *Poult. Sci.*, 55:2262-2264.
- Nelson, T.S., L.W. Ferrara and N.L. Storer. 1968. Phytate phosphorus contents of feed ingredients derived from plants. *Poult. Sci.*, 47:1372-1374.

- Nelson, T.S., T.R. Shieh, R.J. Wodzinski and J.H. Ware. 1971. Effect of supplemental phytase on the utilization of phytate phosphorus by chicks. *J. Nutr.*, 101:1289-1294.
- Nelson, T.S., L.B. Daniels, J.R. Hall, and L.G. Shields. 1976. Hydrolysis of natural phytate phosphorus in the digestive tract of calves. *J. Anim. Sci.*, 42(6):1509-1512.
- Nelson, T.S., L.K. Kirley and Z.B. Johnson. 1990. Effect of minerals on the incidence of leg abnormalities in growing broiler chicks. *Nutr. Res.*, 10:525-533.
- NRC (National Research Council). 1984. Nutrient Requirements of Poultry, 8th ed. National Academy Press, Washington, D.C., U.S.A.
- NRC (National Research Council). 1994. Nutrient Requirements of Poultry, 9th ed. National Academy Press, Washington, D.C., U.S.A.
- NRCS. (Natural Resources Conservation Service). 1995. Animal Manure Management. NRAS/RCA Issue. Brief 7, Dec. 1995. No pagination.
- O'Dell, B.L., J.M. Yohe and J.E. Savage. 1964. Zinc availability in the chick as affected by phytate, calcium and ethylenediamine tetraacetate. *Poult. Sci.*, 43:415-417.
- Paik, I.K., J.S. Um, S.J. Lee and J.G. Lee. 2000. Evaluation of efficacy of crude phytase preparations in broiler chickens. *AJAS*, 13(5):673-680.
- Penz, A.M.Jr. and L.S. Jensen. 1991. Influence of dietary protein concentration, amino acid supplementation and daily time of access to high and low-protein diets on egg weight and egg components in laying hens. *Poult. Sci.*, 70:2460-2466.
- Perney, K.M., A.H. Cantor, M.L. Straw and K.L. Herkelman. 1993. The effect of dietary phytase on growth performance and phosphorus utilization of broiler chicks. *Poult. Sci.*, 72: 2106-2114.
- Phillips, R.W. 1988. Calcium and phosphorus. In : Veterinary Pharmacology and Therapeutics. Nicholas, H.B. and L.E. Mc Donald. (ed.) 6th ed., Library of Congress Cataloging-in-Publication Data. Iowa State University Press / AMES., p.703-707.
- Pointillart, A. 1994. The importance of cereal phytases. *Feed Mix.*, 2(3):12-15.
- Qian, H. and E.T. Komegay. 1995. Characterization of the effects of varying Ca:P ration on efficacy of phytase for replacing inorganic phosphorus in pig and poultry diets. *J. Anim. Sci.*, 73(Suppl.2):17(Abstr.).

- Qian, H., E.T. Kornegay and D.M. Denbow. 1996. Phosphorus equivalence of microbial phytase in turkey diets as influenced by calcium to phosphorus ration and phosphorus levels. *Poult. Sci.*, 75: 69-74.
- Rad, F.H. and K. Keshavarz. 1976. Evaluation of the nutritional value of sunflower meal and the possibility of substitution of sunflower meal for soybean meal in poultry diets. *Poult. Sci.*, 55(5):1757-1765.
- Rao, S.V.R., V.R. Reddy and V.R. Reddy 1999 (a). Enhancement of phytate phosphorus availability in the diets of commercial broilers and layers. *Anim. Feed Sci. Technol.*, 79:211-222.
-
- (b). Non-phytin phosphorus requirements of commercial broilers and white leghorn layers. *Anim. Feed Sci. Technol.*, 80:1-10.
- Ravindran, V., W.L. Bryden. and E.T. Kornegay. 1995. Phytases: occurrence, bioavailability and implications in poultry nutrition. *Poultry and Avian Biology Reviews*, 6(2):125-143.
- Reddy, N.R., M.D. Pierson, S.K. Scaathe and D.K. Salunkhe. 1989. Phytates in cereals and legumes. CRC Press, INC., Boca Raton, Florida. USA., 152 p.
- Roland, D.A. 1986. Eggshell Quality III: Calcium and Phosphorus requirements of commercial Leghorns. *World's Poult. Sci. J.*, 42:154-165.
- Scheuermann Von, S.E., H.L. Lantzsch and K.H. Menke. 1988. *In vitro* and *in vivo* experiments on the hydrolysis of phytate. 2. Activity of plant phytase. *J. Anim. Physio. Anim. Nutr.*, 60:64.
- Schoner, F.J. and P.P. Hoppe. 1992. Microbial phytase, a tool to alleviate environmental phosphorus pollution from broiler production. Proc. In: 14th World Poultry Congress, Vol.3: 429-432.
- Scott, T.A., R. Kampen and F.G. Silversides. 1999. The effect of phosphorus, phytase enzyme and calcium on the performance of layers fed corn-based diets. *Poult. Sci.*, 78:1742-1749.
- Sebastian, S., S.P. Touchburn, E.R. Chavez and P.C. Lagus. 1996. The effects of supplemental microbial phytase on the performance and utilization of dietary

- calcium, phosphorus, copper and zinc in broiler chickens fed corn-soybean diets. *Poult. Sci.*, 75(6): 729-736.
- Sebastian, S., S.P. Touchburn and E.R. Chavez. 1998. Implications of phytic acid and supplemental microbial phytase in poultry nutrition : a review. *World's Poult. Sci. J.*, 54 (1):27-47.
- Shafey, T.M. and M.W. Mc Donald. 1991. The effects of dietary calcium, phosphorus and protein on the performance and nutrient utilization of broiler chickens. *Poult. Sci.*, 70:548-553.
- Sharpley, A.N. 1998. Agriculture and Phosphorus Management, The Chesa Peake Bay. A Framework for Action, U.S. Environmental Protection Agency, Philadelphia, PA., USA.
- Singen, E.P., A.H. Spandorf, L.D. Matterson, J.A. Serafin and J.J. Tlustchowicz. 1962. Phosphorus in the nutrition of the adult hen. I. Minimum phosphorus requirements. *Poult. Sci.*, 41:1401-1414.
- Simons, P.C.M., H.A.J. Versteegh, A.W. Jongbloed, P.A. Kemme, P. Slump, K.D. Bos, M.G.E. Wolters, R.F. Beudeker and G.J. Verschoor. 1990. Improvement of phosphorus availability by microbial phytase in broilers and pigs., *Br. J. Nutr.*, 64:525-540.
- Soares, J.H.Jr. 1995. Phosphorus bioavailability. In : Bioavailability of Nutrients for Animals, Amino acid, Minerals and Vitamins. Ammerman,C.B.,D.H.Baker and A.J.Lewis.(ed.) Academic press,INC.,U.S.A., pp.257-294.
- Steel, R.G.D. and J.H. Torrie. 1984. Principles and Procedures of Statistics. 2nd ed., Mc Grow-Hill Book Co. Inc., New York, U.S.A.
- Temperton, H., J. Dudley and G.L. Pickering. 1965 (a). Phosphorus requirements of poultry. IV. The effects on growing pullets of feeding diets containing no animal protein or supplementary phosphorus. *Br. Poult. Sci.*, 6:125-133.
-
- (b). Phosphorus requirements of poultry. V.
The effects during the subsequent laying year of feeding growing diets containing no animal protein or supplementary phosphorus. *Br. Poult. Sci.*, 6:135-141.

- Um, J.S., I.K. Paik, M.B. Chang and B.H. Lee. 1999. Effects of microbial phytase supplementation to diets with low non-phytate phosphorus levels on the performance and bioavailability of nutrients in laying hens. AJAS, 2:203-208.
- Vohra, P., G.A. Gray and F.H. Kratzer. 1965. Phytic acid – metal complexes. Proc. Soc. Exp. Biol. Med., 120:447-449.
- Waldroup, P.W., R.J. Mitchell and Z.B. Johnson. 1975. The phosphorus needs of young broiler chicks in relationship to dietary nutrient density level. Poult. Sci., 54:436-441.
- Waldroup, P.W. 1996. Calcium and phosphorus for poultry feeds. Technical Bulletin. American Soybean Association., Vol.PO27:21p.
- Yano, F. and T. Nakajima. 1996. Nutritional approaches for reducing nitrogen and phosphorus in livestock waste. In: Proc. 8th AAAP Animal Science Congress. Vol.1, pp. 83-88., Japanese Society of Zootechnical Science, Tokyo, Japan.
- Yi, Z. and E.T. Kornegay. 1996. Sites of phytase activity in the gastrointestinal tract of young pigs. Anim. Feed Sci. Technol., 61:361-368.
- Zhang, Z.B., E.T. Kornegay and H.P. Veit. 1998. Comparison of phytase in Natuphos® and Phytaseed® for young pigs. J. Anim. Sci., 76(Suppl.1):176(Abstr).
- Zhang, Z.B., E.T. Kornegay, J.S. Radcliffe, D.M. Denbow, H.P. Veit and C.T. Larsen. 2000. Comparison of genetically engineered microbial and plant phytase for young broilers. Poult. Sci., 79:709-717.