REFERENCES

Agrotechnology Transfer. 1992. Using models to boost Malawi's maize production. January,1992.

Bartholic, J. F., L. N. Namken, and C. L. Wiegand. 1972. Aerial thermal scanner to determine temperature of soils and crop canopies differing in water stress. Agron. J. 64:603-608.

Beauchamp, E. G., L. W. Kannenberg, and R. B. Hunter. 1976. Nitrogen accumulation and translocation in corn genotypes following silking. Agron. J. 68:418-422.

Begg, J. E. 1980. Morphological adaptations of leaves to water stress. p. 33-42. *In* N. C. Turner and P. J. Kramer, eds. Adaptation of Plants to Water Stress and High Temperature Stress. New York: John Wiley and Sons.

Begg, J. E., and N. C. Turner. 1976. Crop water deficits. Adv. Agron. 28:161-207.

Below. F.E. 1997. Growth and productivity of maize. p. 235-240. *In* G.O.Edmeades , M. Bänziger, H.R. Mickelson, and C.B. Peña-valdivia (eds). Development drought- and Low N-Tolerant maize. Proceedings, March 25-29, 1996, CIMMYT , El Batan, Mexico.

Below , F.E, L.E. Christensen, A.J. Reed, and R.H. Hageman. 1981. Availability of raduced N and carbohydrates for ear development of maize. Plant Physiol. 68 : 1186-1190.

Bennett, J.M. , J.W. Jones, B. Zur and L.C. Hammond. 1986. Interactive effects of nitrogen and water stresses on water relations of field-grown corn leaves. Agron. J. 78 : 273-280.

Bergersen, F. J. 1980. Methods for evaluating biological nitrogen fixation. John Wiley & Sons, USA. 702 pp.

Blad, B.L., B.R. Gardner, D.G. Watts, and N.J. Rosenberg. 1980. Remote sensing of crop moisture status. p.1-26. *In* Remotely sensed crops temperature for water resources management. Agric. Meteor. Pro. Rep. 80-5 University of Nebraska.

Blum, A. 1982. Evidence for genetic variability in drought resistance and its implications in plant breeding. *In* Drought Resistance in Crop with Emphasis on Rice. IRRI, Los Baños, Philippines. 408 pp.

Blum, A. 1988. Plant Breeding for stress Environments. CRC Press, Boca Raton, Florida, USA. 223 pp.

Bohm, W., H. Maduakor, and H. M. Taylor. 1977. Comparison of five methods for characterizing soybean rooting density and development. Agron. J. 69:415-419.

Bolaños, J., and G.O. Edmeades. 1993a. Eight cycle of selection for drought tolerance in lowland tropical maize. I. Responses in grain yield, biomass, and radiation utilization. Field Crops Res. 31:233-252.

Bolaños, J., and G. O. Edmeades. 1993b. Eight cycles of selection for drought tolerance in lowland tropical maize. II. Responses in reproductive behavior. Field Crop Res. 31:253-268.

Bolaños, J and G.O. Edmeades. 1996. The importance of the an thesis-silking interval in breeding for drought tolerance in tropical maize. Field Crops Res. 48:65-80.

Bolaños, J and G.O. Edmeades and L. Martinez. 1993. Eight cycles of selection for drought tolerance in lowland tropical maize. III. Response in drought – adaptive physiological and morphological traits. Field Crops Res. 31:269-286.

Bouwer, H. 1962. Field determination of hydraulic conductivity above a water table with the double-tube method. Soil Sci. Soc. Am. Proc. 26:330-335.

Boyer, J. S. 1970. Leaf enlargement and metabolic rates in corn, soybean and sunflower at various leaf water potentials. Plant Physiol. 46:233-235.

Boyer, J. S., and H. G. McPherson. 1976. Physiology of water deficits in cereal grains. p. 321-339. *In* IRRI (ed.) Climate and Rice, IRRI, Philippines.

Boyle, M.G., J.S. Boyer, and P.W. Morgan. 1991. Stem infusion of liquid culture medium prevents reproductive failure of maize at low water potential. Crop Sci. 31 : 1246-1252.

CIMMYT. 1992. 1991-92 CIMMYT World Maize Fact and Trends : Maize Research Investment and Impacts in Developing Countries, Mexico D.F., CIMMYT.

Clawson, K. L., and B. L. Blad. 1982. Infrared thermometry for scheduling irrigation of corn. Agron. J. 74:311-316.

Cliguet, J.B. , E. Edleens, and A. Mariotti. 1990. C and Filling by ^{13}C and ^{15}N tracing in *Zea may* L. Plant physiol. 94 : 1547-1553.

Cox, W.J. and G.D. Jolliff. 1986. Growth and yield of sunflower and soybean under soil water deficit. Agron. J. 78 : 226-230.

Crawford, T.W., V.V. Rendig, and F.E. Broadbent. 1982. Sources, fluxed, and sinks of nitrogen during early reproductive growth of maize (*Zea Mays* L.) Plant Physiol 70 : 1654-1660.

Del Rosario D.A. , and F.F. Fajardo. 1988. Mor-phophysiological responses of ten peanut varieties to drought stress. The Philippine Agriculturist. 71 : 447-459.

DSSAT. 1994. A decision support system for agrotechnology transfer version 3 volume 2. *In* G.Y. Tsuji *et al.* (eds.), University of Hawaii, Honolulu, Hawaii, USA.

Duncan, W.G. , D.E. Mccloud, R.L. Mcgraw and K.J. Boote. 1978. Physiological aspects of peanut yield improvement. Crop Sci. 18 : 1015-1020.

Evans, L.T. 1975. The physiological basis of crop yield. p.327-355. *In* L.T. Evans (ed.) Crop Physiology- some case histories. Cambridge Univ. Press, London.

Evans, L.T., I.F. Wardlaw, and R.A. Fischer. 1975. Wheat. p. 101-149. *In* L.T. Evans (ed) Crop Physiology – some case histories. Cambridge Univ. Press, Londons.

Eck, H. V. 1986. Effects of water deficits on yield, yield components, and water use efficiency of irrigated corn. Agron. J. 78:1035-1040.

Ehrler, W. L., S. B. Idso, R. D. Jackson, and R. J. Reginato. 1978. Wheat canopy temperature to plant water potential. Agron. J. 70:251-256.

Edmeades, G.O., H.R. Lafitte, and J. Bolaños. 1990. Selection for abiotic stress tolerance in maize. Paper presented at the Fourth Meeting of the Asian Regional Maize Program, September 22-27 Islamabad, Pakistan.

Edmeades, G.O. , J. Bolaños, M. Hernandez, and S. Bello. 1993. Cause for silk delay in lowland tropical maize. Crop Sci. 33:1029-1035.

Edmeades, G.O. , J. Bolaños, M. Banziger, J.M. Ribant, J.W. White , M.P. Reynolds and H.R. Laffitte. 1996. Improving crop yields under water deficits in tropics. Paper presented at the second International crop science Congress , November 17-24, 1996. New Delhi, India. 25 pp.

FAO. 1980. Improvement and production of maize, sorghum and millet. *In* Breeding, Agronomy and seed Production. FAO, Rome. 487 pp.

Fischer, K.S. and Palmer, A.F.E. 1983. Maize. p.155-180 *In* W.E. Smith and S.J. Banta (Eds.) Potential Productivity of Field Crops under Different Environment . IRRI, Los Baños, Philippines.

Fischer, K.S. , E.C. Johnson and G.O. Edmeacles. 1983: Breeding and selection for drought resistance in tropical maize. CIMMYT, EI Batan, Mexico.

Fischer, R.A. , and G.D. Hohn. 1966. The relationship of grain yield to vegetative growth and post flowering leaf area in the wheat crop under conditions of limited soil water. Aust. J. Agric. Res. 17 : 281-295.

Fischer, R.A. , and N.C. Turner. 1979. Plant productivity in the arid and semiarid zones. Ann. Rev. Plant physiol. 29 : 277-317.

Fischer, R. A. and J. T. Wood. 1979. Drought resistance in spring wheat cultivars. III. yield association with morphophysiological traits. Aust. J. Agric. Res. 30:1001-1020.

Friedrich, J.W., L.E. Schrader, and E.V. Nordheim. 1979. N deprivation in maize during grain-filling. I. Accumulation of dry matter, nitrate N, and sulfate-S. Agron. J. 71:461-465.

Gardner, F. P., R. B. Pearce, and R. L. Mitchell. 1985. Physiology of crop plants. Iowa State Univ. Press: Ames. 327 p.

Gassity P.D. and C.G. Hermenegildo. 1990. The development of rice-corn rotations in tropical lowland environments: A systems research approach. Food and Fertilizer Technology Center. Taipei City, Rep. of China on Taiwan. Extension Bulletin No.318. 10 pp.

Giradin , P.,M Tollenaar, A. Deltour, and J. Muldoon. 1987. Temporary N starvation in maize (*Zea may* L.) : effetcts on development, dry matter accumulation and grain yield. Agronomic. 7: 289-296.

Graf, B., M. Dingkuhn, F. Schnier, V. Coronel, and S. Akita. 1991. A simulation model for the dynamics of rice growth and development : III. Validation of model with high-yielding varieties. Agricultural Systems. 36: 329-349.

Grant, R. F., B. S. Jackson, J. R. Kiniry, and G. F. Arkin. 1989. Water deficit timing effects on yield components in maize. Agron. J. 81:61-65.

Goldsworthy, P.R. 1974. Maize physiology. *In* CIMMYT Proc. Worldwide maize improvement in the 10's and the role for CIMMYT. CIMMYT, Mexico.

Goldsworthy, P.R. , and M. Colegrove. 1974. Growth and yield of highland maize in Mexico. J. Agric. Sci. Camb. 83:213-221.

Hall, A. E., K. W. Foster, and J. G. Waines. 1979. Crop adaptation to semi-arid environments. p. 148-178. *In* A. E. Hall, G. H. Cannell, and H. Lawfon, eds. Ecol. Stud. Series Vol. 34. Springer-Verlag, Berlin, Heidelberg, New York.

Hanks, J.R., J. Keller, V.P. Rasmussen, and G.D. Wilson. 1976. Line source sprinkler for continuous variable irrigation-crop production studies. Soil Sci. Soc. Am. J. 40:426-429.

Hanway, J. J. 1962. Corn growth and composition in relation to soil fertility. II. Uptake of N, P and K and their distribution in different plant parts during the growing season. Agron. J. 54:217-222.

Herrero, M.O. , and R.R. Johnson. 1981. Drought stress and its effects on maize reproductive system. Crop Sci. 21 : 105-110.

Hsiao, T. C. 1973. Plant response to water stress. Ann. Rev. Plant Physiol. 24:519-570.

Hsiao, T. C., J. C. O'Toole, E. B. Yambao, and N. C. Turner. 1984. Influence of osmotic adjustment on leaf rolling and tissue death in rice (*Oryza sativa* L.). Plant Physiol. 75:338-341.

Hunt, R. 1978. Plant growth analysis. London: Edward Arnold. 67 pp.

Hunt, L.A., J.W. Jones, J.T. Ritchie, and P.S. Teng. 1989. Genetic coefficients for the IBSNAT crop models. P.15-19. *In* IBSNAT Symposium Part I: Symposium Proceedings. Nevada, USA.

Hunt, L.A., and S. Pararajasingham. 1994. GenCalc : Genotype Coeficients Calculator USER'S Guide Version 3.0. Department of Crop Science, University of Guelph. Publication No. LAH-01-94. Crop Simulation Series No.3.

IBSNAT. 1988. Experimental design and data collection procedures for IBSNAT. IBSNAT Technical Report 1, Thrid Edition, Revised 1988. International Benchmark Sites Network for Agrotechnology Transfer. University of Hawaii, Honolulu, USA.

Idso, S.B. , R.J. Reginato, D.C. Reicosky, and J.L. Hatfield. 1981. Determining soil-induced plant water potential depressions in alfalfa by means of infrared thermometry. Agron. J. 75 : 826-830.

Jackson, R.D. 1982. Canopy temperature and crop water stress. Adv. Irrig. 1 : 43-85.

Jintrawet, A., C. Namuang, G. Vehara, and G.Y. Tsuji. 1990. Ex-ante screening of rice production strategies with the CERES-Rice model. *In* Papers Presented at the Second Conference on "The Impact of Weather on Agricultural Production in the Pacific Rim. Countries". The University of Melbourne, Australia. September 22-28, 1990. 31 pp.

Jintrawet, A. 1991. A decision support system for rapid appraisal of rice-based agricultural innovations. Ph.D Dissertation, University of Hawaii.

Jones, C. A. and J. R. Kiniry. 1986. Ceres-Maize. A simulation model of maize growth and development. Texas A&M Univ. Press.

Jones, H.G. 1993. Drought tolerance and water-use efficiency. p. 193-203. *In* J.A.C. Smith and H. Griffiths (eds) Water Deficits : Plant Responses from Cell to Community. Bios Scientific Publishers, Oxford, UK.

Jones, J.W., L.A. Hunt, G. Hoogenboom, D.C. Godwin, U. Singh, G.Y. Tsuji, N.B. Pickering, P.K. Thornton, W.T. Bowen, K.J. Boote, and J.T. Ritchie. 1994. Input and output files. p. 1-94. *In* G.Y. Tsji, J.W. Jones and S. Balas (eds.) DSSAT v3 vol.2. University of Hawaii, Honolulu, Hawaii.

Jongkaewwattana, S. 1995. Systems, simulation and modeling. MCC. CMU, Thailand. 199 pp.

Jordan, W.R. 1983. Whole plant response to water deficits : an overview. p. 289-317. In H.M. Taylor, W.M Jordan and T.R. Sinclair (eds.) Limitations to Efficient eater Use in Crop Production. ASA, Madison, WI.

Klodpeng, T., C. Sukasame, and C. Nimmalungkul. 1985. Rooting depth and rooting density of some upland crops under rainfed condition. In Upland Rainfed Cropping System Technical Report. Faculty of Agriculture, Chiang Mai University. 35pp.

Kramer P.J. 1983. Water relations of plants. Academic Press, New York. 488 pp.

Laffitte, H.R. and G.O. Edmeades. 1994. Improvement for tolerance to low soil nitrogen in tropical maize. I selection criteria. Field Crops Res. 39 : 1-14.

Legg, B.J. , W. Day, D.W. Lawlorm, and K.J. Parkinson. 1979. The effects of drought on barley growth : models and measurements showing the relative importance of leaf area photosynthetic rate. J. Agric. Sci. 92:703-716.

Lemcoff, J.H. and Loomis , R.S. 1986. Nitrogen influences on yield determination in maize. Crop Sci. 26 : 1017-1022.

Ludlow, M.M, and R.C. Muchow. 1990. A critical evaluation of traits for improving crop yields in water-limited environments. Adv. Agron. 43:107-153.

Mankeb, P. 1993. Calibration of genetic coefficients of paddy rice (*Oryza sativa* L.) for Validation of the CERES-Rice model in Northern Thailand. M.S. (Agriculture), Chiang Mai University. 121 pp.

Manupeerapan, T. , Y. Chantachume. P. Grndlogma, S. Thong-chuay, and S. Noradechanon. 1997. Maize breeding for drought tolerance in Thailand. P. 450-454. *In* G.O.Edmeades , M. Bãnziger, H.R. Mickelson, and C.B. Peña-valdivia (eds). Development drought- and Low N-Tolerant maize. Proceedings, March 25-29, 1996, CIMMYT , EI Batan, Mexico.

McCullough, D.E., Ph. Girardin, M. Mihajlovic, A. Aguilera, and M. Tollenaar. 1994. Influence of N supply on development and dry matter accumulation of an old and new maize hybrid. Can. J. Plant Sci. 74:471-477.

Mengel , D.B. and S.A. Barber. 1974. Development and distribution of the corn root system under field conditions. Agron J. 66 : 541-544.

Mitchell, R.L., and Russell. 1971. Root development and rooting patterns of soybean (*Glysine max* (L.) Merrill) evaluated under field conditions. Agron. J. 63: 313-316.

Moll R.H. , E.J. Kamprath. And W.A. Jackson. 1982. Analysis and interpretation of factors which contribute to efficiency of nitrogen utilization. Agron. J. 74 : 562-564.

Moll, R.H. , E.J. Kamprath, and W.A. Jackson. 1987. Development of nitrogen–efficient prolific hybrids of maize. Crop Sci. 27:181-186.

Mozafar A. 1990. Kernel along abortion and distribution of mineral elements along the maize ear. Agron. J. 82 : 511-514.

Muchow, R.C. 1986. Effect of nitrogen supply on the comparative productivity of maize and sorghum in a semi-arid tropical environment . III Grain yield and nitrogen accumulation. Field Crops Res. , 18 : 31-43.

Muchow, R.C. 1988. Effect of nitrogen supply on the comparative productivity of maize and sorghum in a semi-arid environment. I. Leaf growth and leaf nitrogen. Field Crops Res. 18:1-16.

Muchow, R.C, and R. Davis. 1988. Effect of nitrogen supply on the comparative productivity of maize and sorghum in a semi-arid environment. II. Radiation interception and biomass accumulation. Field Crops Res. 18:17-30.

Newmann, E.I. 1966. A method of estimating the total length of root in sample. J. Appl. Ecol. 3:139-145.

Neumann, H.H., G.W. Thurtell, and K.R. Stevenson. 1974. Leaf water content and potential in corn, sorghum, soybean, and sunflower. Can. J. Plant Sci. 54:185-195.

O' Neill, M.K., W. Hofmann, A.K. Dobrenz, and V. Marcarian. 1983. Drought response of Sorghum hybrids under a sprinkler irrigation gradient system. Agron. J. 75:102-107.

O' Toole, J. C., and R. T. Cruz. 1980. Response of leaf water potential, stomatal resistance, and leaf rolling to water stress. Plant Physiol. 65:428-432.

Pandey, R. K., W. A. T. Herrera, and J. W. Pendleton. 1984a. Drought response of grain legumes under irrigation gradient. II. Yield and yield components. Agron. J. 76:549-553.

Pandey, R. K., W. A. T. Herrera, and J. W. Pendleton. 1984b. Drought response of grain legumes under irrigation gradient. II. Plant water status and canopy temperature. Agron. J. 76:553-557.

Pandey, R. K., W. A. T. Herrera, and J. W. Pendleton. 1984c. Drought response of grain legumes under irrigation gradient. III. Plant growth. Agron. J. 76:557-560.

Pandey, R. K., W. A. T. Herrera, and A.N. Villeggas. 1988. Drought response of mungbean genotypes under a sprinkler irrigation gradient system. p. 252-259. *In* S. Shanmugasundaram, ed. Second Int. Mungbean Symp. Proc. AVRDC, Shanhua, Taiwan.

Pearson , C.J. , and B.C. Jacobs. 1987. Yield components and nitrogen partitioning of maize in response to nitrogen before and after anthesis . Aust. J. Agric. Res. , 38 : 1001-1009.

Piper, E. L., and A. Weiss. 1990. Evaluating CERES-Maize for reduction in plant population or leaf area during the growing season. 1990. Agricultural System 33:199-213.

Power, J.F. 1983. Soil management for efficient water use : Soil fertility. p. 461-470. *In* H.M. Taylor *et al.* (eds.) Limitations to efficient water use in crop production. ASA. Madison, WI.

Rawson , H.M. , and N.C. Turner. 1982. Recovery form water stress in five sunflower (*Helianthus Annus* L.) cultivars : I. Effect of the timing of water application on leaf area and seed production. Aust. J. Plant Physiol. 9 : 437-448.

Rhoads, F.M., and Bennett, J.M. 1990. Corn. p. 569-596. *In* : B.A. Stewart and D.R. Nielson (Eds.) Irrigation of Agricultural Crops. American Society of Agronomy, Madison, WI.

Ritchie, S. W., and J. J. Hanway. 1984. How a corn plant develops. Special Report No.48 Iowa State Univ. 21 pp.

Ritchie, J.T., E.C. Alocilja, and G. Uehara. 1986. IBSNAT/CERES Rice Model. Agrotechnology Transfer. 3:1-5.

Sanchez, P.A. 1976. Soil Management in Multiple Cropping Systems. John Wiley and Sons, New York.

Schussler, J.R., and M.E. Weatgate. 1991. Kernel set of maize at low water potential: II. Sensitivity to reduced assimilates at pollination. Crop Sci. 31 : 1196-1203.

Schussler , J.R., and M.E. Westgate. 1995. Assimilated flux determines kernel set at low water potential in maize. Crop Sci. 35 : 1074-1080.

Senthong, C. 1979. Growth analysis in several peanut cultivars and the effect to peanut root-knot nematode (*Meloidogyne arenaria*) on peanut yields. Ph.D. Dissertation, Univ. of Florida, Gainesville, U.S.A. 62 p.

Senthong, C., K. Tedia, E. Barlaan, and R. K. Pandey. 1986. Drought response of soybean genotypes during reproductive growth phase under irrigation gradient. Paper presented at IRRI Saturday Seminar on Rice Farming Systems Program. IRRI, Los Banos, Philippines. 38 pp.

Senthong, C., and R. K. Pandey. 1989. Response of five food legume crops to irrigation gradient imposed during reproductive growth. Agron. J. 81:680-686.

Senthong, C., and R.K. Pandey. 1998. Drought response of cowpea genotypes to an irrigation gradient during the reproductive phase. Thai J. Agric. Sci. 31(3) 328-341.

Sharp, R.E. , and W.J. Davies. 1979. Solute regulation and growth by roots and shoots of water stressed maize plants. Plants 147 : 43-49.

Singh, N.N. 1986. Breeding considerations for winter maize in India. Ann. Agri. Res. 7(1).

Sionit, N., and P. J. Kramer. 1976. Water potential and stomatal resistance of sunflower and soybean subjected to water stress during various growth stages. Plant Physiol. 58:537-540.

Sorensen, V.M., R.J. Hanks, and R.L. Cartee. 1980. Cultivation during early season and irrigation influences on corn production. Agron. J. 72:266-270.

Stewart, G.A. 1970. High potential productivity of the tropics for cereal crops, grass forage crops, and beef. J. Aust. Inst. Agric. Sci. 36:85-101.

Sukjaroen, P., T. Prasatsrisupab, and K. Suwantaradon. 1997. Development of Ciba's drought tolerant maize hybrids in Thailand. p. 122-125. *In* G.O.Edmeades , M. Bãnziger, H.R. Mickelson, and C.B. Peña-valdivia (eds). Development drought- and Low N-Tolerant maize Proceedings. March 25-29, 1996, CIMMYT , El Batan, Mexico.

Swan, J. B., E. C. Schneider, J. F. Moncrief, W.H. Paulson, and A. E. Peterson. 1987. Estimating corn growth, yield and grain moisture from air growing degree days and residue cover. Agron. J. 79:53-60.

Swank, J.C. , F. Below, R. Lamgbert, and R.H. Hageman. 1982. Interaction of carbon and nitrogen metabolism in the productivity of maize. Plant physiol. 70: 1185-1190.

Syarifuddin, A.K. and H.G. Zandstra. 1978. Growing rainfed corn and soybean after puddled flooded rice : II. Soil chemical conditions and management. Paper presented at IRRI Saturday Seminar on Rice Farming Systems Program. IRRI, Los Banos, Philippines. 27 pp.

Ta, C. T. and R. T. Weiland. 1992. Nitrogen partitioning in maize during ear development. Crop Sci. 32:443-451.

Tanguilig, G., E. B. Yambao, J. C. O'Toole and S. K. De Datta. 1987. Water stress effects on leaf elongation, leaf water potential, transpiration and nutrient uptake of rice, maize, and soybean. Plant and Soil. 103:155-168.

Tinh, H.N., P.H. Hao, L. Harrington and M. Read. 1992. Winter maize in the Red River Delta of North Vietnam: Problem and Prospects. Asian Farming Systems Symposium. Colombo, Sri Lanka. November 1992.

Tollenaar , M. 1977. Sink-source relationships during reproductive development in maize : A review. Maydica 22 :49-75.

Tollenaar, M. , L.M. Dwyer , and D.W. Stewart. 1992. Ear and kernel formation in maize hybrids representing three decades of yield improvement in Ontario. Crop Sci. 32: 432-438.

Turk, K. J., A. E. Hall, and C. W. Asbell. 1980. Drought adaptation of cowpea I. Influence of drought on seed yield. Agron. J. 72:413-420.

Turk, K. J. and A. E. Hall. 1980. Drought adaptation of cowpea II. Influence of drought on plant water status and relations with seed yield. Agron. J. 72:421-427.

Turner, N.C. 1974. Stomatal behavior and water status of maize , sorghum and tobacco under field conditions. II. At low soil water potentials. Plant Physiol. 53 : 360-365.

Uhart, S.A.,and F.H. Andrade. 1995. Nitrogen deficiency in maize : I. Effect on crop growth, development, dry matter partitioning, and kernel set. Crop Sci. 35:1376-1383.

Westgate, M.E. and J.S. Boyer. 1986. Water status of the development grain of maize. Agron, J. 78 : 714-719.

Wiegand, C. L., and L. N. Namken. 1966. Influences of plant moisture stress, solar radiation and air temperatures on cotton leaf temperature. Agron. J. 57:582-586.

Wien, H. C., E. J. Littleton, and A Ayanaba. 1979. Drought stress of cowpea and soybean under tropical condition. p. 283-301. *In* H. Mussel and R. C. Staple, eds. Stress Physiology in crop plants. Wiley Interscience, New York.

Willmoltt, C.J. 1982. Some comments on the evaluation of model performance. Am. Met. Soc. Bull. 63: 1309-1313.

Wolfe, D.W. , W.W. Henderson, T.C. Hsian, and A. Alvino. 1988. Interactive water and nitrogen effects on senescence of maize. I. Leaf area duration, nitrogen distribution, and yield. Agron .J. 80 : 859-864.

Yamaguchi, J. 1974. Varietal traits limiting the grain yield of tropical maize. I. Growth patterns as affected by altitude and season. Soil Sci. Plant Nutr. 20: 69-78.

Yoshida, S. 1972. Physiology aspects of grain yield. Ann. Rev. Plant Physiol. 23:437-464.