

REFERENCES

- Abrol, I.P. and S.P. Palaniappan. 1988. Green manure crops in irrigated and rainfed lowland rice-based cropping systems in South Asia. In: Proceedings of a symposium on sustainable agriculture: the role of green manure crops in rice farming systems 25-29 May 1987. The International Rice Research Institute (IRRI), Los Banos, the Philippines.p.379.
- Arunin, S., P. Pongwichian, P. Rungsaengchan, A. Yuvaniyama and C. Dissataporn. (yr. not available). Response of rice to fertilizer and fertilizer treated green manure in saline soil [Online]. Available: <http://www.ddd.go.th/abs-scd-33-42/abst-scd-eng/scd-abst/salt21.html> [May 5, 2002]
- _____, S. 1996. The use of *Sesbania* spp. as green manure in saline soil. Agricultural Science 29 (4-6): 108-120. (in Thai)
- _____, S., Y. Anuluxtipun, and P. Pongwichian. 1995. The effect of N-fertilizer and amended *Sesbania* spp. On the N-balance and profitability of rice in saline and non-saline soil. In: Proceedings of the Third International Conference on Sustainable Agriculture, 31 August – 4 September 1993, Wye College, University of London, U.K.
- Aulakh, M.S., J.W. Doran, and A.R. Mosier. 1992. Soil denitrification-significance, measurement, and effects of management. Advance in Soil Sci. 18: 1-57.
- Bar, A.R., I. Baggio, and N. Singinga. 2000. The use of *Sesbania* (*Sesbania rostrata*) and urea in lowland rice production in Sierra Leone. Agroforestry Systems 48: 111-118
- Becker, M., J.K. Ladha, I. Watanebe, and J.C.G. Ottow. 1988. Seeding vs. vegetative propagations of the stem-nodulating green manure *Sesbania rostrata*. Biology and Fertility of Soils 6:279-181.
- Becker, M., J.K. Lasha, and A. Mubarik. 1995. Green manure technology: potential usage, limitations. A case study of lowland rice. Plant and Soil 174:181-194.
- Bouldin, D.R. 1988. Effect of green manure on soil organic matter content and nitrogen availability. In: Proceedings of a symposium on sustainable agriculture: the role of green manure crops in rice farming systems 25-29 May

1987. The International Rice Research Institute (IRRI), Los Banos, the Philippines.p.379.
- Buresh, R.J., and S.K. De Datta. 1991. Nitrogen dynamics and management in rice legume cropping systems. *Advance in Agron.* 45: 1-59.
- Bryan, R.H. 1991. Nitrogen dynamics during rice culture using *S. rostrata* as green manure in Northeast Thailand. M.S. thesis. University of Alberta, Alberta, Canada.
- Centeno, H.G., R.K. Furoc, B.T. Samson, M.A. Dizon, and M.A. Morris. 1985. Approaches to analyzing N fertilizer and green manure response. Paper presented at the 16th Annual Scientific convention of Crop Science Society of the Philippines, Central Luzon State University, Munoz, Nueva Ecija, May 8-10, 1985.
- Chen, S. 1986. Effect of green manure in agriculture. In: B. Jiao, (ed.), *Green manure in china*. Publishing House of Agriculture, Beijing.
- Chen, L. 1988. Green manure cultivation and use for rice in China. In: Proceedings of a symposium on sustainable agriculture: the role of green manure crops in rice farming systems 25-29 May 1987. The International Rice Research Institute (IRRI), Los Banos, the Philippines.p.379.
- Carangal, V.R, E.T. Rebancos, Jr., E.C. Armada, and P.L. Tengo. 1994. Integration of food, forage, and green manure production systems. In: J.K. Ladha and D.P. Garrity, (eds.), *Green manure production systems for Asian ricelands*. The International Rice Research Institute (IRRI), Los Banos, the Philippines.p.195.
- Centeno, H.G., R.E. Furoc, B.T. Samson, M.A. Dizon, and M.A. Morris. 1985. Approached to analyzing N fertilizer and green manure response. Paper presented at the 16th Annual Scientific Convention of Crop Science Society of the Philippines, Central Luzon State University, Munoz, Nueva Ecija, May 8-10, 1985.
- Clément, A., J.K. Ladha, and F-P. Chalifour. 1988. Nitrogen dynamics of various greenmanure species and the relationship to lowland rice production. *Agron. J.* 90: 149-154, 190

- Coughlin, T. 2001. Green manures [Online]. Available:
http://www.organicmattersmag.com/gardening_tips/green_manure.htm [May 01, 2002]
- Craswell, E.T. and P.L.G. Vlek. 1979. Greenhouse evaluation of nitrogen fertilizers for rice. *Soil Sci. Soc. AM. J.* 43: 1184-1188.
- DeDatta, S.K. 1981. Principles and practices of rice production. A Wiley-Interscience Publication,. John Wiley & Sons, New York.
- De Datta, S.K., A.C.F. Trevitt, J.R. Freney, W.N. Obcemea, J.G. Real, and J.R. Simpson. 1989. Measuring nitrogen losses from lowland rice using bulk aerodynamic and nitrogen-15 balance methods. *Soil Sci. Soc. Ame. J.* 53: 1275-1281
- Diekmann, K.H., J.C.G. Ottow, and S. K. DeDatta. 1996. Yield and nitrogen response of lowland rice (*Oryza sativa L.*) to *Sesbania rostrata* and *Aeschynomene afraspera* green manure in different marginally productive soils in the Philippines. *Biol. Fertil. Soils* 21:103-108
- Garrity, D.P., R.T. Bantilan, C.C. Bantilan, P. Tin, and R. Mann. 1994. *Indigofera tinctoria*: farmer-proven green manure for rainfed rice lands. In: J.K. Ladha and D.P. Garrity, (eds.), *Green Manure Production Systems for Asian Rice Lands*. International Rice Research Institute (IRRI), Los Banos, the Philippines.
- Engels, C., and H. Marschner. 1995. Plant uptake and utilization of nitrogen. In: P.E. Bacon, (ed.), *Nitrogen Fertilization in the Environment*. Marcel Dekker, Inc. New York, USA.
- Freney, J.R., and J.R. Simpson. 1983. Gaseous loss of nitrogen from plant-soil systems. *Developments in Plant and Soil Science* 9: 159-180
- Freney, J.R., A.C.F. Trevitt, S.K. De Datta, W.N. Obcemea, and J.G. Real. 1990. The independence of ammonia volatilization and denitrification as nitrogen loss processes in flooded rice fields in the Philippines. *Biology and Fertility of Soils* 9: 31-36

- Freyney, J.R., M.B. Peoples, and A.R. Mosier. 1995. Efficient use of fertilizer nitrogen by crops [Online]. Available: <http://www.agnet.org/library/abstract/eb414.html> [May 05, 2002]
- Furoc, R.E., and R.E. Morris. 1989. Apparent recovery and physiological efficiency of N in *Sesbania rostrata* incorporated before rice. Agron. J. 81 (5):797-802.
- Hamman, B.R. 1991. Nitrogen dynamics during rice culture using *Sesbania rostrata* as green manure in Northeast Thailand. M.S. thesis, University of Alberta, Alberta, Canada.
- Gypmantasiri, P., B. Limnirankul., Chamlong., P. 1991. *Sesbania rostrata* in rice based farming systems in Northern Thailand. Multiple Cropping Center, Chiang Mai University, Chiang Mai, Thailand.
- Hauck, R.D. 1984. Significance of nitrogen fertilizer microsite reactions in soil. In: R.D. Hauck, (ed.), *Nitrogen in Crop Production*. American Society of Agronomy, Inc. Wisconsin, USA.
- Houérou, L. 2002. *Sesbania rostrata* Brem [Online]. Available: <http://www.fao.org/Ag/AGP/AGPC/doc/Gbase/DATA/Pf000400.HTM> [May 4, 2002]
- IRRI [International Rice Research Institute]. 1979. Nitrogen and Rice. Los Banos, the Philippines.
- Ishikawa, M. 1988. Green manure in rice: the Japan experience. In: Proceedings of a symposium on sustainable agriculture: the role of green manure crops in rice farming systems 25-29 May 1987. The International Rice Research Institute (IRRI), Los Banos, the Philippines.p.379.
- Jiao, B. 1983. Utilization of green manure for raising soil fertility in China. Soil Sci. 135:65-69.
- Kasica, A.F. 1996. Nitrogen forms and availability fluctuate within the soil [Online]. Available: <http://www.cals.cornell.edu/dept/flori/grownon/field.html#beginning> (May 05, 2002)
- Kyuma, K. 1995. Ecological sustainability of the paddy soil-rice system in Asia. Paper presented at International Seminar on the Appropriate use of fertilizer, Taiwan, 6-14 November, 1995.
- Mann, R.A, and D.P. Garrity. 1994. Green manures in rice-wheat cropping systems in

- Asia. In: J.K. Ladha and D.P. Garrity, (eds.), *Green manure production systems for Asian rice lands*. The International Rice Research Institute (IRRI), Los Banos, the Philippines.p.195.
- Michaels, F. 2001. Green Manures [Online]. Available: http://www/greenharvest.com.au/seeds/green_manure.htm (May 01, 2002)
- Mikkelsen, D.S., G.R. Jayaweera, and D.E. Rolston. 1995. Nitrogen fertilization practices of lowland rice culture. In: P.E. Bacon, (ed.), *Nitrogen Fertilization in the Environment*. Marcel Dekker, Inc. New York, USA.
- Mitsui, S. 1954. Inorganic nutrition, Fertilization and soil amelioration for lowland rice. Tokyo: Yokendo Ltd., p. 107.
- Morris, R.A., R.E. Furoc, N.K. Rajbhandari, E.P. Marqueses, and M.A. Dizon. 1989. Rice response to waterlog-tolerant green manures. Agron. J. 81 (5): 803-809.
- Mosier, A.S., S.L. Chapman, and J.R. Freney. 1989. Determination of denitrogen emission and retention in floodwater and porewater of lowland rice field fertilized with ^{15}N -urea. Fertilizer Research 19: 127-136
- Mubarik, A. 1999. Evaluation of green manure technology in tropical lowland rice systems. Field Crop Research 61: 61-78.
- Mulongoy, K. 1986. Potential of *Sesbania rostrata* (Brem.) as nitrogen source in alley cropping systems. Biological Agriculture and Horticulture 3 (4): 341-346.
- Nguyen, N.D. 1992. Intercropping *Sesbania rostrata* (Brem. And Obrem.) with rice. M.S. thesis. Chiang Mai University, Chiang Mai, Thailand.
- OAE [Office of Agricultural Economics]. 1995. Agricultural Statistics of Thailand, Crop Year 1995-1996. Center of Agricultural Statistics, Ministry of Agriculture and Cooperatives, Bangkok, Thailand.
- Palaniappan, SP. And M.N. Budhar. 1994. Seed production, crop establishment, and incorporation practices as agronomic constraints in green manure production systems. In: J.K. Ladha and D.P. Garrity, (eds.), *Green manure production systems for Asian rice lands*. The International Rice Research Institute (IRRI), Los Banos, the Philippines.p.195.
- Parsons, R., J.I. Sprent and J.A. Raven. 1993. Humidity and light affect the growth, development and nitrogenase activity of stem nodules of *Sesbania rostrata*. New Phytologist, 125:749-755.

- Parsons, R., J.A. Raven, and J.I. Sprent. 1995. Translocation of iron to the N₂-fixing stem nodules of *Sesbania rostrata*. *Journal of Experimental Botany* 46:291-296.
- Patrick, W.H., and K.R. Reddy. 1976. Fate of fertilizer nitrogen in flooded soils. *Soil Sci. Soc. Am. J.* 40: 678-681.
- Peoples, M.B., J.R. Freney, and A.R. Mosier. 1995. Minimizing gaseous losses of nitrogen. In: P.E. Bacon, (ed.), *Nitrogen Fertilization in the Environment*. Marcel Decker, Inc. New York, USA.
- Rinaudo, G., D. Alazard, and A. Moudiongui. 1988. Stem-nodulating legumes as green manure for rice in West Africa. In: Proceedings of a symposium on sustainable agriculture: the role of green manure crops in rice-farming systems 25-29 May 1987. The International Rice Research Institute (IRRI), Los Banos, the Philippines.p.379.
- Rinaudi, G., B. Dreyfus, and Y. Dommergues. 1983. *Sesbania rostrata* as a green manure, and the nitrogen content of rice crop and soil. *Soil Bio. Biochem.* 15 (1): 111-113
- Schrader, L.E. 1984. Functions and transformations of nitrogen in higher plants. In: R.D. Hauck, (ed.), *Nitrogen in Crop Production*. American Society of Agronomy, Inc. Wisconsin, USA.
- Simpson, J.R., J.R. Freney, R. Weteselaar, W.A. Muirhead, R. Leuning, and O.T. Denmead. 1984. Transformations and losses of urea nitrogen after application to flooded rice. *Australian Journal of Agricultural Research* 35: 189-200
- Sullivan, P. and S. Diver. 2001. Overview of Cover Crops and Green Manures [Online]. Available: <http://www.attra.org/attra-pub/covercrop.html> [May 01, 2002]
- Singh, V.P. 1978. Nitrogen movement in water draining from irrigated Riceland. Ph.D. Thesis, University of the Philippines, Los Banos.
- Singh, Y., J.K. Ladha, B. Singh, and C.S. Khind. 1994. Management of nutrient yields in green manure systems. In: J.K. Ladha and D.P. Garrity, (eds.), *Green manure production systems for Asian ricelands*. The International Rice Research Institute (IRRI), Los Banos, the Philippines.p.195.

- Strong, W.M. 1995. Nitrogen fertilization of upland crops. In: P.E. Bacon, (ed.), *Nitrogen Fertilization in the Environment*. Marcel Decker, Inc. New York, USA.
- Supapoj, N., K. Naklang, and Y. Konboon. 1998. Using organic material to improve soil productivity in rainfed lowland rice in Northeast Thailand. In: J.K. Ladha, L. Wade, A. Dobermann, W. Reichardt, G.J.D. Kirk, and C. Piggin, (eds.), *Rainfed Lowland Rice*. International Rice Research Institute (IRRI), Los Banos, the Philippines.
- Vlek, P.L.G., and E.T. Craswell. 1978. Effect of nitrogen source and management ammonia volatilization losses from aqueous systems. *Soil Sci. Am. J.* 42.
- Watanabae, I., E.T. Craswell, and A.A. App. 1981. Nitrogen cycling in wetland rice field in South-East and East Asia. In: Nitrogen Cycling in South East Asian Wet Monsoonal Ecosystems, pp 4-17. Austral. Acad. Sci. Canberra.
- Westcott, M.P. and D.S. Mikkesen. 1988. Effect of green manure on rice soil fertility in the United States. In: Proceedings of a symposium on sustainable agriculture: the role of green manure crops in rice farming systems 25-29 May 1987. The International Rice Research Institute (IRRI), Los Banos, the Philippines.
- Yatazawa, M. 1977. Cycling of mineral nutrients in agriculture ecosystems. *Agro-ecosystems* 4: 177-179.
- Zhu, S.L. 1992. Efficient management of nitrogen fertilizer for flooded rice in relation to nitrogen transformations in flooded soils. *Pedosphere* 2: 97-114