

TABLE OF CONTENTS

	Page
Acknowledgements	iii
Abstract in English	v
Abstract in Thai	vii
Table of Contents	ix
List of Tables	xii
List of Figures	xv
CHAPTER 1: INTRODUCTION	1
CHAPTER 2: LITERATURE REVIEW	4
2.1. Pest management practices and their effects on arthropod populations	4
2.2. Integrated pest management (IPM) approach	8
2.3. World distribution and destructiveness of green rice leafhoppers	10
2.4. Status of green rice leafhoppers (GLH) as pest	12
2.5. Taxonomic and ecological status of <i>Nephotettix virescens</i> (Distant)	13
2.6. Biology of green rice leafhopper <i>Nephotettix virescens</i> (Distant)	13
2.7. Seasonal occurrence and abundance of green rice leafhoppers	14
2.8. Management of green rice leafhoppers	14
2.9. Biological control of green rice leafhoppers	18
CHAPTER 3: MATERIALS AND METHODS	21
3.1. Field survey	21
3.2. Field experiment	23
3.2.1. Experimental site	23
3.2.2. Systems management and design	23
3.2.3. Sampling procedures and sample management	25
3.2.4. Data analysis	26
CHAPTER 4: RESULTS OF FIELD SURVEY	28
4.1. Biophysical settings of the survey site	29
4.1.1. Climatic condition	29
4.1.2. Change in rice production practices	30
4.2. Farmer profile	31

4.3. Agronomic practices	32
4.3.1. Seed use	32
4.3.2. Fertilizer use	33
4.4. Knowledge of pests and natural enemies	38
4.5. Pest management practices	42
4.6. Pesticide use and farmers' attitudes	44
4.7. Rice yield and economic returns	47
CHAPTER 5: RESULTS OF FIELD EXPERIMENT	50
5.1. Dynamics of green leafhopper (GLH) population	50
5.1.1. Dynamics of adults of <i>Nephotettix</i> spp. detected by light trap	50
5.1.2. Dynamics and abundance of <i>Nephotettix</i> spp. observed by direct visual count	52
5.1.3. Dynamics and abundance of <i>Nephotettix</i> spp. observed by sweep net	55
5.2. Complex pressures by natural enemies on <i>Nephotettix</i> spp. egg mortality	60
5.2.1. Oviposition trends of <i>Nephotettix</i> spp.	60
5.2.2. Identification of natural enemies of <i>Nephotettix</i> spp. eggs	63
5.3. Species diversity of natural enemies in the systems	69
5.3.1. Species diversity of natural enemies determined by direct visual count	69
5.3.2. Species diversity determined by sweep net catch	76
5.4. Comparison of sampling methods	83
5.4.1. Relative variations	83
5.4.2. Labor requirement	84
5.5. Rice yields and economic returns	85
CHAPTER 6: DISCUSSION	88
Field survey	
6.1. Change in rice production practices in the survey site	88
6.2. Seeding practice	90
6.3. Nutrient management	92
6.4. Pest constraints and farmers' practices	94
6.5. Farmers' awareness and attitudes towards natural enemies and pesticide use	96
6.6. Economic considerations	97
6.7. Implications for the integrated pest management farmer field school	

(IPM FFS)	98
Field experiment	
6.8. Abundance and population dynamics of leafhoppers in the systems	100
6.9. Complex pressures by natural enemies on leafhopper egg mortality in the systems	105
6.10. Species diversity of natural enemies in the systems	111
6.11. Comparison of sampling methods	114
6.12. Economic consideration	116
CHAPTER 7: CONCLUSION AND RECOMMENDATION	120
REFERENCE	124
APPENDICES	140
CURRICULUM VITAE	147

LIST OF TABLES

Table	Page
1. World distribution of <i>Nephotettix</i> spp.	10
2. Some common predators and parasitoids of <i>Nephotettix</i> spp.	19
3. Household respondents included in the survey	28
4. Farmer profiles in survey villages	31
5. Number of farmers receiving seeds from different sources	32
6. Average amount of seed use (kg ha ⁻¹) by farmers in survey villages	33
7. Number of farmers practicing different modes of fertilizer application	35
8. Number of farmers applying different types of fertilizers as basal application	35
9. Number of farmers applying different types of fertilizers at tillering stage	36
10. Number of farmers applying different types of fertilizers at panicle initiation (PI) stage	36
11. Average amount of fertilizer use (kg ha ⁻¹) at each stage by farmers	37
12. Average amount of fertilizer use (kg ha ⁻¹) per crop by each group of farmers	37
13. Most commonly reported pests in survey villages and percentage farmers controlling them	39
14. Key pests ranked by farmers in survey villages	39
15. Common natural enemies reported by farmers in survey villages	42
16. Number of farmers reporting applying pesticides in the last rice season	44
17. Estimated average amount (ml ha ⁻¹) of farmers' insecticide use	45
18. Common pesticides and percentage of farmers reporting them	46
19. Mean rice yield (kg ha ⁻¹) of farmers in survey villages	48
20. Gross margin (in 1000Riels) of rice production of farmers in survey villages	48
21. Overall gross margins (in 1000Riels) of the two groups of farmers in survey villages	49
22. Analysis of variance of <i>Nephotettix</i> spp. recorded by direct visual count	52
23. Mean number of <i>Nephotettix</i> spp. populations recorded weekly by direct visual count on 3 rice hills from 11 August to 03 November 2001	52

24. Analysis of variance of <i>Nephotettix</i> spp. recorded by sweep net	56
25. Mean number of <i>Nephotettix</i> spp. populations recorded weekly by 3 sweep nets from 11 August to 27 October 2001	56
26. Analysis of variance of <i>Nephotettix</i> spp. egg population	60
27. Mean number of <i>Nephotettix</i> spp. egg population found on 3 potted rice hills placed and retrieved weekly from 11 August to 13 October 2001	60
28. Analysis of variance of <i>Nephotettix</i> spp. eggs damaged by natural enemies	63
29. Mean damage rate of <i>Nephotettix</i> spp. eggs found on 3 potted rice hills placed and retrieved weekly from 11 August to 13 October 2001	63
30. Analysis of variance of <i>Nephotettix</i> spp. eggs parasitized by <i>A. optabilis</i>	65
31. Mean parasitism rates by <i>A. optabilis</i> on <i>Nephotettix</i> spp. eggs found on 3 potted rice hills placed and retrieved weekly from 11 August to 13 October 2001	65
32. Analysis of variance of <i>Nephotettix</i> spp. eggs parasitized by <i>Oligosita</i> sp.	67
33. Mean parasitism rates by <i>Oligosita</i> sp. on <i>Nephotettix</i> spp. eggs found on 3 potted rice hills placed and retrieved weekly from 11 August to 13 October 2001	67
34. Analysis of variance of <i>Nephotettix</i> spp. eggs preyed by <i>C. lividipennis</i>	68
35. Mean predation rates by <i>C. lividipennis</i> on <i>Nephotettix</i> spp. eggs found on 3 potted rice hills placed and retrieved weekly from 11 August to 13 October 2001	68
36. Abundance of predators in CPMS recorded by direct visual count in every seven days (11-95 DAT) 2001	73
37. Abundance of predators in IPMS recorded by direct visual count in every seven days (11-95 DAT) 2001	74
38. Abundance of predators in LIRCS recorded by direct visual count in every seven days (11-95 DAT) 2001	75
39. Abundance of predators in CPMS recorded by sweep net in every seven days (11-88 DAT) 2001	80
40. Abundance of predators in IPMS recorded by sweep net in every seven days (11-88 DAT) 2001	81
41. Abundance of predators in LIRCS recorded by sweep net in every seven days	

(11-88 DAT) 2001	82
42. Relative variation of sweep net vs. direct visual count	83
43. Mean time consumed by sweep net vs. direct visual count	84
44. Analysis of variance of rice yield obtained from the experimental systems	85
45. Mean rice yields obtained from the experimental systems	85
46. Gross margin (<i>GM</i> -Riels) obtained from experimental rice systems	86

LIST OF FIGURES

Figure	Page
1. Four-year average of rainfall and temperature in Kandal province (1996-1999)	29
2. Trends of population dynamics of <i>Nephotettix</i> spp. detected from 07 August to 29 November 2001 by light trap placed in the vicinity of experimental rice systems	51
3. Dynamics of <i>Nephotettix</i> spp. in experimental systems observed weekly by direct visual count from 11 August to 03 November 2001	53
4. Dynamics of <i>Nephotettix</i> spp. in experimental systems observed weekly by sweep net from 11 August to 27 October 2001	57
5. Oviposition trends of <i>Nephotettix</i> spp. in experimental systems recorded weekly from 11 August to 13 October 2001	62
6. Trends of complex pressures by natural enemies on <i>Nephotettix</i> spp. egg damage in each system recorded weekly from 11 August to 13 October 2001	64
7. Percentage of <i>Nephotettix</i> spp. egg damaged by each natural enemy recorded weekly from 11 August to 13 October 2001	66
8. Abundance of natural enemies in experimental systems recorded weekly by direct visual count from 11 August to 03 November 2001	71
9. Abundance of natural enemies in experimental systems recorded weekly by sweep net from 11 August to 27 October 2001	78