

เอกสารอ้างอิง

กรมส่งเสริมการเกษตร. 2545. เมล็ดวันพุ่นไม้ปัญหาการส่งออก. (ระบบออนไลน์). แหล่งข้อมูล:

<http://www.doae.go.th>, 22 พฤษภาคม 2545.

บรรพต ณ ป้อมเพชร. 2525. การควบคุมเมล็ดศัตรูพืชและวัชพืชโดยชีววิธี. เอกสารพิเศษฉบับที่ 5.

ศูนย์วิจัยควบคุมศัตรูพืช โภชน์วินทรีย์แห่งชาติ. มหาวิทยาลัยเกษตรศาสตร์ และ สำนักงานคณะกรรมการวิจัยแห่งชาติ. กรุงเทพฯ. 238 หน้า.

Aluja, M. and P. Liedo. 1993. **Fruit Flies: Biology and Management**. Springer-Verlag, New York. 492 pp.

Bakri, A. 2002. **The sterile insect technique: Example of application to melon fly**.

(Online). Available: <http://www.usda>. (February 12, 2002).

Commonwealth Agricultural Bureaux International (CABI). 1995. **Distribution map of pests**.

Sesies A: Map No 64 December 1995. *Bactrocera (Zeugodacus) cucurbitae* (Coquillett). Diptera: Tephritidae. Melon fruit fly.

Clancy, D. W. 1952. **Notes on parasites of fruit flies**. Proc. Hawaii. Entomol. Soc. 14: 373-374.

Clarke, A.R., A. Allwood, A. Chinajariyawong, R.A.I. Drew, C. Hengsawad, M. Jirasurat. C. Kong Krong, S. Krtsaneepaiboon and S. Vijaysegaran. 1999. **Seasonal abundance and host use patterns of seven *Bactrocera* Macquart species (Diptera: Tephritidae) in Thailand and Peninsular Malaysia**. (Online). Available: <http://www.spc.org.nc>. (14 January, 2002).

Entomological Society of America. 1998. **The melon fly**. (Online). Available: <http://www.esa.edoc.com/economic>. (20 August, 2001).

Hardy, D.E. 1973. **The fruit flies (Tephritidae: Diptera) of Thailand and Bordering Countries**. Pacific Insects Monograph 31. 353 pp.

Jackson, C.G., Vargas R. I. and D.Y. Tsuda . 2002. **Population of *Bactrocera cucurbitae* (Diptera: Tephritidae) and its parasitoid, *Psyllalia fletcheri* (Hymenoptera: Braconidae) in *Coccinia grandis* (Cucurbitaceae) or ivy gourd on Hawaii Island**. (Online). Available: <http://www.USDA.Gov>. (18 January, 2002).

- LeClerg, E. L., W. H. Leonard and A. G. Clark. 1966. **Field plot technique**. Burgess Publishing, Minnesota. 373 pp.
- Marucci, P. E. 1951. **Note on natural enemies of tephritid flies**. Proc. Hawaii. Entomol. Soc. 14: 323.
- Mau, R. F. L. and L.M.K. Jayma. 2002. **Melon fly**. Department of Entomology, University of Hawaii, Honolulu, Hawaii. (Online). Available: <http://www.hawaiig.org>. (16 May, 2002).
- Messing, R. H. 2001. **Biological control against fruit flies in Pacific Islands Countries and Territories**. (Online). Available: <http://www.spc.org.nc>. (August 27, 2001).
- Messing, R.H., L.M. Klungness, E.B. Jang and K.A. Nishijima. 1996. **Response of the melon fly parasitoid *Psyllalia fletcheri* (Hymenoptera: Braconidae) to host-habitat stimuli**. Jour. Ins. Behav. 12: 933-945.
- Napompeth, B. 1973. **Ecology and population dynamics of the corn planthopper, *Peregrinus maidis* (Ashmead) (Homoptera: Delphacidae), in Hawaii**. Ph. D. Dissertation, University of Hawaii, Honolulu, Hawaii. 257 pp.
- Napompeth, B. 1989. **Natural enemies of tephritid fruit flies in Thailand**. National Biological Control Research Center, Kasetsart University. 5 pp. (mimeographed).
- Napompeth, B. 2002. **Exploration for Biological Control of the Melon fly, *Bactrocera cucurbitae* in Indo-Malayan Region**. National Biological Control Research Center, Kasetsart University and National Research Council of Thailand. 6 pp. (mimeographed).
- Newell, I. M., W. C. Mitchell and F. L. Rathburn. 1952. **Infestation norms for *Dacus cucurbitae* in *Momordica balsamina*, and seasonal differences in activity of the parasite *Opius fletcheri***. Proc. Hawaii. Entomol. Soc. 14: 497-508.
- Nishida, T. 1955. **Natural enemies of the melon fly, *Dacus cucurbitae* Coq. in Hawaii**. Ann. Entomol. Soc. Amer. 48: 171-178.
- Nishida, T. 1963. **Zoogeographical and ecological studies of *Dacus cucurbitae* (Diptera: Tephritidae) in India**. Hawaii Agric. Exp. Station, Univ. Hawaii, Tech. Bull. 54:1-28.

- Ovaraski, S., M. Aluja, J.M. Sivinski and R. Wharton. 2000. **Hymenopteran parasitoids on fruit-Infesting Tephritidae (Diptera) in Latin America and the Southern United States: Diversity, Distribution, Taxonomic Status and Their use in Fruit fly Biological Control.** Integrated Pest Management Reviews 5: 81-107.
- Plant Protection Service Secretariat of the Pacific Community. 2000. **Fruit fly in Solomon Islands.** (Online). Available: <http://www.spc.org.nc>. (26 August, 2002).
- Ramadan, M. M. and R.H. Messing. 2003. **A survey for potential biocontrol agents of *Bactrocera cucurbitae* (Diptera: Tephritidae) in Thailand.** BioControl. (in press).
- Singh, L.F. 1988. **Significance of fruit flies in fruit and vegetable production in the Asia-Pacific Region.** Proc. 1st Inter. Symp. Fruit Flies in the Tropic, 14-16 March 1988, Kuala Lumpur, Malaysia.
- Uchida, G.R., R.I. Vargas, J. W. Beardsley, and N.J. Liquido. 1990. **Host Suitability of wild cucurbits for melon fly, *Dacus cucurbitae* Coquillett, in Hawaii, with notes on their distribution and taxonomic status.** Proc. Hawaii. Entomol Soc. 30: 37-51.
- USDA (United States Department of Agriculture), Plant Pest Control Division. 2001. **Melon fly program.** (Online). Available: <http://www.nps.ars.usda.gov/programs>. (14 August, 2002).
- USDA (United States Department of Agriculture), Plant Pest Control Division. 2002a. **Fruit fly (Diptera: Tephritidae) introduced species.** (Online). Available: <http://www.aphis.usda.gov/lpa>. (20 Febuaray, 2002).
- USDA (United States Department of Agriculture), Plant Pest Control Division. 2002b. **Melon fly.** (Online). Available: <http://www.nal.usda.gov>. (20 Feburary, 2002).
- Vargas, R. I. 1989. Mass production of tephritid flies, p. 141-151. In: A. S. Robinson and G. Hooper (eds.). **World Crop Pests: Fruit Flies. Their Biology, Natural Enemies and Control.** Vol. 3. Elsevier, Amsterdam.
- Vijaysegaran, S. 1989. **An improved technique for fruit fly control in carambola cultivation using spot sprays of protein baits.** National Seminar on Carambola, 18-19 July, Kuala Lumpur, Malaysia.

- Weem, Jr. H. V. 1967. **Major fruit flies of the world.** Division of Plant Industry, Florida Department of Agriculture. 3pp. (mimeographed).
- Weem, Jr. H. V. and J. B. Hoppner. 2001. **Melon fly: *Bactrocera cucurbitae* (Diptera: Tephritidae).** (Online). Avariable: <http://www.ufl.edu>. (15 March 2001).
- Wharton, R. A. and F. E. Gilstrap. 1983. **Key to and status of Opine braconid (Hymenoptera) parasitoid used in biological control of Ceratitis and Dacus s., l, (Diptera: Tephritidae).** Ann. Entomol. Soc. Amer. 76(4): 721 – 742.
- Wharton, R. A. 1997. **Generic Relationship of Opine Braconidae (Hymenoptera) Parasitic on Fruit infesting Tephritidae (Diptera).** Contributions of the American Entomological Institute. 30(3): 1 – 53.
- Willard, H.F. 1920. ***Opius fletcheri* as a parasite of the melon fly in Hawaii.** Jour. Agri. Res. 6: 423-431.
- Wong, T.T.Y., R. T. Cunningham, D.O. McInnis and J.E. Gilmore. 1989. **Spatial distribution and abundance of *Dacus cucurbitae* (Diptera: Tephritidae) in Rota, Commonwealth of the Northern Mariana Islands.** Environ. Entomol. 18: 1079-1082.
- Wong, T. T.Y. and M. M. Ramadan. 1992. **Mass-rearing biology of larval parasitoids (Hymenoptera: Braconidae: Opiinae) of tephritis flies (Diptera: Tephritidae) in Hawaii.** p. 405-426. In: T. E. Anderson and N. C. (eds), Advances in Insect Rearing for Research and Pest Management, weatview Press, Boulder, Colorado.
- Wong, T.T.Y. 1993. **Mass-rearing of larval fruit fly parasitoids in Hawaii.** In: M. Aluja and Liedo (eds.) **Fruit Flies : Biology and Management**, Springer-Varlag NewYork. 492 pp.