References

- Agricultural Statistics. 2000-2001. Statistic Office. Department of Planning, Statistics and International Cooperation. Ministry of Agriculture, Forestry and Fisheries. Phnom Penh, Cambodia.
- Alberto, M.C.R., H.U. Neue, A.B. Capati, R.U. Castro, L.M. Bernado, J.B Aduna, and R.S. Latin, 1996. Effect of different straw management practices on soil fertility, rice yields and environments. In: T.Attanandana, I.Kheoruenromne, P.Pongsakul. and T. Vearasilp. (eds.). Proceedings of the International Symposium on Maximizing Sustainable Rice Yields through Improved Soil and Environmental Management. Funny Publishing Limited Partnership, Bangkok: Thailand. pp. 721-731 (Vol. 2).
 - Arunin, S., P.Pongwichian, and E.L.Aragon, (1994). Integrated nutrient management strategies: the INSURF experience in the Northeast Thailand. In: Green Manure Production Systems for Asian Ricelands. (Eds. J.K. Ladha and D.P. Garrity). pp. 155-171. International Rice Research Institute, Los Baños, Manila: Philippines
 - Basnayake, J., C. Phaloeun, K.Ngoy, S. Fukai, and M. Sarom.(2002). The effect of water availability on rice-based cropping in rainfed lowlands in Cambodia.
 - Becker, M., J.K.Ladha, and J.C.G.Ottow.(1994). Parameters affecting residue nitrogen mineralization in flooded soils. Soil Science Society of America Journal 58, 1666-1671.
 - Becker, M., J.K.Ladh, and J.C.G.Ottow. (1990). Growth and N-fixation of two stemnodulating legumes and their effects as green manure on lowland rice. Soil Biology and Biochemistry 22, 1109-1119.
 - Benckiser, G., J.C.G.Ottow., S.Santiago, and I.Watanabe. (1982). Physicochemical characterisation of iron toxic soils in some Asian countries. IRRI Research Paper Series No. 85, Manila: Philippines

- Brinkmann, R. (1970). Ferrolysis, a hydromorphic soil forming process. Geoderma 3, 199-206.
- Buckles, D., and B. Triomphe. 1999. Introducing legume cover crops into rice cropping systems for short fallow improvements. Agroforestry Systems 47, 93-122.
- Brookes, P.C., D.S.Powlson, and D.S. Jenkinson. (1984). Phosphorus in the soil microbial biomass. Soil Biology and Biochemistry 16, 169-175.
- Cambodia-IRRI-Australia Project.1999. Annual Research Report 1999. Pp. 94-97. Center for National Policy Washington, DC and Sparks Companies, Inc. McLean, VA, September 1996. Fertilizer Procurement and Distribution in Cambodia: Issues and Options.
- Cassman, K. G., S.Peng, D.S.Olk., J.K.Ladha, and W.Reichardt. (1998). Opportunity for increased nitrogen-use efficiency from improved resource management in irrigated rice systems. Field Crop Research 56(1-2), 7–39.
- Cassman, K. G., S.K. De Datta, S.T.Amarante, S.P.Liboon., M.I.Samson, and M.A. Dizon. (1996). Long-term comparison of the agronomic efficiency and residual benefits of organic and inorganic nitrogen sources for tropical lowland rice. Experimental Agriculture 32, 427–44.
- Chandler, D.P. (1993). A History of Cambodia (2nd Edition). Westview Press Boulder, Colorado: USA.
- Chea, S., R. Cramb, H. J. Nesbitt, S. Fukai, P. Chan and P. Cox.(2001).Crop Intensification in Rice-Based Farming Systems in Cambodia.
- Crocker, C.D. (1962). The general soil map of the Kingdom of Cambodia and exploratory survey of soils of Cambodia. Royal Cambodian Government Commission, and the United States Agency for International Development (USAID), Phnom Penh: Cambodia
- Crosson, P. (1995). Natural resources and environmental consequences of rice production. In: International Rice Research Institute (Ed.), Fragile lives in fragile ecosystems. Proceedings of the International Rice Research Conference, 13-17 Feb. 1995. Los Banos, Philippines. International Research Institute, Los Banos, Philippines. Pp. 83-100.

- De Datta, S.K. (1989). Rice. In: Plucknett D.L. and Sprague H.B. (eds.). Detecting Mineral Nutrient Deficiencies in Tropical and Temperate Crops: Westview Tropical Agriculture Series No. 7. Westview Press, San Francisco: USA. pp. 41-51
- De Datta, S.K. (1981). Principles and Practices of Rice Production. John Wiley and Sons Incorporation, New York: USA.
- De Datta,S. K., and D.S. Mikkelsen. (1985). Potassium nutrition of rice. In 'Potassium in Agriculture. (Ed R. D. Munson.) pp. 665–99. (ASA-CSSA-SSSA, Madison, WI: USA.)
- De Datta, S.K., T.K.Biswas., and C.Charoeunchamratcheep. (1990). Phosphorus requirements and management for lowland rice. In: Phosphorus Requirements for Sustainable Agriculture in Asia and Oceania. (Ed. IRRI). pp. 307-323. International Rice Research Institute, Manila: Philippines.
- De Datta, S. K. (1995). Nitrogen transformations in wetland rice ecosystems. Fertiliser Research 42, 193–203.
- Dobermann, A., and P.F.White. (1999). Strategies for nutrient management in irrigated and rainfed lowland rice systems. Nutrient Cycling in Agroecosystems 53, 1-18.
- [FAO] Food and Agriculture Organization (1988). FAO/UNESCO Soil Map of the World, Revised Legend. World Resources Report 60, Rome, Italy.
- FAO (1975). Soils of the Mekong Delta. (Eds. FAO and NGI). Food and Agriculture Organisation of the United Nations and National Geographic Institute, Paris: France.
- Fageria, N.K. (1987). Variation in the critical level of phosphorus in rice plants at different growth stages. Revista Brasileira de Ciencia do Solo 11, 77-80.
- Fageria, N. K., and N.A.Rabelo. (1987). Tolerant of rice cultivars to iron toxicity. Journal of Plant Nutrition 10(6), 653–61.

- Fisher, M.J., I.M.Rao., M.A.Ayarza., C.E.Lascano., J.I.Sanz, R.J.Thomas, and R.R.Vera. (1994). Live root biomass of the introduced pastures. Nature 371, 236-238.
- Fujisaka, S. 1991. A diagnostic survey of shifting cultivation in northern Laos: targeting research to improve sustainability and productivity. Agroforestry Systems 13, 95-109.
- Garrity, D.P., and M. Becker. 1994. Where do green manures fit in Asian farming systems? In: J.K. Ladha, and D.P.Garrity. (eds.). Green Manure Production Systems for Asian Ricelands. International Rice Research Institute, Manila: Philippines. pp. 1-10.
- Helmers, K. (1997). Rice in the Cambodian economy: past and present. In: Rice Production in Cambodia. (Ed. H.J. Nesbitt). pp. 1-14. International Rice Research Institute, Manila: Philippines.
- Hongen,F.K and V.Soun.(1999). A study inorganic fertilizer marketing in Cambodia.(Cambodia-IRRI-Australia Project).
- Ieng, S., R.W.Bell., C.Ros, P.Cox, G.Pracilio, S.Cook, and S.Mak. (2002). Farmers' perceptions of rice response to environment and fertilisers in rainfed rice ecosystems in Takeo Province, Cambodia. Cambodian Journal of Agriculture 5, 36-47.
- Jahn, G.C., P. Sophea, K. Bunnarith, and P. Chanthy. 1996. Farmers' Pest Management and Rice Production Practices in Cambodian Lowland Rice.
 Baseline survey report, No.6. Phnom Penh, Cambodia, Cambodia–IRRI–Australia Project (CIAP).
- Jahn, G.C., P.Sophea, K.Bunnarith, and P.Chanthy. (1997). Pest management in rice.In: Rice Production in Cambodia. (Ed. H.J. Nesbitt). pp. 83-91. International Rice Research Institute, Manila: Philippines.
- Javier, E.L. (1997). Rice ecosystems and varieties. In: Rice Production in Cambodia.(Ed. H.J. Nesbitt). pp. 39-81. International Rice Research Institute, Manila: Philippines.

- Jenkinson, D.S., and A.Ayanaba. (1977). Decomposition of carbon-14 labelled plant material under tropical conditions. Soil Science Society of America Proceedings 41, 912-915
- Jordan, T.E., and D.E.Weller. (1996). Mineral N fertiliser used by farmers in the high-input agricultural technologies. BioScience 46, 655-664.
- Kirk, G.J.D., T.George, B.Courtois, and D.Sehadhira. (1995). Opportunities to improve phosphorus efficiency and soil fertility in rainfed lowland and upland rice ecosystems. In: Proceedings of the Workshop on the Nutrient Use Efficiency of the Cropping Systems. (Ed. K.S. Fisher). pp. 1-35. International Rice Research Institute, Los Baños, Laguna: Philippines
- Konboon, Y., K.Naklang, D.Suriya-arunroj, G.Blair, A.Whitbread, and R.D.Lefroy. (1998). Managing the decomposition rate of crop residues and leaf litters too match nutrient demand and enhance the sustainability of lowland rice-cropping systems. In: Rainfed Lowland Rice: Advances in Nutrient Management Research. (Eds. J.K. Ladha, L.J. Wade, A. Dobermann, W. Reichardt, G.J.D. Kirk and C. Piggin). pp. 169-188. International Rice Research Institute, Manila: Philippines
- Kundu, K., and J.k.Ladha. (1999). Sustaining productivity of lowland rice soils: issues and options related to N availability. In 'Resource Management in Rice Systems: Nutrients'. (Eds V. Balasubramanian, J.K. Ladha and G. L. Denning.) pp. 27–44. (Kluwer Academic Publishers: Netherlands.)
- Lam, P.S., and D.Dudgeon. (1985). Break down of Ficus fistulosa leaves in Hong Kong, with special reference to dynamics of elements and the effects of invertebrate consumers. Journal of Tropical Ecology 1, 249-264.
- Lando, R.P., and S.Mak. (1994a). Cambodian farmers' decision making in the choice of traditional rainfed lowland rice varieties. International Rice Research Paper Series No. 151. International Rice Research Institute, Los Baños, Laguna: Philippines. pp. 17.

- Lando, R.P., and S.Mak. (1994b). Rainfed lowland rice in Cambodia: a baseline survey. International Rice Research Paper Series No. 152. International Rice Research Institute, Los Baños, Laguna: Philippines. p. 20.
- Lefroy, R.D.B., and Y.Konboon. (1998). Studying nutrient flows to assess sustainability and identify areas of nutrient depletion and imbalance: an example for rainfed rice systems in Northeast Thailand. In: Rainfed Lowland Rice: Advances in Nutrient Management Research. (Eds. J.K. Ladha, L.J. Wade, A. Dobermann, W. Reichardt, G.J.D. Kirk and C. Piggin). pp. 77-93. International Rice Research Institute, Manila: Philippines.
- Liinquist, B., and P.Sengxua.2001 Nutrient management in rainfed lowland rice in the Loa PDR.. International Rice Research Institute, Los Baños, Laguna: Philippines. p.88
- Lor, B., P.F.White, and P.Chan. (1996). Nutrient requirements for the growth of rice on Cambodian soils. In: Proceedings of the International Symposium on Maximizing Sustainable Rice Yields through Improved Soil and Environmental Management. (Eds). T. Attanandana, I. Kheoruenromne, P. Pongsakul and T. Vearasilp). pp. 45-56 (Vol. 1). Funny Publishing Limited Partnership, Bangkok: Thailand.
- MAFF. 2000. Rice production statistics. Department of Planning, Statistics and International Cooperation, Ministry of Agriculture, Forestry and Fisheries, Phnom Penh: Cambodia
- Mak, S., and H.J. Nebitt. 1993. Rice-based farming systems research in Cambodia. In: IRRI (ed.) Proceedings of the Asian Rice Farming Systems Network Meeting in Suweon, South Korea. International Rice Research Institute, Manila: Philippines. pp. 1-15
- Melillo, J.M., J.D.Aber, and J.F.Murator. (1982). Nitrogen and lignin control of hardwood leaf litter decomposition dynamics. Ecology 63, 621-626.
- Men Sarom, Nuth Sakhan, Ros Chhay, Mak Solieng, Harry Nesbitt, Renee Martin and Peter Cox, 2000. Opportunities for increasing agricultural production in

- Cambodia through research. The Impact of Agricultural Research for Development in Southeast Asia. Proceeding of an International Conference held at the Cambodian Agricultural Research and Development Institute, Phnom Penh, Cambodia, 24-26 October 2000, pp. 273-286.
- Mikkelsen, D. S., G.R.Jayaweera, and D.E.Rolston. (1995). Nitrogen fertilisation practices of lowland rice culture. In 'Nitrogen Fertilisation in the Environment'. (Ed P. E. Bacon.) pp. 171–223. (Marcel Dekker, Inc., New York: USA.)
- Mishama, S., N. Matsumoto, and K. Oda., (1999). Nitrogen flow associated with agricultural practices and environmental risk in Japan. Soil Science and Plant Nutrition 45, 881-889.
- Mohanty, S. K., U.Singh, V.Balasubramanian, and K.P.Jha. (1999). Nitrogen placement technologies for productivity, profitability, and environmental quality of rainfed lowland rice ecosystem. In 'Resource Management in Rice Systems: Nutrients'. (Eds V. Balasubramanian, J. K. Ladha and G. L. Denning.) pp 57–77. (Kluwer Academic Publishers: Netherlands.)
- Morel, C., H.Tiessen, and J.W.B.Stewart. (1997). Correction for P-sorption in the measurement of soil microbial biomass P by CHCl3 fumigation. Soil Biology and Biochemistry 20, 35-42.
- Nesbitt, H.J. (1997a). Topography, climate, and rice production. In: Rice Production in Cambodia. (Ed. H.J. Nesbitt). pp. 15-19. International Rice Research Institute, Manila: Philippines.
- Nesbitt, H.J. (1997b). Constraints to rice production and strategies for improvement.

 In: Rice Production in Cambodia. (Ed. H.J. Nesbitt). pp. 107-112.

 International Rice Research Institute, Manila: Philippines.
- Nesbitt, H.J., and P.Chan. (1991a). Rainfed lowland rice farming systems in Cambodia, status and research trust. In: Proceedings of the Rainfed Lowland Farming Systems Research Planning Meeting in Myanmar. (Ed. IRRI). pp. 146-170. International Rice Research Institute, Manila: Philippines.

- Nesbitt, H.J., and P.Chan. (1991b). Physical, biological, and socio-economic characteristics and research activities of farming systems at the CARRDI, Cambodia. In: Proceedings of the Rainfed Lowland Farming Systems Research Planning Meeting in Myanmar. (Ed. IRRI). pp. 356-372. International Rice Research Institute, Manila: Philippines.
- Nuth Sakhan. 2001. Monthly Ag Notes No. 99/01: fertilizer recommendations for
- various soil types for rice production. Department of Agronomy and Agricultural Land Improvement (DAALI), Phnom Penh, Cambodia.p.2.
- Nye, P.H., and D.J.Greenland. (1960). Contributing to control of weeds and pests, and to N supply by cover crops. Technical Communication No. 51.

 Commonwealth Agricultural Bureaux, Farnham Royal: England.
- Oberthur, T., A.Dobermann, and P.F.White. (2000). The rice soils of Cambodia. II. Statistical discrimination of soil properties by the Cambodian Agronomic Soil Classification (CASC) system. Soil Use and Management 16, 20-26.
- Oh, W.K., and S.K.Lee. (1971). Studies on the effect of compost and fresh rice straw on paddy yield. Korean Journal of Soil Science Society and Fertiliser 4, 177-186.
- Ouk Makara, Men Sarom and Harry Nesbitt. Rice Production Systems in Cambodia.

 Paper presented in Workshop on Increased Crop Production for Rainfed Lowland Rice in Southeast Asia, 30 October 2 November, Vientiane, Lao PDR.
- Otani, T., and N. Ae. (1996). Phosphorus (P) uptake mechanisms of crops grown in soils with low P status. Soil Science and Plant Nutrition 42, 155-163.
- Patra, B. N., and S.K.Mohanty. (1994). Effect of nutrient and liming on changes in pH, redox potential, and uptake of iron and manganese by wetland rice in iron-toxic soil. Biology and Fertility of Soils 17, 285–8.

- Palm, C.A., and P.A.Sanchez. (1991). Nitrogen release from some tropical legumes as affected by their lignin and polyphenolic contents. Soil Biology and Biochemistry 23, 83-88
- Pandey, S. (1997). Rainfed lowland rice research: challenge and priorities for the 21st century. In: ACIAR-Proceedings No. 77: Breeding Strategies for Rainfed Lowland Rice in Drought-Prone Environments. (Eds. S. Fukai, M. Cooper and J. Salibury). pp. 1-12. Australian Centre for International Agricultural Research (ACIAR), Canberra: Australia.
- Patrick Jr., W.H., and I.C.Mahapatra. (1968). Transformation and availability to rice of nitrogen and phosphorus in waterlogged soils. Advances in Agronomy 20, 328-359.
- Pheav, S. 2002. Cycling and residual effects of phosphorus in the rainfed lowland rice ecosystem of Cambodia. Ph.D. Thesis. School of Environmental Science, Murdoch University, Perth, Western Australia.
- Pheav, S., F.P.White, T.Oberthur, and R.T.Reyes. 1996. Management constraints of the major rice growing soils in Cambodia. In: T.Attanandana, I.Kheoruenromne, P.Pongsakul, and T.Vearasilp. (eds.). Proceedings of the International Symposium on Maximizing Sustainable Rice Yields through Improved Soil and Environmental Management. Funny Publishing Limited Partnership, Bangkok: Thailand. pp. 537-549 (Vol.2).
- Pillai, K.G., D.K.Kundu, and S.V.Subbaiah. (1990). An integrated approach to nutrient management in rice. Indian Farming 40, 15-18.
- Prasertsak, A., and S.Fukai. (1997). Nitrogen availability and water stress interaction on rice growth and yield. Field Crops Research 52, 249–60
- Ponnamperuma, F. N. (1976). Specific soil chemical characteristics for rice production in Asia. IRRI Research Paper Series No. 2, IRRI, Los Banos, Philippines

- Ponnamperuma, F.N. 1984. Straw as a source of nutrients for wetland rice. In: IRRI (ed.). Organic Matter and Rice. International Rice Research Institute, Manila: Philippines. pp. 116-145
- Ragland, J., and L.Boonpuckdee. (1987). Fertilizer responses in northeast Thailand: 1. Literature review and rationale. Thai Journal of Agricultural Science 9,65-79.
- Reyes, R. (1995). Soils of Cambodia. In: Classifying Cambodian Soils from an Agronomic Perspective. Proceedings of an In-country Workshop, 8-12 May 1995, Phnom Penh, Cambodia.
- Rickman, J.R., M. Pyseth, O. Sothy, K.S.Theavy, and N. Sokha.1995. Farm Mechanization and Crop Production in Cambodia. Baseline survey No. 5. Phnom Penh, Cambodia, Cambodia–IRRI–Australia Project (CIAP).
- Roder, W., S. Phengchanh, B. Keoboulapha, and S. Maniphone. 1995. Chromalaena odorata in slash-and-burn rice cropping systems of northern Laos PDR. Agroforestry Systems 31, 79-92
- Roder, W., S.Phengchanh, B. Keoboulapha, and S. Maniphone. (1995). Chromalaena odorata in slash-and-burn rice cropping systems of northern Laos PDR. Agroforestry Systems 31, 79-92.
- Ros, C. (1998). Nutrient Management of Rice Seedlings in the Rainfed Lowlands of Cambodia. Ph.D. Thesis. School of Environmental Science, Murdoch University, Perth: Western Australia. pp. 249
- Ros, C., Bell, R.W., and White, P.F. (1997a). Effect of nursery application of N and P on rice (Oryza sativa) yield. Kasetsart Journal 31, 96-105.
- Ros, C., R.W. Bell., and P.F.White (1997b). Effect of seed phosphorus and soil phosphorus applications on early growth of rice (Oryza sativa L.) cv. IR66. Journal of Soil Science and Plant Nutrition 43, 499-509.
- Ruaysoongnern, S., J.P. Wardman, and P. Seeharach. 1996. Potential transfer of major nutrients from leaf litter to a sandy paddy soil of the northeast Thailand. In: T.Attanandana, I. Kheoruenromne, P. Pongsakul, and T. Vearasilp. (eds.).

- Proceedings of the International Symposium on Maximizing Sustainable Rice Yields through Improved Soils and Environmental Management. Funny Publishing Limited Partnership, Bangkok: Thailand. pp. 257-269 (Vol. 1)
- Sanyal, S.K., S.K.De Datta, and P.Y.Chan. (1993). Phosphate sorption-desorption behaviours of some acidic soils of south and Southeast Asia. Soil Science Society of America Journal 57, 937-945.
- Sanyu Consultants International (1971). Feasibility report on the Stung Chinit multipurpose development project in the Khmer Republic. Overseas Technical Cooperation Agency, Tokyo, Japan.
- Say, P., and Pheav, S. (1995). Direct application of phosphate rock and appropriate technology fertilizers in Cambodia. In: The Proceeding of the International Workshop on Direct Application of Phosphate Rock and Appropriate Technology Fertilizers in Asia-What Hinders Acceptance and Growth. (Eds. K. Dahanayake, S.J. van Kauvenbergh and D.T. Hellums). pp. 181-186. International Fertilizer Development Center (IFDC), and Institute of Fundamental Studies (IFS), Kandy: Sri Lanka.
- Sahrawat, K. L., C.K.Mulbah, S.Diatta, R.D.Delaune, Jr.W.H.Patrick, B.N.Singh, and M.P.Jones. (1996). The role of tolerant genotypes and plant nutrients in management of iron toxicity in lowland rice. Journal of Agricultural Science Cambridge 126, 143–9.
- Sahrawat, K. L. (1979). Iron toxicity to rice in an acid sulphate soil as influenced by water regimes. Plant and Soil 51, 143–4.
- Sarwani, M., A.Jumberi, and A.Noor. (1995). Management of rainfed wetland with iron toxicity problem for rice production in Indonesia. In 'Fragile Lives in Fragile Ecosystems'. (Ed International Rice Research Institute.) pp. 299–312. (IRRI, Los Banos: Philippines.)
- Srivastava, S.C., and J.S.Singh. (1988). Carbon and phosphorus in the soil biomass of some tropical soils of India. Soil Biology and Biochemistry 20, 743-747

- Savithri, P., R.Perumal, and R.Nagarajan. (1999). Soil and crop management technologies for enhancing rice production under micronutrient constraints. In 'Resource Management in Rice Systems: Nutrients'. (Eds V. Balasubramanian, J. K. Ladha and G. L. Denning.) pp. (IRRI, Los Banos: Philippines.)
- Shrestra, R. K., and J. K. Ladha. (1999). Nitrogen dynamics in intensive rainfed lowland rice-based cropping systems and strategies to improve efficiency. In: J.K.Ladha, L.J.Wade, A.Doberman, W.Reichardt, G.J.D.Krick, and C.Piggin. (Eds.), Rainfed Lowland Rice: advances in nutrient management research. Proceedings of the International Workshop on Nutrient management Research in Rainfed Lowlands.12-15 October 1998, Ubon Rathatani, Thailand. Los Banos, Philippines: International Rice Research Institute. pp. 95-108.
- Seng, V., Bell, R.W, H.J.Nesbitt, and I.R.Willett. (1996). Response of rainfed rice to inorganic and organic fertilizers in southeast Cambodia. In: Proceedings of the International Symposium on Maximizing Sustainable Rice Yields through Improved Soil and Environmental Management. (Eds. T. Attanandana, I. Kheoruenromne, P. Pongsakul and T. Vearasilp). pp. 137-149 (Vol. 1). Funny Publishing Limited Partnership, Bangkok: Thailand
- Seng, V., R.W. Bell, I.R. Willett, and H.J. Nesbitt. 1999. Phosphorus nutrition of rice in relation to flooding and temporary loss of soil-water saturation in two lowland soils of Cambodia. Plant and Soil 207, 121-132.
- Sengxua, P., B.Liinquist. (2002). On-farm residue effects on rainfed lowland rice productivity in Loa. Paper presented on WCSS 14-21 August 2002, Thailand.
- Schachtman, D.P., R.JReid, and S.M.Ayling. (1998). Phosphorus uptake by plants: from soil to cell. Plant Physiology 116, 447-453
- Soil Survey Staff (1994). Keys to Soil Taxonomy, 6th Edition. United States

 Department of Agriculture Soil Conservation Service (USDA-SCS),

 Washington DC, USA.

- Songmuang, P., K. Naklang, A. Suksawat, S. Rojanakusol, S. Muksambat, and D. Intaprom. 1997. Long-term application of rice hull and rice hull ash on ecophysiology of rice and soil properties. In: Annual research reports on rice soil fertility research years 1988-1992. Department of Agriculture, Soil Science Division. Bangkok: Thailand. pp. 341-348
- Tanaka, A., and S.Yoshida. (1970). Nutritional disorders of the rice plant in Asia. IRRI Technical Bulletin No. 10, Los Banos: Philippines.
- Thach, T.K. (1985). Pedogeomorphology Map 1:500 000 of the Peoples Republic of Kampuchea, and Explanatory Report. Sub-National Institute of Planning and Projection. Ho Chi Minh City: Viet Nam.
- Tian, G., B.T.Kang, and L.Brussaard. (1992). Biological effects of plant residues with contrasting chemical compositions under humid tropical conditions: decomposition and nutrient release. Soil Biology and Biochemistry 24, 1051-1060
- Tang, C., C.D.A.McLay, and L.Barton. (1997). A comparison of the potential proton excretion of twelve pasture legumes grown in nutrient solution. Australian Journal of Experimental Agriculture 37, 563-570.
- Tang, C., G.P.Sparling, C.D.A.McLay, and C.Raphael. (1999). Effect of sort-term legume residue decomposition on soil acidity. Australian Journal of Soil Research 37, 561-573.
- Tomar, N.K., S.S.Khama, and A.P.Gupta. (1986). Transformations of citric acid soluble and water-soluble phosphates during organic matter decomposition. Indian Journal of Agricultural Chemistry 19, 15-33.
- van Mensvoorts, M.E., S.R. Lantin, R. Brinkman, and N.van Breemen. (1985).

 Toxicities of wetland soils. In: Wetland Soils: Characterisation, Classification, and Utilisation. (Ed. IRRI). pp. 123-128. International Rice Research Institute, Los Banñs: Philippines.

- van der Voet, E., R.Khejin, and de.H.Haes. (1996). Negative impacts of excessive amounts of mineral N fertiliser used by farmers. Environmental Conservation 23, 120-132.
- Wade, L.J., and J.K. Ladha. (1995). The fate of organic matter and nutrients in lowland rice systems. In: Soil Organic Matter Management for Sustainable Agriculture. (Eds. R.D.B. Lefroy, G.J. Blair and E.T. Craswell). pp. 115-119. Australian Centre for International Agricultural Research, Canberra: Australia.
- Willet, I.R.1995. Role of organic matter in controlling chemical properties and fertilizer of sandy soils used for lowand rice for North earth Thailand. In R.D.B. Lefroy, G.J. Blaie and E.T. Crawell(eds). Soil organic matter management for sustainable agriculture: a Workshop help in Ubon, Thailand 24-26 August 1994. ACIAR proceeding No 56.163p.
- White, P.F., T.Oberthur, and S.Pheav. 1997a. The Soils Used for Rice Production in Cambodia: A Manual for their Identification and Management. International Rice Research Institute, Manila: Philippines. 76 p.
- White, P.F., T.Oberthur, and S. Pheav. 1997b. Soils and rice. In: H.J.Nesbitt. (ed.). Rice Production in Cambodia. International Rice Research Institute, Manila: Philippines. pp. 21-29.
- White, P.F., H.J.Nesbitt, R.Chay, V.Seng, L.Bunna. (1998). Local rock phosphate deposits are a good source of phosphorus fertilizer for rice production in Cambodia. Soil Science and Plant nutrition (submitted)
- White, P.F., S. Puthea, and L.J.R.Wade. (2000). Deep placement of urea pellets compared with other management strategies for lowland rice production in Cambodia. *Cambodian Journal of Agriculture*. Vol.3.pp.25-31.
- Whitbread, A., G.Blair, K.Naklang, R.D.B Lefroy, S. Wonprasaid, Y. Konboon, and D.Suria-arunroj. 1999. The management of rice straw, fertilizers and leaf litters in rice cropping systems in Northeast Thailand, 2. Rice yields and nutrient balances. Plant and Soil 209, 29-36

Zhu, Z.L., and Z.B. Xi. 1990. Recycling phosphorus from crop and animal wastes in China. In: IRRI (ed.). Phosphorus Requirements for Sustainable Agriculture in Asia and Oceania. International Rice Research Institute, Manila: Philippines.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright © by Chiang Mai University All rights reserved