#### TABLE OF CONTENTS

AC	KNOWLEDGEMENTS	iii
AB	STRACT (ENGLISH)	iv
AB	STRACT (THAI)	vii
TA	BLE OF CONTENTS	X
LIS	ST OF TABLES	xiii
LIS	ST OF FIGURES	xviii
СН	APTER 1 INTRODUCTION	1
1.1	Principles, rationale and hypothesis	1
1.2	Research objectives	3
1.3	Research scope	3
1.4	Usefulness of the research	3
1.5	Research locations	4
СН	APTER 2 LITERATURE REVIEW	5
2.1	Introduction	5
2.2	Citrus anatomy and biology	5
2.3	Mandarins or tangerines	6
2.4	Citrus fruit physiology and biochemistry	7
2.5	Postharvest and preparation for market of tangerine fruit	18
2.6		21
2.7	Coating materials for fruit and vegetables  Mechanism of fruit coating	24
2.8	Mechanism of fruit coating	34
2.9	Coating materials for citrus fruit	39
СН	APTER 3 MATERIALS AND METHODS	45
3.1	Fruit samples	45
3 2	Experiment	45

3.3	Coating application	56
	3.3.1 Manual method	56
	3.3.2 Commercial practice in packing house	57
3.4	Quality evaluation	58
СН	APTER 4 RESULTS	66
4.1	Effects of commercial coatings, polyethylene microemulsion and	
	chitosan on the physico-chemical and physiological characters of	
	tangerine fruit	66
	4.1.1 Effects of commercial coatings, polyethylene microemulsion and	
	chitosan on the physico-chemical and physiological characters of	
	tangerine fruit during storage at room temperature	66
	4.1.2 Effect of storage temperatures and coating materials on the	
	physico-chemical and physiological characters of tangerine fruit	82
4.2	Effect of commercial coatings by commercial method on the physico-	
	chemical and physiological characters of tangerine fruit	110
	4.2.1 Effect of commercial coatings by commercial method on the	
	physico-chemical and physiological characters of tangerine fruit	
	during storage at room temperature	110
	4.2.2 Effect of commercial coatings on the physico-chemical and	
	physiological characters of tangerine fruit during storage at 5°C	123
4.3	Screening of developed coating materials for tangerine fruit cv. 'Sai Nam	
	Phueng'	136
4.4	Effect of 4 developed coating materials and commercial coating (Zivdar)	
	on the physico-chemical and physiological characters of tangerine fruit	165
4.5	Correlation between study variables	181
4.6	Scanning electron microscope (SEM) observation and permeability of	
	coatings	183
	4.6.1 Scanning electron microscope (SEM) observation	183
	4.6.2 Permeability of coatings	189

CHAPTER 5 DISCUSSION	191
5.1 Effect of coating materials and storage temperatures on the physico	
chemical and physiological characters of tangerine fruit	191
5.2 Correlation between study variables	222
5.3 Scanning electron microscope (SEM) observation and permeability of	
coatings	223
5.3.1 Scanning electron microscope (SEM) observation	223
5.3.2 Permeability of coatings	224
CHAPTER 6 CONCLUSIONS	227
BIBLIOGRAPHY	229
APPENDIX	260
PUBLICATIONS	351
CURRICULUM VITAE	353

# ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright<sup>©</sup> by Chiang Mai University All rights reserved

#### LIST OF TABLES

Table		Page
3.1	Coating materials, main components, and their sources	47
3.2	Chemicals for preparation of coating materials	48
3.3	Compositions and preparations of the coating materials in	
	experiment 3	49
3.4	Groups of coating materials in experiment 3	51
3.5	Compositions and preparations of the developed coating materials in	
	experiment 4	55
4.1	Weight loss, gloss, internal O <sub>2</sub> and internal CO <sub>2</sub> of tangerine fruit cv.	
	'Sai Nam Phueng' coated with coating materials during storage at	
	room temperature (23±3°C) and 56±5% relative humidity for 7 days	68
4.2	Respiration rate, ethanol content in juice and alcohol dehydrogenase	
	activity of tangerine fruit cv. 'Sai Nam Phueng' coated with coating	
	materials during storage at room temperature (23±3°C) and 56±5%	
	relative humidity for 7 days	70
4.3	Flavor score, visual appearance score and peel color of tangerine	
	fruit cv. 'Sai Nam Phueng' coated with coating materials during	
	storage at room temperature (23±3°C) and 56±5% relative humidity	
	for 7 days	74
4.4	Total soluble solids (TSS), titratable acidity (TA), TSS/TA ratio, pH	
	and vitamin C of tangerine fruit cv. 'Sai Nam Phueng' coated with	
	coating materials during storage at room temperature (23±3°C) and	
	56±5% relative humidity for 7 days	79
4.5	Weight loss, internal O2, internal CO2, ethanol content and alcohol	
	dehydrogenase activity of tangerine fruit cv. 'Sai Nam Phueng'	
	coated with coating materials during storage at 5, 10°C and room	
	temperature for 10 days	84

4.6	Flavor score, visual appearance score and peel color of tangerine	
	fruit cv. 'Sai Nam Phueng' coated with coating materials during	
	storage at 5, 10°C and room temperature for 10 days	91
4.7	Total soluble solids (TSS), titratable acidity (TA), TSS/TA ratio, pH	
	and vitamin C content of tangerine fruit cv. 'Sai Nam Phueng'	
	coated with coating materials during storage at 5, 10°C and room	
	temperature for 10 days	104
4.8	Weight loss, internal O2, internal CO2 and ethanol content in juice of	
	tangerine fruit cv. 'Sai Nam Phueng' coated with 3 commercial	
	coatings by commercial method during storage at room temperature	
	(24±3°C) and 59±6% relative humidity for 10 days	110
4.9	Pyruvate decarboxylase acitivity and alcohol dehydrogenase activity	
	of tangerine fruit cv. 'Sai Nam Phueng' coated with 3 commercial	
	coatings by commercial method during storage at room temperature	
	(24±3°C) and 59±6% relative humidity for 10 days	114
4.10	Flavor score, visual appearance score and peel color of tangerine	
	fruit cv. 'Sai Nam Phueng' coated with 3 commercial coatings by	
	commercial method during storage at room temperature (24±3°C)	
	and 59±6% relative humidity for 10 days	116
4.11	Total soluble solids (TSS), titratable acidity (TA), TSS/TA ratio, pH	
	and vitamin C content of tangerine fruit cv. 'Sai Nam Phueng'	
	coated with 3 commercial coatings by commercial method during	
	storage at room temperature (24±3°C) and 59±6% relative humidity	
	for 10 days	120
4.12	Weight loss, internal O <sub>2</sub> , internal CO <sub>2</sub> and ethanol content in juice of	
	tangerine fruit cv. 'Sai Nam Phueng' coated with commercial	
	coatings by commercial method during storage at 5±2°C and 85±3%	
	relative humidity for 41 days	124

4.13	Pyruvate decarboxylase acitivity and alcohol dehydrogenase activity	
	of tangerine fruit cv. 'Sai Nam Phueng' coated with commercial	
	coatings by commercial method during storage at $5\pm2^{\circ}\text{C}$ and $85\pm3\%$	
	relative humidity for 41 days	127
4.14	Flavor score, visual appearance score and peel color of tangerine	
	fruit cv. 'Sai Nam Phueng' coated with commercial coatings by	
	commercial method during storage at 5±2°C and 85±3% relative	
	humidity for 41 days	129
4.15	Total soluble solids (TSS), titratable acidity (TA), TSS/TA ratio, pH	
	and vitamin C content of tangerine fruit cv. 'Sai Nam Phueng'	
	coated with commercial coatings by commercial method during	
	storage at 5±2°C and 85±3% relative humidity for 41 days	133
4.16	Weight loss of tangerine fruit coated with developed coatings	
	(Group A) during storage at room temperature (24±3°C) and 74±7%	
	relative humidity for 12 days	142
4.17	Weight loss of tangerine fruit coated with developed coatings	
	(Group B) during storage at room temperature (21±3°C) and 72±6%	
	relative humidity for 15 days	143
4.18	Weight loss of tangerine fruit coated with developed coatings	
	(Group C) during storage at room temperature (22±3°C) and 73±6%	
	relative humidity for 15 days	144
4.19	Weight loss of tangerine fruit coated with developed coatings	
	(Group D) during storage at room temperature (20±4°C) and 67±7%	
	relative humidity for 12 days	145
4.20	Weight loss of tangerine fruit coated with developed coatings	
	(Group E) during storage at room temperature (27±4°C) and 57±8%	
	relative humidity for 9 days	146
4.21	Flavor score of tangerine fruit coated with developed coatings	
	(Group A) during storage at room temperature (24±3°C) and 74±7%	
	relative humidity for 12 days	148

4.22	Flavor score of tangerine fruit coated with developed coatings	
	(Group B) during storage at room temperature (21±3°C) and 72±6%	
	relative humidity for 15 days	149
4.23	Flavor score of tangerine fruit coated with developed coatings	
	(Group C) during storage at room temperature (22±3°C) and 73±6%	
	relative humidity for 15 days	150
4.24	Flavor score of tangerine fruit coated with developed coatings	
	(Group D) during storage at room temperature (20±4°C) and 67±7%	
	relative humidity for 12 days	151
4.25	Flavor score of tangerine fruit coated with developed coatings	
	(Group E) during storage at room temperature (27±4°C) and 57±8%	
	relative humidity for 9 days	152
4.26	Visual appearance score of tangerine fruit coated with developed	
	coatings (Group A) during storage at room temperature (24±3°C)	
	and 74±7% relative humidity for 12 days	154
4.27	Visual appearance score of tangerine fruit coated with developed	
	coatings (Group B) during storage at room temperature (21±3°C)	
	and 72±6% relative humidity for 15 days	155
4.28	Visual appearance score of tangerine fruit coated with developed	
	coatings (Group C) during storage at room temperature (22±3°C)	
	and 73±6% relative humidity for 15 days	156
4.29	Visual appearance score of tangerine fruit coated with developed	
	coatings (Group D) during storage at room temperature (20±4°C)	
	and 67±7% relative humidity for 12 days	157
4.30	Visual appearance score of tangerine fruit coated with developed	
	coatings (Group E) during storage at room temperature (27±4°C)	
	and 57±8% relative humidity for 9 days	158
4.31	Weight loss, internal O <sub>2</sub> , internal CO <sub>2</sub> , acetaldehyde and ethanol	
	content in juice of tangerine fruit cv. 'Sai Nam Phueng' coated with	
	4 developed coatings and Zivdar during storage at room temperature	
	(27±3°C) and 56±11% relative humidity for 11 days	166

4.32	Pyruvate decarboxylase activity and alcohol dehydrogenase activity	
	of tangerine fruit cv. 'Sai Nam Phueng' coated with 4 developed	
	coatings and Zivdar during storage at room temperature (27±3°C)	
	and 56±11% relative humidity for 11 days	170
4.33	Flavor score, visual appearance score and peel color of tangerine	
	fruit cv. 'Sai Nam Phueng' coated with 4 developed coatings and	
	Zivdar during storage at room temperature (27±3°C) and 56±11%	
	relative humidity for 11 days	173
4.34	Total soluble solids (TSS), titratable acidity (TA), TSS/TA ratio, pH	
	and vitamin C content of tangerine fruit cv. 'Sai Nam Phueng'	
	coated with 4 developed coatings and Zivdar during storage at room	
	temperature (27±3°C) and 56±11% relative humidity for 11 days	179
4.35	Comparison of oxygen permeabilities between developed coating	
	and commercial coating on the cast polypropylene film (CCP film)	190
4.36	Comparison of water vapor permeabilities between developed	
	coating and commercial coating on the kraft paper	190

# ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright<sup>©</sup> by Chiang Mai University All rights reserved

#### LIST OF FIGURES

Figure		Page
3.1	Characteristics of 6 developed coating materials (Group A) in	
	experiment 3	52
3.2	Characteristics of 6 developed coating materials (Group B) in	
	experiment 3	53
3.3	Characteristics of 6 developed coating materials (Group C) in	
	experiment 3	53
3.4	Characteristics of 8 developed coating materials (Group D) in	
	experiment 3	54
3.5	Characteristics of 9 developed coating materials (Group E) in	
	experiment 3	54
3.6	Characteristics of 4 developed coating materials and Zivdar that	
	provide in experiment 4	56
3.7	Coating application by manual method	57
3.8	Appearance of coated tangerine fruit with coating materials and	
	non-coated fruit	57
3.9	Cleaning and coating application by commercial method	58
3.10	Micro-TRI-gloss reflectance meter (BYK Gardner Inc., MD, USA)	58
3.11	Representation of a color solid for L* a* b* color space (Minolta,	
	1994)	62
4.1	Effects of coating materials on the weight loss of tangerine fruit	
	stored at room temperature (23±3°C) and 56±5% relative humidity	
	for 13 days	67
4.2	Effects of coating materials on the (A) internal O <sub>2</sub> concentration, (B)	
	internal CO <sub>2</sub> concentration and (C) respiration rate of tangerine fruit	
	stored at room temperature (23±3°C) and 56±5% relative humidity	
	for 13 days	69

4.3	Effects of coating materials on the ethanol content in juice of	
	tangerine fruit stored at room temperature (23±3°C) and 56±5%	
	relative humidity for 7 days	71
4.4	Effects of coating materials on the alcohol dehydrogenase activity	
	of tangerine fruit stored at room temperature (23±3°C) and 56±5%	
	relative humidity for 13 days	72
4.5	Effects of coating materials on the (A) flavor score and (B) visual	
	appearance score of tangerine fruit stored at room temperature	
	(23±3°C) and 56±5% relative humidity for 13 days	75
4.6	Visual appearance of tangerine fruit cv. 'Sai Nam Phueng' coated	
	with coating materials during storage at room temperature	
	(23±3°C) and 56±5% relative humidity for 0, 7 and 13 days	76
4.7	Effects of coating materials on the (A) L*, (B) chroma and (C) hue	
	angle of tangerine fruit stored at room temperature (23±3°C) and	
	56±5% relative humidity for 13 days	77
4.8	Effects of coating materials on the (A) total soluble solids, (B)	
	titratable acidity and (C) TSS/TA ratio of tangerine fruit stored at	
	room temperature (23±3°C) and 56±5% relative humidity for 13	
	days	80
4.9	Effects of coating materials on the (A) pH and (B) vitamin C of	
	tangerine fruit stored at room temperature (23±3°C) and 56±5%	
	relative humidity for 13 days	81
4.10	Effects of coating materials on the weight loss of tangerine fruit	
	stored at 5, 10°C and room temperature for 43, 25 and 10 days,	
	respectively	83
4.11	Effects of coating materials on the internal O2 of tangerine fruit	
	stored at 5, 10°C and room temperature for 43, 25 and 10 days,	
	respectively	85
4.12	Effects of coating materials on the internal CO <sub>2</sub> of tangerine fruit	
	stored at 5, 10°C and room temperature for 43, 25 and 10 days,	
	respectively	87

4.13	Effects of coating materials on the ethanol content in juice of	
	tangerine fruit stored at 5, 10°C and room temperature for 10 days	88
4.14	Effects of coating materials on the alcohol dehydrogenase activity	
	of tangerine fruit stored at 5, 10°C and room temperature for 43, 25	
	and 10 days, respectively	90
4.15	Effects of coating materials on the flavor score of tangerine fruit	
	stored at 5, 10°C and room temperature for 43, 25 and 10 days,	
	respectively	92
4.16	Effects of coating materials on the visual appearance score of	
	tangerine fruit stored at 5, 10°C and room temperature for 43, 25	
	and 10 days, respectively	94
4.17	Visual appearance of tangerine fruit cv. 'Sai Nam Phueng' coated	
	with coating materials during storage at 5, 10°C and room	
	temperature on day 0	95
4.18	Visual appearance of tangerine fruit cv. 'Sai Nam Phueng' coated	
	with coating materials during storage at 5, 10°C and room	
	temperature for 10 days	96
4.19	Visual appearance of tangerine fruit cv. 'Sai Nam Phueng' coated	
	with coating materials during storage at 5 and 10°C for 25 days	97
4.20	Visual appearance of tangerine fruit cv. 'Sai Nam Phueng' coated	
	with coating materials during storage at 5°C for 43 days	97
4.21	Effects of coating materials on the L* of tangerine fruit stored at 5,	
	10°C and room temperature for 43, 25 and 10 days, respectively	99
4.22	Effects of coating materials on the chroma of tangerine fruit stored	
	at 5, 10°C and room temperature for 43, 25 and 10 days,	
	respectively	100
4.23	Effects of coating materials on the hue angle of tangerine fruit	
	stored at 5, 10°C and room temperature for 43, 25 and 10 days,	
	respectively	101

4.24	Effects of coating materials on the total soluble solids of tangerine	
	fruit stored at 5, 10°C and room temperature for 43, 25 and 10	
	days, respectively	105
4.25	Effects of coating materials on the titratable acidity of tangerine	
	fruit stored at 5, 10°C and room temperature for 43, 25 and 10	
	days, respectively	106
4.26	Effects of coating materials on the TSS/TA ratio of tangerine fruit	
	stored at 5, 10°C and room temperature for 43, 25 and 10 days,	
	respectively	107
4.27	Effects of coating materials on the pH of tangerine fruit stored at 5,	
	10°C and room temperature for 43, 25 and 10 days, respectively	108
4.28	Effects of coating materials on the vitamin C of tangerine fruit	
	stored at 5, 10°C and room temperature for 43, 25 and 10 days,	
	respectively	109
4.29	Effects of 3 commercial coatings on the weight loss of tangerine	
	fruit stored at room temperature (24±3°C) and 59±6% relative	
	humidity for 10 days	111
4.30	Effects of 3 commercial coatings on the (A) internal O <sub>2</sub> , (B)	
	internal CO <sub>2</sub> and (C) ethanol content of tangerine fruit stored at	
	room temperature (24±3°C) and 59±6% relative humidity for 13	
	and 12 days	112
4.31	Effects of 3 commercial coatings on the (A) pyruvate	
	decarboxylase activity and (B) alcohol dehydrogenase activity of	
	tangerine fruit stored at room temperature (24±3°C) and 59±6%	
	relative humidity for 13 days	115
4.32	Effects of 3 commercial coatings on the (A) flavor score and (B)	
	visual appearance score of tangerine fruit stored at room	
	temperature (24±3°C) and 59±6% relative humidity for 13 days	117
4.33	Visual appearance of tangerine fruit cv. 'Sai Nam Phueng' coated	
	with 3 commercial coatings during storage at room temperature	
	(24±3°C) and 59±6% relative humidity for 0 and 10 days	118

4.34	Effects of 3 commercial coatings on the (A) L*, (B) chroma and	
	(C) hue angle of tangerine fruit stored at room temperature	
	(24±3°C) and 59±6% relative humidity for 13 days	119
4.35	Effects of 3 commercial coatings on the (A) total soluble solids,	
	(B) titratable acidity and (C) TSS/TA ratio of tangerine fruit stored	
	at room temperature (24±3°C) and 59±6% relative humidity for 13	
	days	121
4.36	Effects of 3 commercial coatings on the (A) pH and (B) vitamin C	
	of tangerine fruit stored at room temperature (24±3°C) and 59±6%	
	relative humidity for 13 days	122
4.37	Effects of 3 commercial coatings on the weight loss of tangerine	
	fruit stored at 5±2°C and 85±3% relative humidity for 46 days	124
4.38	Effects of 3 commercial coatings on the (A) internal O2, (B)	
	internal CO <sub>2</sub> and (C) ethanol content of tangerine fruit stored at	
	5±2°C and 85±3% relative humidity for 46 and 41 days,	
	respectively	125
4.39	Effects of 3 commercial coatings on the (A) pyruvate	
	decarboxylase activity and (B) alcohol dehydrogenase activity of	
	tangerine fruit stored at 5±2°C and 85±3% relative humidity for 46	
	days	127
4.40	Effects of 3 commercial coatings on the (A) flavor score and (B)	
	visual appearance score of tangerine fruit stored at 5±2°C and	
	85±3% relative humidity for 46 days	130
4.41	Visual appearance of tangerine fruit cv. 'Sai Nam Phueng' coated	
	with 3 commercial coatings during storage at 5±2°C and 85±3%	
	relative humidity for 0, 21 and 41 days	131
4.42	Effects of 3 commercial coatings on the (A) L*, (B) chroma and	
	(C) hue angle of tangerine fruit stored at 5±2°C and 85±3%	
	relative humidity for 46 days	132

4.43	Effects of 3 commercial coatings on the (A) total soluble solids,	
	(B) titratable acidity and (C) TSS/TA ratio of tangerine fruit stored	
	at 5±2°C and 85±3% relative humidity for 46 days	134
4.44	Effects of 3 commercial coatings on the (A) pH and (B) vitamin C	
	of tangerine fruit stored at 5±2°C and 85±3% relative humidity for	
	46 days	135
4.45	Effects of developed coatings (A) group A, (B) group B, (C) group	
	C, (D) group D and (E) group E on the weight loss of tangerine	
	fruit stored at room temperature	147
4.46	Effects of development coatings (A) group A, (B) group B, (C)	
	group C, (D) group D and (E) group E on the flavor score of	
	tangerine fruit stored at room temperature	153
4.47	Effects of developed coatings (A) group A, (B) group B, (C) group	
	C, (D) group D and (E) group E on the visual appearance score of	
	tangerine fruit stored at room temperature	159
4.48	Visual appearance of tangerine fruit cv. 'Sai Nam Phueng' coated	
	with developed coatings (Group A) during storage at room	
	temperature (24±3°C) and 74±7% relative humidity for 0, 6 and 12	
	days	160
4.49	Visual appearance of tangerine fruit cv. 'Sai Nam Phueng' coated	
	with developed coatings (Group B) during storage at room	
	temperature (21±3°C) and 72±6% relative humidity for 0, 8 and 15	
	days	161
4.50	Visual appearance score of tangerine fruit cv. Sai 'Nam Phueng'	
	coated with developed coatings (Group C) during storage at room	
	temperature (22±3°C) and 73±6% relative humidity for 0, 8 and 15	
	days   2 h t S r e S e r V	162
4.51	Visual appearance of tangerine fruit cv. 'Sai Nam Phueng' coated	
	with developed coatings (Group D) during storage at room	
	temperature (20±4°C) and 67±7% relative humidity for 0, 6 and 12	
	days	163

4.52	Visual appearance score of tangerine fruit cv. 'Sai Nam Phueng'	
	coated with developed coatings (Group E) during storage at room	
	temperature (27±4°C) and 57±8% relative humidity for 0, 5 and 9	
	days	164
4.53	Effects of 4 developed coating materials and Zivdar on the weight	
	loss of tangerine fruit stored at room temperature (27±3°C) and	
	56±11% relative humidity for 13 days	167
4.54	Effects of 4 developed coating materials and Zivdar on the (A)	
	internal O2, (B) internal CO2 and (C) ethanol content of tangerine	
	fruit stored at room temperature (27±3°C) and 56±11% relative	
	humidity for 13 and 11 days, respectively	169
4.55	Effects of 4 developed coating materials and Zivdar on the (A)	
	pyruvate decarboxylase activity and (B) alcohol dehydrogenase	
	activity of tangerine fruit stored at room temperature (27±3°C) and	
	56±11% relative humidity for 13 days	171
4.56	Effects of 4 developed coating s and Zivdar on the (A) flavor score	
	and (B) visual appearance score of tangerine fruit stored at room	
	temperature (27±3°C) and 56±11% relative humidity for 13 days	174
4.57	Visual appearance of tangerine fruit cv. 'Sai Nam Phueng' coated	
	with 4 developed coating materials and Zivdar during storage at	
	room temperature (27±3°C) and 56±11% relative humidity for 0, 7	
	and 13 days	175
4.58	Effects of 4 developed coating materials and Zivdar on the (A) L*,	
	(B) chroma and (C) hue angle of tangerine fruit stored at room	
	temperature (27±3°C) and 56±11% relative humidity for 13 days	177
4.59	Effects of 4 developed coating materials and Zivdar on the (A)	
	total soluble solids, (B) titratable acidity and (C) TSS/TA ratio of	
	tangerine fruit stored at room temperature (27±3°C) and 56±11%	
	relative humidity for 13 days	180

4.60	Effects of 4 developed coatings and Zivdar on the (A) pH and (B)	
	vitamin C of tangerine fruit stored at room temperature (27±3°C)	
	and 56±11% relative humidity for 13 days	181
4.61	Correlation between internal O <sub>2</sub> -ethanol content (A), internal CO <sub>2</sub> -	
	ethanol content (B) and internal O2-internal CO2 (C), combined	
	results of experiment 4.2.1 and 4.4	182
4.62	SEM images of the tangerine fruit surface (A-1, A-2) coated with	
	Citrashine (×150, ×500), (B-1, B-2) coated with Sealkote (×150,	
	×500), (C-1, C-2) coated with Fomesa (×150, ×500) and (D-1, D-2)	
	coated with Rosy Plus (×150, ×500)	184
4.63	SEM images of the (A) stomata and wax platelets on the surface of	
	non-coated fruit (×500) and (B) a stoma on the surface of non-	
	coated fruit (×2,000)	187
4.64	SEM images of the tangerine fruit surface (A-1, A-2) coated with	
	formulation A (×200, ×500), (B-1, B-2) coated with formulation B	
	(×200, ×500) and (C-1, C-2) coated with formulation C (×200,	
	×500)	188

### ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright<sup>©</sup> by Chiang Mai University All rights reserved