

## เอกสารอ้างอิง

- กองโภชนาการ. ตารางแสดงคุณค่าทางโภชนาการที่ได้วิเคราะห์จริงในประเทศไทย. กรุงเทพฯ. กรมอนามัย, 2530.
- คณาจารย์ภาควิชาปฐพีวิทยา. ปฐพีวิทยาเบื้องต้น (พิมพ์ครั้งที่ 8). กรุงเทพฯ. มหาวิทยาลัยเกษตรศาสตร์, 2541.
- ทวิวงศ์ ศรีบุรี. EIA การวิเคราะห์ผลกระทบต่อสิ่งแวดล้อม (พิมพ์ครั้งที่ 2). กรุงเทพฯ. มายด์พับลิชชิ่ง. 2541.
- บุญล้อม ชีวะอิสระกุล และสุชน ตั้งทวีวิวัฒน์. (2540). บทบาทของเอนไซม์ไฟเตสในอาหารสัตว์. ว.สัตวบาล, 7(38):7-11.
- เปี่ยมศักดิ์ เมหะเสวต. แหล่งน้ำกับปัญหามลพิษ (พิมพ์ครั้งที่ 4). กรุงเทพฯ : จุฬาลงกรณ์มหาวิทยาลัย. 2534.
- ปริญญา วิไลพันธ์. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต (สัตวศาสตร์). มหาวิทยาลัยเชียงใหม่ เชียงใหม่, 2540.
- พันทิพา พงษ์เพ็ญจันทร์. หลักการอาหารสัตว์ เล่ม 1 โภชนะ (พิมพ์ครั้งที่ 1). กรุงเทพฯ : โอเดียน สโตร์, 2535.
- พันทิพา พงษ์เพ็ญจันทร์. หลักการอาหารสัตว์ เล่ม 2 โภชนะ (พิมพ์ครั้งที่ 1). กรุงเทพฯ : โอเดียน สโตร์, 2539.
- รังสฤษดิ์ กาวิตะ, เรวัต เลิศฤทัยโยธิน, ชุศักดิ์ จอมพุก และ จุฑามาศ ร่มแก้ว. พฤกษศาสตร์พืชเศรษฐกิจ (พิมพ์ครั้งที่ 1). กรุงเทพฯ : มหาวิทยาลัยเกษตรศาสตร์, 2541.
- วันดี ทาตระกุล. วัสดุอาหารสัตว์ การนำไปใช้ การเก็บรักษา และการควบคุมคุณภาพ. เชียงใหม่ : ภาควิชาสัตวศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่, 2544.
- วันชัย จันทร์ประเสริฐ. สรีรวิทยาเมล็ดพันธุ์. กรุงเทพฯ : ภาควิชาพืชไร่ คณะเกษตรศาสตร์ มหาวิทยาลัยเกษตรศาสตร์, 2538.
- Anderson, P.A. (1985). *Interactions between proteins and constituents that affect protein quality : Digestibility and Amino Acid Availability in Cereals and Oilseed* (eds. Fineley G.W. and D.T. Hopkinf) American Association of cereal Chemists, St. Pal, Minnesota.
- A.O.A.C. 1990. Official Method of Analysis of the association of official Analytical Chemistry. 15<sup>th</sup> ed. Washington, D.C., U.S.A.

- Ashmed, H.D. and H. Zunino. (1993). *Factor which affect the intestinal absorbtion of minerals. p 21-45. : The role of Amino Acid Chelates in Animal Nutrition* (Ashmed, A.H. ed, Noyes Publications). New Jersey, USA.
- Atkinson, M.R. and R.K. Morton. 1960. Free energy and the biosynthesis of phosphate : comparative Biochemistry vol. 2 (Florkin, M. and H.S. Mason, Academic Press). New York.
- Ashok, P., S. Geoege, R.S. Carlos, A. R. Jose and T.S. Vanete. 2001. Production, purification and properties of microbial phytase. *Bioresource Technology*. 77: 203-214.
- Beer, S. and A.W. Jongbloed. 1992. Effect of supplementary *Aspergillus niger* phytase in diets for piglets on their performance and apparent digestibility of phosphorus. *Anim. Prod.* 55:425-430.
- Bewley, J.D. and M. Black. *Physiology and Biochemistry of Seed*. Springer-Verlag Berlin Heidelberg New York. 1983.
- Bjorn-Rasmussen, E. and Hallberg, L. 1979. *Nutr. Metab.* 23: 192.
- Bourke, D. (1999). Response of growing pigs to phosphorus level in the diet and to phytase supplementation. Thesis presented to the National University of Ireland for the degree of Master of Agricultural Science.
- Bruce, J.A.M. and F. Sundstol. 1996. The effect of microbial phytase in diet for pigs on apparent ileal and faecal digestibility, pH and flow of digesta measurements in growing pigs fed a high-fibre diet. *Can. J. Anim.Sci.* 75: 121-127.
- Champagne, E.T. 1988. *J. Amer.Coll.Nutr.* 7: 499.
- Cromwell, G.L., T.S. Stahly, R.D. Coffey, H.J. Monegue and J.H. Randolph. 1993. Efficacy of phytase in improving the bioavailability of phosphorus in soybean meal and corn-soybean meal diets for pigs. *J. Anim. Sci.* 73: 449-456.
- Church, D.C., and W.G. Pond. 1982. *Basic animal nutrition and feeding*. 2<sup>nd</sup> Ed. John Wiley and Sons, New York. 403 p.
- CVB. 1999. *Veevoedertabel centraal Veevoederbureau in Nederland*, Lelystad.
- Daniel, B. and K. Edward. *Environmental science (Earth as a living planet)*. John wiley & Sons, Inc. Published simultaneously in canada. 1995.
- De Rham, O. and T. Jost. 1979. Phytate protein interactions in soybean extracts and low phytate soy protein products. *J.Food. Sci.* 44: 596-600.

- Dvorakova, J., O. Volfova and J. Kopecky. 1997. Characterization of phytate produced by *Aspergillus niger*. *Folia Microbiol.* 42:349-352.
- Ehrlich, K. and A. Ciegler. 1984. Effect of phytate on aflatoxin formation by *Aspergillus parasiticus* and *Aspergillus flavus* in synthetic media. *Mycopathologia.* 87: p 99.
- Furuya, S. and Y. Kaji. 1992. The effect of feed intake and purified cellulose on the endogenous ileal amino acid flow in growing pigs. *Br. J. Nutri.* 68: 763-772.
- Golovan, S., G.R. Wang., J. Zhang and C.W. Forsberg. 2000. Characterization and overproduction of the *Escherichia coli* appA encoded bifunctional enzyme that exhibits both phytase and acid phosphatase activities. *Canadian Journal of Microbiology.* 46(1):59-71.
- Greiner, R., E. Haller., U. Konietzny and K.D. Jany. 1997. Purification and characterization of a phytase from *Klebsiella terrigena*. *Archives of Biochemistry and Biophysics.* 341(2): 201-206.
- Gupta, S.K. and T.A. Venktasubramanian. 1975. Production of aflatoxin in soybeans. *Appl. Microbiol.* 29: p 834.
- Hall, J.R. and T.K. Hodges. 1966. Phosphorus metabolism of germinating oat seeds. *Plant Physiol.* 41: p 1459.
- Han, Y.M., D.B. Wilson and X.G. Lei. 1999. Expression of an *Aspergillus niger* Phytase gene (phyA) in *Saccharomyces cerevisiae*. *Applied and Environmental Microbiology.* 65(5): 1915-1918.
- Han, Y.M. and X.G. Lei. 1999. Role of glycosylation in the functional expression of an *Aspergillus niger* Phytase (phyA) in *Pichia pastoris*. *Archives of Biochemistry and Biophysics.* 364(1):83-90.
- Helander, E., M. Nasi and K. Partanen. 1996. Effects of supplementary *Aspergillus niger* Phytase on the availability of plant phosphorus, Other minerals and nutrients in growing pigs fed on high-pea diets. *J. Anim. Physio. a. Anim. Nutr.* 76: 66-79.
- Hosenney R.C. Principle of Cereal Science and Technology 2<sup>nd</sup> Ed. The American Association of Cereal Chemists, Inc. St. Paul, Minnesota, USA. 1994.
- Jareonkitmongkol, S., M. Ohya., R. Watanabe., H. Takagi and S. Nakamori. 1997. Partial purification of phytase from a soil isolate bacterium, *Klebsiella oxytoca* Mo-3. *Journal of Fermentation and Bioengineering.* 83(4): 393-394.

- Jongbloed, A.W., Ohmann, A., van Diepen, J.T.M., van der Klis, Knap, I.H., Versteegh, H.A.J., 1997. Comparison of pigs and broilers in their response to microbial phytase. *J. Anim. Sci.* 75 (suppl. 1), 185.
- Kelly, S.E., K.Chawla-Singh, J.H.Sellin, N.Y. Yasillo, and I.H. Rosenberg. 1984. *Gastroenterology.* 87: 596.
- Kemme, P.A., Jongbloed, A.W., Mroz, Z., Kogut, J., Beynen, A.C., 1999. Digestibility of nutrients in growing-finishing pig is affected by aspergillus niger phytase, phytate and lactic acid levels. 2. Apparent total tract digestibility of phosphorus, calcium and magnesium and ileal degradation of phytic acid. *Livestock Prod.Sci.* 58, 119-127.
- Kerovuo, J., M. Lauraeus., P. Nurminen., N. Kalkkinen and J. Apajalahti. 1998. Isolation, characterization, molecular gene cloning and sequencing of a novel phytase from *Bacillus subtilis*. *Applied and Environmental Microbiology.* 64(6): 2079-2085.
- Ketaren, P.P., E.S. Batterham, E.B. Dettman and D.J. Farrell. 1993. Phosphorus studies in pigs. 3. Effect of phytase supplementation on digestibility and availability of phosphorus in soybean meal for growing pigs. *Br. J. Nutr.* 70: 289-311.
- Khan, N. and D.J.A. Cole. 1995. The impact of phytase on pig performance. pp.355-361. In: Lyons, T.P. and K.A. Jaeger (eds.). *Biotechnology in the feed industry. Proceeding of alltech's eleventh annual symposium.* Nottingham University Press. England.
- Knowles, J.B., R.J. Wood, and I.H. Rosenberg. 1988. *Amer.J. Clin. Nutr.* 48: 1471.
- Kornegay, E.T., Denbow, D.M., Yi, Z., Ravindran, V., 1996. Response of broilers to graded levels of microbial phytase added to maize-soybean-meal-based diets containing three levels of non-phytate phosphorus. *Br. J. Nutr.* 75: 839-852.
- Lantzsch, H.J., Hillenbrand, S., Scheuermann, S.E., Menke, K.H., 1992. Comparative study of phosphorus utilization from wheat, Barley and corn diets by young rats and pigs. *J. Anim. Nutr.* 67: 123-132.
- Liu, B.L., A. Rafiq, Y.W. Tzeng and A. Rob. 1998. The induction and characterization of phytase and beyond. *Enzyme and Microbial Technology.* 22:415-424.
- Liu, B.L., C.H. Jong and Y.M. Tzeng. 1999. Effect of immobilization on pH and thermal stability of *Aspergillus ficuum* phytase. *Enzyme and Microbial Technology.* 25(6): 517-521.

- Lolas, G.M., N. Palamidis and P. Markakis. 1975. The phytic acid total phosphorus relationship in barley, oats, soy bean and wheat. *Cereal Chem.* 53: 867-871.
- Matthaus, B., 1997. Antinutritive compounds in different offseeds. *Fett/Lipid.* 99: 170-174.
- Matsui, T., Y. Nakagawa., A. Tamura., C. Watanabe., K. Fujita., T. Nakajima and H. Yano. 2000. Efficacy of yeast phytase in improving phosphorus bioavailability in a corn-soybean meal-based diet for growing pigs. *J. Anim. Sci.* 78: 94-109.
- McDonald, P., R.A. Edwards, and J.F.D. Greenhalgh, 1978. Animal nutrition. The English Language Book Society and Longman. London. 479 p.
- McKnight, W.F., 1997. A review of the use of natuphos in broiler, layer and turkey diets, In: Minnesota Nutrition Conference, pp. 61-76.
- Michel, R.B. 2000. Exogenous enzyme in monogastric nutrition – their current value and future benefits. [www.elsevier.com/locate/anifeedsci](http://www.elsevier.com/locate/anifeedsci) [86:1-13].
- Michigan State University Extension. 2000. Soybean Growth and Development-seed. [Online]. Available: [www.Msue.Msu.Edu/msue/imp/mods1/00000005.html](http://www.Msue.Msu.Edu/msue/imp/mods1/00000005.html). [2004, January 18].
- Misir, R. and W.C. Sauer. 1982. Effect of starch infusion at the terminal ileum on nitrogen balance and apparent digestibilities soybean meal diets. *J. Anim. Sci.* 55: 559-607.
- Mroz, Z., A.W. Jongbloed and P.A. Kemme. 1994. Apparent digestibility and retention of nutrients bound phytate complex as influenced by Microbial phytase and feeding regimen in pigs. *J. Anim. Sci.* 71: 126-132.
- Nair, V.C., J. Laflamme and Z. Uvnjak. 1991. Production of phytase by *Aspergillus ficuum* and reduction of phytic acid content in canola meal. *Journal of the Science of Food and Agriculture.* 54(3): 355-365.
- Nasi, M., K. Partanen and J. Piironen. 1999. Comparison of *Aspergillus Niger* phytase and *Trichoderma reesei* phytase and Acid phosphatase on phytate phosphorus availability in pigs fed on maize-soybean meal or barley-soybean meal diets. *Arch. Anim. Nutr.* 52: 15-27.
- Nelson, T.S., L.W. Ferrard and N.L. Storer. 1968. Phytate phosphorus content of feed ingredients derived plant. *Poult. Sci.* 47:1372-1374.
- NRC. 1998. Nutrient Requirements of Swine, 10<sup>th</sup> ed. National Academy Press, Washington, D.C., U.S.A.

- Ravidran, V., W.L. Bryden. And E.T. Kornergay. 1995. Phytases: occurrence, bioavailability and implications in poultry nutrition. *Poultry and Avian Biology Reviews*, 6(2): 125-143.
- Reddy, N.R., M.D. Pierson., S.K. Sathe and D.K. Salunkle. 1989. Phytates in cereals and legumes. CRC Press, INC., Boca Raton, Florida.USA., 152 p.
- Ritter,W.E. and A. shirmohammadi. 2001. Agricultural nonpoint source pollution, Watershed Management and Hydrology. CRC Press, Inc., Boca Raton, Florida.USA., 342 p.
- Robert R. B., and David H. B. 1996. Efficacy of supplemental  $1\alpha$ - hydroxycholecalciferol and microbial phytase for young pigs fed phosphorus or amino acid-deficient corn-soybean meal diets. *J. Anim. Sci.* 74: 2960-2966.
- Rodehutsord, M., G. Krause and E.P. feffer. 1999. Effect of body weight on phosphorus digestibility and efficacy of a microbial phytase in young pigs. *Arch.Anium.Nutr.* 52 : 139-153.
- Sands, J.S., D. Ragland, C. Baxter, B.C. Joem, T.E. Sauber and O. Adeola. 2001. Phosphorus bioavailability, growth, performance and nutrient balance in pigs fed high available phosphorus corn and phytase. *J. Anim. Sci.* 79: 2134-2142.
- Sano, K., H. Fukuhara and Y. Nakamura. 1999. Phytase of the yeast *Arxula adenivorans*. *BiotechnologyLetter.* 21(1): 33-38.
- Scott, J.J. and F. A. Loewus. 1986. A calcium-activated phytase from pollen of *lilium longifrarum*. *Plant Physiol.* 82 : 333-335
- Segueilha, L., C. Lambrechts., H. Boze., G. Moulin and P. Galzy. 1992. Purification and properties of the phytase from *schwanniomyces castelli*. *Journal of Fermentation and Bioengineering.* 74(1): 7-11.
- Sharpley, A.N. Agriculture and Phosphorus Management : The Chesa Peake Bay. A Framework for Action, U.S.Environment Protection Agency, Philidelphia, PA., USA. 1998.
- Shimizu, M. 1992. Purification and characterization of phytase from *Basillus subtilis* (Natto) n-77. *Bioscience Biotechnology and Biochemistry.* 56(8):1266-1269.
- Simons, P.C.M., H.A.J. Versteegh., A.W. Jongbloed., P.A. Kemme., P. Slump., K.D. Bos., M.G.E. Wolters., R.F. Beudeker and G.T. Verschoor. 1990. Improvement of phosphorus availability by microbial phytase in broilers and pigs. *British Journal of Nutrition.* 64 : 525-540.

- Sobolev, A.M. and M.A. Rodionova. 1966. Phytin synthesis by aleurone grain in ripening sunflower seeds. *Soviet Plant physiol(English transl)*. 13: p 958.
- Tambe, S.M., G.S. Kaklij., S.M. Kelkar and L.J. Parekh. 1994. 2-distinct molecular-forms of phytase from *Klebsiella-aerogenes-evidence* for unusually small active enzyme peptide. *Journal of Fermentation and Bioengineering*. 77(1):23-27
- Tartrakoon, W. 2000. Use of ileal protein and amino acid digestibility values of soybean, peanut and sesame meals in ration formulation and on N-metabolism and growth performance of growing and finishing pigs. Ph.D. thesis. Cuvillier Veriag, GÖTTINGEN, GERMANY. 131 p.
- The plant and How It Growth. 2003. [Online]. Available: [www. Riceweb. Org/plant.htm](http://www.Riceweb.Org/plant.htm). [2004, January 18].
- Underwood, E.J. and N.F. Suttle. 1999. The Mineral Nutrition of Linestock 3<sup>rd</sup> Ed. CABI Publishing CAB International Wallingford Oxon ox10 8DE UK. 614 p.
- Wapnir, R.A. 1989. Protein digestion and the absorbtion of mineral elements. *Adv. Exp. Med. Biol.* 249: 95-115.
- Williams, S.G. 1970. The role of phytic acid in the wheat grain. *Plant Physiol.* 45:376-381.
- Yoon, S.J., Y.J. Choi., H.K. Min., K.K. Cho., J.W. Kim., S.C. Lee and Y.H. Jung. 1996. Isolation and identification of phytase-producing bacterium, *Enterobacterspz 4*, and enzymatic properties of phytase enzyme. *Enzyme and Microbial Technology*. 18(6):449-454.