

REFERENCES

- Ashworth, L. J., H. W. Shcroeder, and B. C. Langley. 1965. Aflatoxin: environmental factors governing occurrence in Spanish peanuts. *Science* 148:1228-1229.
- Anderson, W. F., C. C. Holbrook, D. M. Wilson and M. E. Matheron. 1995. Evaluation of preharvest aflatoxin contamination in several potentially resistant peanut genotypes. *Peanut Sci.* 22: 29-32.
- Azaizeh, H. A., R. E. Pettit, O. D. Smith and R. A. Taber. 1989. Reaction of peanut genotypes under drought stress to *Aspergillus flavus* and *A. paraciticus*. *Peanut Sci.* 16: 109-113.
- Barnett, H. L. 1960. Illustrated Genera of Imperfect Fungi, 2nd ed. Minnesota, U.S.A.: Burgess Publishing Co. 225.
- Bell, D. K. and J. L. Crawford. 1967. A Botran-amended medium for isolating *Aspergillus flavus* from peanuts and soil. *J. Phytopathol.* 57: 939-941.
- Blankenship, P. D., R. J. Cole, T. H. Sanders and H. Hill. 1984. Effect of geocarposphere temperature on pre-harvest colonization of drought stressed peanuts by *Aspergillus flavus* and subsequent aflatoxin contamination. *Mycopathologia* 85: 69-74.
- Blankenship, P. D., R. J. Cole and T. H. Sanders. 1985. Comparative susceptibility of four experimental peanut lines and the cultivar flurunner to preharvest aflatoxin contamination. *Peanut Sci.* 12: 70-72.

- Bohm, W., H. Muduakor and H. M. Taylor. 1977. Comparison of five methods for characterizing soybean rooting density and development. *Agronomy J.* 69:415-419.
- Boonpradub, S. 2000. Drought response and nitrogen partitioning in maize genotypes under different soil moisture regimes. Ph.D. Dissertation, Chiang Mai University, Chiang Mai, Thailand. 160p.
- Box, J. E. Jr. 1996. Modern methods for root investigations. In pp. 193-237. Waisel, Y., E. Amram, U. Kafkafi. Eds. *Plant Roots, the Hidden Half*. 2nd Ed. Marcel Dekker, Inc., New York.
- CAST. 1976. Aflatoxin and other mycotoxins; and agricultural perspective. *Counc. Agric. Sci. Technol. Rep.* 80p.
- Cotty, P. T., P. Bayman, D. S. Egel and K. S. Elias. 1994. Agriculture, aflatoxins and *Aspergillus*. In: Powell, K. S. (Ed.). *The Genus Aspergillus*, Plenum Press, New York, pp. 1-27.
- Davidson, J. I. Jr., R. A. Hill, R. J. Cole, A. C. Mixon and R. J. Henning. 1983. Field performance of two peanut cultivars relative to aflatoxin contamination. *Peanut Sci.* 10: 43-47.
- Dey, G., R. K. Mukherjee and S. Ball. 1999. Influence of harvest and postharvest conditions on the physiology and germination of peanut kernels. *Peanut Sci.* 26:64-68.
- Diener, U. L., R. J. Cole, T. H. Sanders, G. A. Payne, L. S. Lee and M. A. Klich. 1987. Epidemiology of aflatoxin formation by *Aspergillus flavus*. *Annual Review of Phytopathology* 25: 249-270.

- Dorner, J. W., R. J. Cole, T. H. Sanders and P. D. Blankenship. 1989. Interrelationship of kernel water activity, soil temperature, maturity, and phytoalexin production in preharvest aflatoxin contamination of drought-stressed peanuts. *Mycopathologia* 105: 117-128.
- Fan, T. W. M., A. N. Lane, J. Pedler, D. Crowley and R. M. Higashi. 1977. Comprehensive analysis of organic ligands in whole root exudates using nuclear magnetic resonance and gas chromatography-mass spectrometry. *Anal. Biochem.* 251: 57-68.
- Fernandez, C. J., J. T. Cothren and K. J. McInnes. 1996. Partitioning of biomass in water stressed and nitrogen stressed cotton during pre-bloom. *Journal of Plant Nutr.* 19:595-617.
- Frank, Z. R., Y. Smulevitch and N. Lisker. 1994. Preharvest kernel invasion in groundnut genotypes by *Aspergillus flavus* and its relation to the pod surface area. *Euphytica* 75: 207-213.
- Griffin, G. J. 1969. *Fusarium oxysporum* and *A. flavus* spore germination in the rhizosphere of peanut. *J. Phytopathol.* 59:1214-1218.
- Griffin, G. J. 1970. Conidial germination and population of *Aspergillus flavus* in the geocarposphere of peanut. *J. Phytopathol.* 63: 1387-1391.
- Griffin, G. J. 1972. Conidial germination and population of *Aspergillus flavus* in the geocarposphere of peanut. *J. Phytopathol.* 62:1387-1391.
- Griffin, G. J. 1973. Modification of the exogenous carbon and nitrogen requirements for chlamydospore germination of *Fusarium solani* by contact with soil. *Can. J. Microbiol.* 19: 999-1005.

- Griffin, G. J. and K. H. Garren. 1974. Population levels of *Aspergillus flavus* and *A. niger* group in Virginia peanut field soils. *J. Phytopathol.* 64: 322-325.
- Griffin, G. J., G. M. Hale and J. F. Shay. 1975. Natural and quality of sloughed organic matter produced by roots of axenic peanut plants. *Soil Biol. Biochem.* 8: 29-32.
- Griffin, G. J. and K. H. Garren. 1976. Colonization of aerial peanut pegs by *Aspergillus flavus* and *A. niger* group fungi under field conditions. *J. Phytopathol.* 66: 1161-1162.
- Griffin, G. J., M. G. Hale and F. J. Shay. 1976. Nature and quality of sloughed organic matter produced by roots of axenic peanut plants. *Soil Biol. Biochem.* 8: 29- 32.
- Griffin, G. J., E. P. Smith and T. J. Robinson. 2000. Population patterns of *Aspergillus flavus* group and *A. niger* group in field soils. *Soil Biol. Biochem.* 33: 253-257.
- Haixin, X. U., S. Annis, Linz J and F. Trail. 2000. Infection and colonization of peanut pods by *Aspergillus paraciticus* and the expression of aflatoxin biosynthetic gene, *nor-1*, infection hyphae. *Physiol. Mol. Plant Pathol.* 56: 185-196.
- Hale, M. G. and G. J. Griffin. 1976. The effect of mechanical injury on exudation from immature and mature peanut fruits under axenic conditions. *Soil Biol. Biochem.* 8:225-227.
- Hawker, L. E. 1950. Physiology of Fungi. London: University of London Press Ltd. 360p.

- Hill, R. A., P. D. Blankenship, R. J. Cole and T. H. Sanders. 1983. The effects of soil moisture and temperature in prehrvest invasion of peanuts by the *Aspergillus flavus* group and subsequent aflatoxin development. *Appl. Environ. Microbiol.* 45: 628-633.
- Holbrook, C. C., W. F. Anderson and R. N. Pittman. 1993. Selection of a core collection from the U.S germplasm collection of peanut. *Crop Sci.* 33: 859-861.
- Holbrook, C. C., M. E. Matheron, D. M. Wilson, W. F. Anderson, M. E. Will and A. J. Norden. 1994. Development of a large-scale field system for screening peanut for resistance to preharvest aflatoxin contamination. *Peanut Sci.* 21: 20-22.
- Holbrook, C. C., C. K. Kvien, K. S. Rucker, D. M. Wilson, J. E. Hook and M. E. Matheron. 2000. Preharvest aflatoxin contamination in drought-tolerant and drought-intolerant peanut genotypes. *Peanut Sci.* 27: 45-48.
- Ingram, K. T., G. F. Patena and C. C. Holbrook. 1999. Drought and temperature effect on aflatoxin resistance peanut. Paper presented to 1999 Multicrop Aflatoxin elimination workshop, 20- 22 October 1999, Atlanta, GA, USA.
- Jackson, C. R. 1965. Peanut kernel infection and growth in vitro by four fungi at various temperatures. *J. Phytopathol.* 55: 46-48.
- Jatumanussiri, T. and T. Sommartya. 1988. *Aspergillus flavus* in groundnut: A case study on natural occurrence, accumulation, and screening of groundnut lines for *A. flavus* resistant. pp. 182-189. In proceeding of the seventh Thailand National Groundnut Meeting. Held at Seabreeze Hotel, Pattaya, Chonburi, 16-18 March 1988.

Kimyombe, C. T., M. K. Beute and G. A. Payne. 1985. Field evaluation of peanut genotypes for resistance to infection by *Aspergillus paraciticus*. *Peanut Sci.* 12: 12-17.

Klepper and Kaspar, 1994. Rhizotrons: their development and use in agricultural research. *Agronomy J.* 86:745-753.

Kramer, P. J. 1980. Drought stress, and the origin of adaptations. pp. 7-20 In Tunner, N. C. and P. J. Kramer, eds. *Adaptation of Plants to Water and High Temperature Stress*. Wiley, New York.

Levitt, J. 1980. Response of plant to environmental stresses. pp. 25- 92. In. T. T. Kozlowski (ed.). *Physiological Ecology*, (a series of monographs, texts and treatises). 2nd ed. Volume 2. Academic Press, New York.

Liedgens, M. and M. Richner. 2001. Minirhizotron observation of the spatial distribution of the maize root system. *Agronomy J.* 93: 1097-1104.

Manzo, S. K. and S. M. Misari. 1989. Status and management of aflatoxin in groundnut in Nigeria. pp. 77-90. In *Aflatoxin contamination of groundnut: Proceeding of the International Workshop*, ICRISAT, Pantancheru, A. P., India.

Marschener, H. 1995. *Mineral nutrition of higher plants*, 2nd ed., Academic Press, London.

Marschener, H. 1998. Role of root growth, arbuscular mycorrhiza, and root exudates for the efficiency in nutrient acquisition. *Field Crop Res.* 56: 203-207.

Mixon, A. C. 1980. Potential for aflatoxin contamination on peanuts (*Arachis hypogaea* L.) before and soon after harvest (a review). *J. Environ. Qual.* 9 no.3.

- Mixon, A. C. and K. M. Rogers. 1973. Peanut accessions resistant to seed infection by *Aspergillus flavus*. *Agronomy J.* 65: 560-562.
- McMichael, B. L. and H. M. Taylor. 1987. Application and limitations of minirhizotrons. pp. 1-13 In Taylor, H. M., R. R. Allmaras and J. T. Richie.eds. Minirhizotron tubes: methods and applications fore measuring rhizosphere dynamics. ASA Special Publication No. 50.
- McDougall, B. M. 1968. The exudation of ^{14}C -labelled substances from roots of wheat seedling. *Trans. Ninth Inter. Cong. Soil Sci.*, Adelaide, pp. 674-685.
- McDougall, B. M. and A. D. Rovira. 1970. Site of exudation of ^{14}C -labelled compounds from wheat roots. *New Phytol.* 69:999-1003.
- Mehan, V. K. and D. McDonald. 1980. Screening of resistance to *Aspergillus flavus* invasion and aflatoxin production in groundnuts. International Crop Research Institute for the Semi Arid Tropics (ICRISAT), Occasional Paper-2, Groundnut Improvement Program, Patancheru P.O., Andhra Pradesh 502 324, India. 15p.
- Mehan, V. K., R. C. Nagesware, D. McDonald and J. H. Awilliams. 1988. Management of drought stress to improve field screening of peanuts for resistance to *Aspergillus flavus*. *J. Phytopathol.* 78: 659-663.
- Nageswara Rao, R. C., J. H. Williams and M.Singh. 1989. Genotypic sensitivity to drought and yield potential of peanut. *Agronomy J.* 81: 887-893.
- Nahdi, S. 1989. Geocarposphere mycoflora and resistance of groundnut to *Aspergillus flavus*. pp. 365-378. In Aflatoxin contamination of groundnut: Proceeding of the International Workshop, ICRISAT, Patancheru, A. P., India.
- O'Toole, J. C. and W. L. Bland. 1987. Genotypic variation on crop plant root system. *Adv. Agron.* 41: 91- 145.

- Pandey, R. K., W. A. T. Herrera and J. W. Pendleton. 1984a. Drought response of grain legumes under irrigation gradient. I. Yield and yield components. *Agronomy J.* 76: 549- 553.
- Pandey, R. K., W. A. T. Herrera and J. W. Pendleton. 1984b. Drought rersponse of grain legumes under irrigation gradient. II. Plant water status and canopy temperature. *Agronomy J.* 76: 549- 553.
- Pandey, R. K., W. A. T. Herrera, A. N. Villegas and J. W. Pendleton. 1984c. Drought response of grain legumes under irrigation gradient. III. Plant growth. *Agronomy J.* 76: 557- 560.
- Park, D. L., L. S. Lee, R. L. Price and A. E. Pohiand. 1988. Review of the decontamination of aflatoxin by ammoniation: Current status and regulation. *J. Assoc. off. Anal. Chem.* 71:685-703.
- Pass, T. and G. J. Griffin. 1972. Exogenous carbon and nitrogen requirements for conidial germination by *Aspergillus flavus*. *Can. J. Microbilol.* 18:1453-1461.
- Passioura, J. B. 1983. Root and drought resistance. *Agricultural Water Management.* 7: 265-280.
- Patena, G. and K. T. Ingram. 2000. Digital acquisition and measurement of peanut root minirhizotron images. *Agronomy J.* 92: 541-544.
- Payne, G. A. 1983. Epidemiology of aflatoxin formation by *Aspergillus flavus*. Nature of field infection of corn by *Aspergillus flavus*. pp. 16-19. In Aflatoxin and *Aspergillus flavus* in Corn. So. Coop. Ser. Bull. No. 259 for So. Reg. Res. Proj. S-132.

- Pettit, R. E., R. A. Taber, H. W. Schroeder and A. L. Harrison. 1971. Influence of fungicides and irrigation practice on aflatoxin in peanuts before digging. *J. Appl. Microbiol.* 22: 629-634.
- Pitt, J. I. 1989. Field studies on *Aspergillus flavus* and aflatoxin in Australian groundnuts. pp. 223-235. In Aflatoxin contamination of groundnut: Proceeding of the International Workshop, ICRISAT, Pantacheru, A. P., India.
- Pitt, J. I., S. K. Dyer and S. McCammon. 1991. Systemic invasion of developing peanut plants by *Aspergillus flavus*. Letters in *Applied Microbiology* 13:16-20.
- Petti, R. E., H. A. Azaizeh, R. A. Taber, J. B. Szerszen and O. D. Smith. 1989. Screening groundnut cultivars for resistance to *Aspergillus flavus*, *A. paraciticus*, and aflatoxin contamination. pp. 291-293. In Aflatoxin contamination of groundnut: Proceeding of the International Workshop, ICRISAT, Pantacheru, A. P., India.
- Premachandra, S. G. and T. Shimada. 1987. The measurement of cell membrane stability using polyethylene glycol as a drought tolerance test in wheat. *Jap. J. Crop Sci.* 56: 92-98.
- Raper, K. B. and D. I. Fennell. 1973. The Genus *Aspergillus*. New York: Robert E. Krieger Publishing Co. 686p.
- Rao, R. C. N., S. Singh, M. V. K. Sivakumar, K. L. Srivastava and J. H. Williams. 1985. Effect of water deficit at different growth phases of peanut. I. Yield responses. *Agronomy J.* 77: 782- 786.

Research report. 1990. Aflatoxin contamination research project (Thailand). Research Report to IDRC by Faculty of Economic and Business Administration, Kasetsart University. December, 1990. 250p.

Riedel, R. M. 2003. Interaction of plant parasitic nematodes with soil-borne plant pathogens. *J. Agric, Ecos. Environ.* 24: 281-292.

Rucker, K. S., C. K. Kvien, C. C. Holbrook and J. E. Hook. 1995. Identification of peanut genotypes with improved drought avoidance traits. *Peanut Sc.* 22: 14-18.

Sander, T. H., R. A. Hill, R. J. Cole and P. D. Blankenship. 1981. Effect of drought on occurrence of *Aspergillus flavus*. *Lett. Appl. Microbiol.* 13: 16-20.

Sanders, T. H., R. J. Cole, P.D. Blankenship and R.A. Hill. 1985. Relationship of environmental stress duration to *Aspergillus flavus* invasion and aflatoxin production in peanut. *Peanut Sci.* 12: 90-93.

Sander, D. B. 1986. Conditions that affect growth of *Aspergillus flavus* and production of aflatoxin in stored maize. In Elbatan (ed.). Aflatoxin in maize. A proceeding of the Workshop. Mexico.

Sanders, T. H., R. J. Cole, P. D. Blankenship and J. W. Dorner. 1993. Aflatoxin contamination of peanuts from plants drought stressed in pod or root zone. *Peanut Sci.* 20: 5-8.

Schroeder, H. W. and L. J. Ashworth Jr. 1965. Aflatoxin in Spanish peanuts in relation to pod and kernel condition. *J. Phytopathol.* 55:464-465.


Senthong, C., and R. K. Pandey. 1989. Response of five food legume crops to an irrigation gradient imposed during reproductive growth. *Agronomy J.* 81: 680-686.

- Senthong, C., and R. K. Pandey. 1998. Drought response of cowpea genotypes to an irrigation gradient during the reproductive phase. *Thai. J. Agric. Sci.* 31(3): 328- 341.
- Shay, F. J. and M. G. Hale. 1973. Effect of low levels of calcium on exudation of sugars and sugar derivatives from intact peanut roots under axenic condition. *Plant Physiol.* 51:1060-1063.
- Shouse, P., S. Dasber, W. A. Jury and L. H. Stolzy. 1981. Water deficit effects on water potential, yield, and water use of cowpeas. *Agronomy J.* 73: 333- 336.
- Shushu, D. D., and E. G. Cutter. 1990. Growth of the gynophore of the peanut (*Arachis hypogaea L.*): Intact and decapitated gynophores. *Can. J. Bot.* 68:955-964.
- Smucker, A. J. M., J. C. Ferguson, W. P. DeBruyn, R. L. Belford and J. T. Ritchie. 1987. Images analysis of video recorded plant root systems. pp. 67-80. In H. M. Taylor, ed. Minirhizotron Observation Tubes: Methods and applications for measuring rhizosphere dynamics. *Amer. Soc. Agron. Special Publication No. 50.*
- Stansell, J. R., J. L. Shepherd, J. E. Pallas Jr., R. R. Bruce, N. A. Minton, D. K. Bell and L. W. Morgan. 1976. Peanut response to soil water variables in the southeast. *Peanut Sci.* 3: 44- 48.
- Stansell, J. R. and J. E. Pallas Jr. 1979. Peanut response to timing and duration of drought stress as reflected on kernel yield and quality. *Proc. Am. Peanut Res. Educ. Soc.* 11: 61 (abstract).

- Subbarao, G. V., C. Johansen, A. E. Slinkard, R. C. Nageswara Rao, N. P. Saxena, and Y. S. Chauhan. 1995. Strategies for improving drought resistance in grain legumes. *Critical Reviews in Plant Sci.* 14(6):469-523.
- Suriyoug, S. 1997. Differences in seed structure on breakdown of genotypic resistance to *Aspergillus flavus* in groundnut. Unpublished M. S. thesis, Chiang Mai University, Chiang Mai, Thailand. 32p.
- Thai, C. N., P. D. Blankenship, R. J. Cole, T. H. Sanders and J. W. Dorner. 1990. Relationship between aflatoxin production and soil temperature for peanuts under drought stress. *Transaction in Agriculture.* 33: 324-329.
- Turk, K. J., A. E. Hall, and C. W. Asbell. 1980. Drought adaptation of cowpea. I. Influence of drought on seed yield. *Agronomy J.* 72: 413- 420.
- Turner, N. C. 1979. Drought resistance and adaptation to water deficits in crop plants. pp. 343-72 In Mussel, H. and R. C. Staples, eds. *Stress Physiology in Crop Plants.* Wiley, New York.
- Volaire, F. and H. Thomas. 1995. Effect of drought on water relations, mineral uptake, water-soluble carbohydrate accumulation and survival of 2 contrasting populations of Cocksfoot (*Dactylis glomerata* L.). *Ann. Bot.* 75(5):157-165.
- Wan, C. G., R. E. Sosebee and B. L. McMichael. 1996. Lateral root development and hydraulic conductance in 4 populations of *Gutierrezia-sarothrae*. *Environ. Exp. Bot.* 36(2): 157-165.
- Wangeli D., Z. Huang, J. Flaherty, K. Wells and G.A. Payne. 1999. Green fluorescent protein as a reporter to monitor gene expression and food colonization by *Aspergillus flavus*. *Agricultural Research Service;* <http://www.nal.usda.gov>

- Waranyuwat, A. and O. Bhumibhamon. 1989. Breeding of groundnut for resistance to aflatoxin producing fungus. pp. 108-113. In proceeding of the eight Thailand National groundnut meeting. Held at Maithai Hotel, Roi-et, Thailand. 3-5 May, 1989.
- Whipper, L. M. 1990. Carbon economy. pp. 59-97. In J. M. Lynch (ed), The rhizosphere. John Wiley, Chichester.
- Will, M. E., C. C. Holbrook and D. M. Wilson. 1994. Evaluation of field inoculation techniques for screening peanut genotypes for reaction to preharvest *A. flavus* group infection and aflatoxin contamination. *Peanut Sci.* 21: 122-125.
- Wilson, D. M., A. C. Mixon and J. M. Troeger. 1977. Aflatoxin contamination of peanuts resistant to seed invasion by *Aspergillus flavus*. *J. Phytopathol.* 67: 922-924.
- Wilson, D. M and J. R. Stansell. 1983. Effect of irrigation regimes on aflatoxin contamination of peanut pods. *Peanut Sci.* 10: 54-56.
- Wilson, D. M., M. E. Walker and G. J. Gasaho. 1989. Some effect of mineral nutrition on aflatoxin contamination of corn and peanuts. 137-151 pp. In A.W. Engelhar (ed.), Soilborn Plant Pathogens: Management of Diseases with Macro- and Micronutrients. APS Press, St. Paul, MN.
- Yingthongchai, P. 1994. Evaluation to cultivar resistance and critical growth stage susceptible to *Aspergillus flavus* in groundnut. Unpublished M. S. thesis, Chiang Mai University, Chiang Mai, Thailand. 63p.
- Young, C. C., C. H. Chang, L. F. Chen and C. C. Chao. 1998. Characterization of the nitrogen fixation and ferric phosphate solubilizing bacteria isolated from a Taiwan soil. *J. Chi. Agric. Chem. Soc.* 36: 201-210.

Zambettakis, C., A. B. Morgan, F. Waliyar and J.Rossion. 1977. Varietal differences in groundnut sensitivity to contamination by *Aspergillus flavus* in the field and in artificial conditions. *Oleagineux* 32: 8-9.



ลิขสิทธิ์ของมหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved