

เอกสารอ้างอิง

- วัลลภา หนูนกัคดี. 2541. เอกสารประกอบการสัมมนาวิชาการเรื่อง”โรคที่สำคัญที่เป็นปัญหาในระบบทางเดินอาหารสุกร”. สถาบันสุขภาพสัตว์แห่งชาติ กรมปศุสัตว์ กระทรวงเกษตรและสหกรณ์.
- Altschul, S. F., Madden, T. L., Schaffer, A. A., Zhang, J., Zhang, Z., Miller, W. and Lipman, D. J. 1997. Gapped BLAST and PSI-BLAST: A new generation of protein database search programs. *Nucl. Acids Res.* 25:3389-3402.
- Baker, D. R., Billey, L. O. and Francis, D. H. 1997. Distribution of K88 *Escherichia coli*-adhesive and nonadhesive phenotypes among pigs of four breeds. *Vet. Microbiol.* 54:123-132.
- Bauer, D., Muller, H., Reich, J., Riedel, H., Ahrenkiel, V., Warthoe, P. and Strauss, M. 1993. Identification of differentially expressed mRNA species by an improved display technique (DDRT-PCR). *Nucleic Acids Res.* 21:4272-4280.
- Bertani, G.R., Gladney, C.D., Johnson, R.K. and David, P. 2004. Evaluation of gene expression in pig selected for enhanced reproduction using differential display PCR II. Anterior pituitary. *Am. J. Anim Sci.* 1125-1135.
- Bratanich, A. and Blanchetot, A. 2006. A gene similar to the human hyaluronan-mediated motility receptor (*RHAMM*) gene is preregulated during porcine circovirus type 2 infection. *Virus Genes.* 32:145-152.
- Cao, H., Agarwa, S.K and Burnside, J. 1999. Cloning and expression of a novel chicken sulfotransferase cDNA regulated by GH. *J. Endocrinol.* 160: 491-500.
- Chen, Y., Wang, B., Weining, S. and Daggard, G. 2004. Anchor primer associated problems in differential display reverse transcription polymerase chain reaction. *Anal Biochem.* 329:145-147.
- Clouscard, M., Mulsant, P., Robic, A., Bonnet, A., Gasser, F. and Hatey, F. 1998. Characterization of FSH regulated gene isolated by mRNA differential display from pig ovarian granulosa cell. *Anim Genet.* 29:98-106.

- Coutinho-Camillo, C. M., Salaornia, S., Sarkis A. S. and Nagai, M. A. 2006. Differentially expressed genes in the prostate cancer cell line LNCaP after exposure to androgen and anti-androgen. *Cancer Genet. Cytogenet.* 166:130–138.
- Duchet-Suchaux, M. F., Bertin, A. M. and Menanteau, P. S. 1991. Susceptibility of Chinese Meishan and European Large White Pigs to Enterotoxigenic *Escherichia-Coli* Strains Bearing Colonization Factor K88, 987P, K99, or F41. *American J. Vet. Res.* 52:40-44.
- Francis, D.H., Grange, P., Zeman, H.D., Baker, R.D., Sun, R. and Erickson, A.K. 1998. Expression of mucin-type glycoprotein K88 receptors strongly correlation with piglets susceptibility to K88⁺ Enterotoxinogenic *Escherichia coli*, but Adhesion of this Bacterium to Brush Border Does Not. *Infect Immun.* 4050-405.
- Grange, P., Michael, A., Mouricout, M.A., Leuvy, S.B., Francis, D.H. and Erickson, A.K. 2002. Evaluation of receptor binding specificity of *Escherichia coli* K88 (F4) fimbrial adhesion variant using porcine serum transferring and glycosphingolipid as model receptor. *Infect Immun.* 3:2336-2343.
- Hu, Z.L., Hasler-Rapacz, J., Huang, H.C. and Rapacz, J. 1993. Studies in swine on Inheritance and variation in expression of small intestine receptor mediating adhesion of K88 enteropathogenic *Escherichia coli* variant. *J. Hered.* 84: 157-165.
- Hsiung, H. M., Smiley, D. L., Zhang, X., Zhang, L., Yan, L. Z., Crafta, L., Heiman, M. L. and Smith, D. P. 2005. Potent peptide agonists for human melanocortin 3 and 4 receptors derived from enzymatic cleavages of human β MSH(5–22) by dipeptidyl peptidase I and dipeptidyl peptidase IV. *Peptides.* 26:1988–1996.
- Jeyasingham, M. D., Butty, P., Begbie, R., King, T. and Kelly, D. 1999. *Escherichia coli* K88 receptor expression and disease susceptible weaned pigs. *Vet. Microbiol.* 68:219-234.
- Klukowska, J., Urbaniak, B. and Witonskim, S. 1999. High frequency of M307A mutation at *FUT1* locus, causing resistance to oedema disease, in an autochthonous Polish pig breed, the Zlotnicka Spotted. *J. Anim. Breed. Genet.* 116:519–524.
- Liang, P. and Pardee, A B. 1992. Differential display of eukaryotic messenger RNA by means of the polymerase chain reaction. *Science.* 967-971.

- Lopez, I. P., Milagro, F. I., Mart, A., Moreno-Aliaga, M. J., Martinez, J. A. and De Miguel, C. 2004. Gene expression changes in rat white adipose tissue after a high-fat. *Biochem and Biophysical Res. Comm.* 318: 234–239.
- Marzullo, L., Tosco, A., Capone, R., Andersen, H. S., Capasso, A. And Leone, A. 2004. Identification of dietary copper- and iron-regulated genes in rat intestine. *Gene.* 338: 225–233.
- Meijerink, E., Neuenschwander, S., Fries, R., Dinter, A., Bertschinger, H.U., Stranzinger, G. and Vögeli, P. 2000. A DNA polymorphism influencing alpha(1,2)fucosyltransferase activity of the pig *FUT1* enzyme determines susceptibility of small intestinal epithelium to *Escherichia coli* F18 adhesion. *Immunogenet.* 52: 129-136.
- Python, P., Jorg, H., Neuenschwander, S., Hagger, C., Stricker, C., Burgi, C., Bertschinger, H.U., Stranzinger, G. and Vogeli, G. 2002. Fine mapping of the intestinal receptor locus for enterotoxigenic *Escherichia coli* F4ac on porcine chromosome 13. *Anim. Genet.* 33: 441-447.
- Python, P. 2003. “Genetic host determinants associated with the adhesion of *E. coli* with *fimbriae* F4 in swine”. Ph.D. Thesis, Swiss Federal Institute of Technology, Zurich.
- Python, P., Jorg, H., Neuenschwander, S., Asai-Coakwell, M., Hagger, C., Burgi, E., Bertschinger, HU., Stranzinger, G. and Vogeli, P. 2005. Inheritance of the F4ab, F4ac and F4ad *E. coli* receptors in swine and examination of four candidate genes for F4acR. *J. Anim. Breed Genet.* Suppl. 1: 5-14.
- Ponsuksili, S., Wimmers, K. and Schellander, K. 2001. Application of differential display RT-PCR to identify porcine liver ESTs. *Gene.* 280: 75–85.
- Sabine, M., Viebahnb, C and Kirchner, C. 2001. Gene expression pattern proteolipid protein 2 mRNA is expressed in the rabbit embryo during gastrulation. *Mech Develop.* 106:129-132.
- Sally, A., Weber, M. and Burton, L.J. 2002. Altered Expression of cellular genetic in neutrophils of periparturient dairy cow. *Vet Immunol Immunop.* 86: 159-175.
- Sellwood, R., Gibbons, R. A., Jones, G. W. and Rutter, J. M. 1975. Adhesion of enteropathogenic *Escherichia coli* to pig intestinal brush borders: the existence of two pig phenotypes, *J. Med. Microbiol.* 8: 405-511.

- Sellwood, R. 1980. The interaction of the K88 antigen with porcine intestinal epithelial cell brush borders. *Biochim Biophys Acta*. 632: 326-335.
- Strathdee, G., Simand, A. and Brown R. 2004. Control of gene expression by CpG island methylation in normal cells. *Biochem. Soc. Transactions*. 32: 913-915.
- Stephanie, R., Nancy, E., Raney, E. and Catherine, W.E. 2004. Development in fetal pig transcriptome. *Physiol Genomics*. 16: 268-274.
- Van den Broeck, W., Cox, E., Oudega, B. and Goddeeris, B. 2000. The fimbrial antigen of *Escherichia coli* and its receptors. *Vet. Microbiol*. 71: 223-244.
- Wilfrid, C. Bourneuf, E. Douaire, M. and Diot, C. 2002. Differential expression and genetic variation of hepatic messenger RNAs from genetically lean and fat chickens. *Gene*. 299: 235-243.
- Xiao-Hong, Q., Qin, Z., Pei-Qiong, L., Chun-Yun, S. and Ru-Hai, X. 2004. Screening specially expressed ESTs related to piglets diarrhea resistance. *Acta Genetica Sinica*. 3: 251-257.
- Yang, X., Hu, Y., Y, D. H., Turner, M. A., Wang, M. and Borchardt, T. 2003. Catalytic strategy of S-adenosyl-L-homocysteine hydrolase: transition-state stabilization and the avoidance of abortive reactions. *Biochemistry*. 42: 1900-1909.