

## REFERENCES

- Armstrong, J., W. Armstrong. 1988. Phragmites australis a preliminary study of soil-oxidizing sites and internal gas transport pathways. *New Phytologist* 108: 373-382.
- Armstrong, W. 1979. Aeration in higher plants. In H.W. Woolhouse (ed.). *Advances in Botanical Research* 7: 225-332. London: Academic Press.
- Bell, R.W., C. Ros, and V. Seng. 2001. Improving the efficiency and sustainability of fertiliser use in drought-and submergence-prone rainfed lowlands in Southeast Asia. In S. Fukai, and J. Basnayake (eds.). *ACIAR Proceedings No. 101. Increased Lowland Rice Production in the Mekong Region*. pp. 155-169. Australian Centre for Internal Agricultural Research, Canberra: Australia.
- Bell, R.W., C. Ros, S. Cook, and P.F. White. 2000. A system to reduce risk in the adoption of new rice production technologies in Cambodia. In *IRRC 2000 Rice Research for Food Security and Poverty Alleviation*. 31 March-3 April 2000. Abstracts. Los Banos, Philippines, International Rice Research Institute.
- Blom, C.W.P.M., and L.A.C.J. Voesenek. 1996. Flooding: the survival strategies of plants. *Trends in Ecology and Evolution* 11: 290-295.
- Brady, N. C. 1974. *The nature and properties of soils*. 9<sup>th</sup> ed. Macmillan Publishing Company, a division of Macmillan, Inc.
- Colmer, T.D. 2003. Aerenchyma and an inducible barrier to radial oxygen loss facilitate root aeration in upland, paddy and deep-water rice (*Oriza sativar* L.). *Annals of Botany* 91: 301-309.

- Colmer, T.D., and A.J. Bloom. 1998. A comparison of  $\text{NH}_4^+$  and  $\text{NO}_3^-$  net fluxes along roots of rice and maize. *Plant, Cell and Environment* 21: 240-246.
- Colmer, T.D., M.R. Gibberd, A. Wiengweera, and T.K. Tinh. 1998. The barrier to radial oxygen loss from roots of rice (*Oryza sativa* L.) is induced by growth in stagnant solution. *Journal of Experimental Botany* 49: 1431-1436.
- De Datta, S.K. 1981. *Principle and Practices of Rice Production*. John Wiley and Sons Incorporation, New York: USA.
- De Datta, S.K., T.K. Biswas, and C. Charoengchamratcheep. 1990. Phosphorus requirements and management for lowland rice. In *Phosphorus requirement for Sustainable Agriculture in Asia and Oceania*. (Ed. IRRI). pp. 307-323. International Rice Research Institute, Manila: Philippines.
- Dobermann, A., and T. Fairhurst. 2000. *Rice Nutrient Disorders & Nutrient Management*. 1<sup>st</sup> ed. Potash and Phosphate Institute (PPI), Potash and Phosphate Institute of Canada (PPIC) and IRRI.
- Drew, M.C. 1983. Plant and adaptation to oxygen deficiency in the root environment: a review. *Plant and Soil* 75: 179-199.
- Fan, M., J. Zhu, C. Richards, K.M. Brown, and J.P. Lynch. 2003. Physiological roles for aerenchyma in phosphorus-stressed roots. *Functional Plant Biology* 30: 493-506.
- Foeshe, D., and A. Jungk. 1983. Influence of phosphate and nitrate supply on root hair formation of rape, spinach and tomato plants. *Plant and Soil* 74: 359-368.
- Fox, R.L., and P.G.E. Searle. 1980. Phosphate adsorption by soils of the tropics. In *Diversity of Soils in the Tropics*. (eds. SSSA and ASA). pp. 97-119. Soil

Science Society of America and Agronomy Science of America, Madison, Wisconsin: USA.

- Fukai, S., P. Inthapanya, F.B.C. Blamey, and S. Khunthasuvon. 1999. Genotypic variation in rice grown in low fertile soils and drought-prone rainfed lowland environments. *Field Crops Research* 64: 121-130.
- Fukai, S., S. Rajatsasereekul, H. Boonjung, and E. Skulkhu. 1995. Simulation modelling to quantify the effect of drought for rainfed lowland rice in Northeast Thailand. In *Fragile Lives in Fragile Ecosystems, Proceedings of the International Rice Research Conference*. 13-17 Feb, 1995. Los Banos, Philippines, International Rice Research Institute (IRRI). pp. 657-674.
- Grigg, B.C., C.A. Beyrouthy, R.J. Norman, E.E. Gbur, M.G. Hanson, and B.R. Wells. 2000. Rice responses to changes in floodwater and N timing in southern USA. *Field Crop Research* 66: 73-79.
- Gutschick, V. 1993. Nutrient-limited growth rates: roles of nutrient-use efficiency and of adaptations to increase uptake rate. *Experimental Botany* 39: 89-98.
- Hinga, G. 1973. Phosphate sorption capacity in relation to properties of several types of Kenya soils. *Journal of East African Agriculture* 38: 400-404.
- Huguenin-Elie, O., G.J.D. Kirk, and E. Frossard. 2003. Phosphorus uptake by rice from soil that is flooded, drained or flooded then drained. *European Journal of Soil Science* 54:77-90.
- Huke, R.E. 1982. *Rice area by type of culture*. South, Southeast, and East Asia. IRRI. Los Banos, Philippines.
- Huke, R.E., and E.H. Huke. 1997. *Rice area by type of culture*. South, Southeast, and East Asia. A revised and updated data base. IRRI, Los Banos, Philippines.

- IRRI, 1993. 1993-1995. IRRI. *Rice Almanac*. International Rice Research Institute, Los Banos, Philippines.
- Jackson, M.B., and M.C. Drew. 1984. Effects of flooding on growth and metabolism of herbaceous plants. In T.T., Kozlowski (ed.). *Flooding and plant growth*. New York: Academic Press. pp. 47-128.
- Justin, S.H.F.W., and W. Armstrong. 1987. The anatomical characteristics of roots and plant response to flooding. *New Phytologist* 106: 465-495.
- Kennedy, R.A., M.E. Rumpho, and T.C. Fox. 1992. Anaerobic metabolism in plants. *Plant Physiology* 100: 1-6.
- Kirk, G.J.D., and L.V. Du. 1997. Changes in rice root architecture, porosity, and oxygen and proton release under phosphorus deficiency. *New phytol.* 135: 191-200.
- Kirk, G.J.D., T. George, B. Courtois, and D. Sehadhira. 1995. Opportunities to improve phosphorus efficiency and soil fertility in rainfed lowland and upland rice ecosystems. In K.S. Fisher (ed.). *Proceedings of the Workshop on the Nutrient Use Efficiency of the Cropping Systems*. pp. 1-35. IRRI. Philippines.
- Kirk, G.J.D., T. George, B. Courtois, and D. Sehadhira. 1998. Opportunities to improve phosphorus efficiency and soil fertility in rainfed lowland and upland rice ecosystems. *Field Crops research* 56: 73-92.
- Ladha, J.K., A. Tirol, K. Reddy, and W. Ventura. 1998. Prospects and problems of biological nitrogen fixation in rice production: a critical assessment. In R. Palacios *et al.* (eds.). *New Frontiers in Nitrogen Fixation* Palacios. pp. 677-682. Kluwer Academic Publishers, Dordrecht: The Netherlands.

- Land Development Department, Bangkok, Thailand. 2002. In P.U.T. Chanakan. 2003. Iron (Fe) in rice grain. Ph.D. Thesis. Chiang Mai University, Chiang Mai, Thailand. pp. 39.
- Mackill, D.J., W.J. Coffman, and D.P. Garrity. 1996. *Rainfed lowland rice improvement*. International Rice Research Institute (IRRI). P.O. Box 933, 1099 Manila, Philippines.
- Macleon, J.L., D.C. Dawe, B. Hardy, and G.P. Hettel (eds.). 2002. *Rice almanac*. Los Banos, (Philippines), Bouake (Cote d'Ivoire), Cali (Colombia) and Rome (Italia): IRRI, WARDA, CIAT, FAO. 253 p.
- Mandal, L.N., and A. Islam. 1979. Inositol phosphate esters in some surface soils of Bangladesh. *Geoderma* 22: 315-321.
- Marschner, H. 1986. *Mineral Nutrient of Higher Plants*. 2<sup>nd</sup> ed. Academic Press. London, UK, pp. 500-503.
- Matsuo, T., K. Kumazawa, R. Ishii, K. Ishihara, and H. Hirata (eds.). 1995. Science of the rice plant. Volume 2: *Physiology*. Food and Agriculture Policy Research Center. Tokyo, Japan.
- Mcdonald, M.P., N.W. Galwey, and T.D. Colmer. 2001. Waterlogging tolerance in the tribe Triticeae: the adventitious roots of *Critesion marinum* have a relatively high porosity and a barrier to radial oxygen loss. *Plant, Cell and Environment* 24: 585-596.
- Mcdonald, M.P., N.W. Galwey, and T.D. Colmer. 2002. Similarity and diversity in adventitious root anatomy as related to aeration among arrange of wetland and dryland grass species. *Plant, Cell and Environment* 25: 441-451.

- Morita, S., and J. Abe. 1996. Development of root systems in wheat and rice. In O. Ito, C. Johansen, J.J. Adu-Gyamfi, K. Katayama, J.V.D.K. Kumar Rao, and T.J. Rego. (eds.). *Dynamics of Roots and Nitrogen in Cropping Systems of the Semi-Arid Tropics*. Tsukuba, Japan, Japan International Research Centre for Agricultural Sciences. pp. 199-209.
- Nielsen, K.L., A. Eshel, and J.P. Lynch. 2001. The effect of phosphorus availability on the carbon economy of contrasting common bean (*Phaseolus vulgaris* L.) genotypes. *Experimental Botany* 52: 329-339.
- Parish, D. H. 1971. Effects of compaction on nutrient supply to plants. In K.K. Barnes, W.M. Charleton, H.M. Taylor, R.I. Throckmorton and G.E. Vanden Berg (eds.). *Compaction in Agricultural Soils*. pp. 279-291.
- Patnaik, S. 1978. Fertility of Rice Soils. In S. Patnaik. 1978. *Soils and Rice*. The International Rice Research Institute. Manila, Philippines. pp. 501-520.
- Peng, S., B. Bounman, R. M. Visperas, A. Castaneda, L. Nie, and H. K. Park. 2005. Comparison between aerobic and flooded rice in the tropics: Agronomic performance in an eight-season experiment. *Field Crop Research (Article in Press)*.
- Ponnamperuma, F. N. 1975. Growth-limiting factors of aerobic soils. In *Major research in upland rice*. IRRI-International Rice Research Institute. P.O. Box 933, Manila, Philippines.
- Ponnamperuma, F.N. 1972. The chemistry of submerged soils. *Advances in Agronomy* 24: 26-96.
- Ponnamperuma, F.N. 1984. Effects of flooding on soils. In T.T. Kozlowski (ed.). *Flooding and plant growth*. pp. 945. Academic Press, Orlando.

- Raskin, I. 1983. A method for measuring leaf volume, density, thickness and internal gas volume. *Horticultural Science* 18: 698-699.
- Reuter, D.J., D.G. Edwards, and N.S. Wilhelm. 1997. Temperate and tropical crops. In D.J. Reuter, and J.B. Robinson. 1997 (eds.). *Plant Analysis, an Interpretation Manual*. 2<sup>nd</sup> ed. CSIRO. Collingwood, Vic, Australia.
- Rubinigg, M., I. Stulen, J.T.M. Elzenga and T.D. Colmer. 2002. Spatial patterns of radial oxygen loss and nitrate net flux along adventitious roots of rice raised in aerated or stagnant solution. *Funct. Plant Biology* 29: 1475-1481.
- Saleh, A. F. M., and S.I. Bhuiyan. 1995. Crop and Rain Water Management Strategies for Increasing Productivity of Rainfed Lowland Rice Systems. *Agricultural Systems* 49: 259-276.
- Samson, B.K., and L.J. Wade. 1998. Soil physical constraints affecting *root growth, water extraction, and nutrient uptake in rainfed lowland rice*. In J.K Latha, L.J. Wade, A. Dobermann, W. Reichardt, G.J.D. Kirk, and C. Piggin (eds.). *Rainfed Lowland Rice: Advances in Nutrient Management Research, Proceedings of the International Workshop on Nutrient Management Research in Rainfed Lowlands*. 12-15 October, 1998. Ubon Ratchathani, Thailand. Los Banos, Philippines, International Rice Research Institute (IRRI). pp. 231-244.
- Sanyal, S.K., and S.K. De Datta. 1991. Chemistry of phosphorus transformations in soil. *Advances in Soil Science* 16: 1-12.
- Schachtman, D.P., R.J. Reid, and S.M. Ayling. 1998. Phosphorus uptake by plants: from soil to cell. *Plant Physiology* 116: 447-453.

- Seng, V. 2000. Edaphic factors limiting rice responses to applied inorganic fertilizers in rainfed lowland soils in Southeast Cambodia. Ph.D. Thesis. School of Environmental Science, Murdoch University, Perth: W. A. pp. 292.
- Seng, V., R.W. Bell, and I.R. Willett. 2004. Amelioration of growth reduction of lowland rice caused by a temporary loss of soil-water saturation. *Plant and Soil* 265: 1-16.
- Seng, V., R.W. Bell, I.R. Willett, and H.J. Nesbitt. 1999. Phosphorus nutrition of rice in relation to flooding and temporary loss of saturation in two lowland soils in South-east Cambodia. *Plant and Soil* 207: 121-132.
- Sharma, P.K., G. Pantuwan, K.T. Ingram, and S.K. De Datta. 1994. Rainfed lowland rice roots: soil and hydrological effects. In G.J.D. Kirk, (ed.). *Rice Roots: Nutrient and Water Use*. Manila, Philippines, International Rice Research Institute (IRRI). pp. 55-66.
- Singh, U., S.K. Patil, R.O. Das, J.L. Padilla, V.P. Singh, and A.R. Pal. 1999. Nitrogen dynamic and crop growth on an alfisol and a vertisol under rainfed lowland rice-based cropping system. *Field Crops Research* 61: 237-252.
- Thomson, C.J., W. Armstrong, I. Waters, and H. Greenway. 1990. Aerenchyma formation and associated oxygen movement in seminal and nodal roots of wheat. *Plant, Cell and Environment* 13: 395-403.
- Visser, E.J.W., C.W.P.M., Blom, and L.A.C.J., Voesenek. 1996. Flooding induced adventitious rooting in *Rumex*: morphology and development in ecological perspective. *Acta Botanica Neerlandica* 45: 17-28.




- Wade, L.J., S. Fukai, B.K. Samson, A. Ali, and M.A. Mazid. 1999a. Rainfed lowland rice: physical environment and cultivar requirements. *Field Crops Research* 64: 3-12.
- Wade, L.J., S.T. Amarante, A. Olea, D. Harnpichitvitaya, K. Naklang, A. Wihardjaka, S.S. Sengar, M.A. Mazid, G. Singh, and C.G. McLaren. 1999b. Nutrient requirements in rainfed lowland rice. *Field Crops Research* 64: 91-107.
- Wade, L.J., T. George, J.K. Ladha, U. Sing, S.I. Bhuiyan, and S. Panday. 1998. Opportunities to manipulate nutrient-by-water interactions in rainfed rice systems. *Field Crops Research* 56: 93-112.
- Weaver, R.M., R.X. Fox, and M. Drosdoff. 1975. Inorganic and organic phosphorus occurrence in some highly weathered soils of the Puerto Rico. *Tropical Agriculture (Trinidad)* 52: 119-130.
- White, P.F., and V. Seng. 1997a. Responses of rainfed lowland rice to phosphorus fertilizer application in Cambodia. In *ACIAR Proceeding No. 77: Breeding Strategies for Rainfed Lowland Rice in Drought-Prone Environments*. (ed. ACIAR). pp. 202-208. Australian Centre for International agriculture Reasearch, Canberra: Australia.
- White, P.F., T. Oberthur, and S. Pheav. 1997b. *The Soil Used for Rice Production in Cambodia: A Manual for their Identification and Management*. International Rice Research Institute, Manila: Philippines. pp. 76.
- Wiengweera, A., and H. Greenway. 2004. Performance of seminal and nodal roots of wheat in stagnant solution:  $K^+$  and P uptake and effects of increasing  $O_2$  partial pressures around the shoot on nodal root elongation. *Experimental Botany* 55: 2121-2129.

- Wiengweera, A., H. Greenway, and C.J. Thomson. 1997. The use of agar nutrient solution to simulate lack of convection in waterlogged soils. *Annals of Botany* 80: 115-123.
- Willett, I.R. 1986. Phosphorus dynamics in relation to redox processes in flooded soils. In *Transactions of 13<sup>th</sup> Congress of the International Society Soil Science*. (ed. ISSS). pp. 784-755 (Vol. 6). International Society of Soil Science, Hamberg: Germany.
- Willett, I.R. 1991. Phosphorus dynamics in acidic soils that undergo alternate flooding and drying. In P. Deturck, and F.N. Ponnampereuma (eds.). *Rice Production on Acid Soils of the Tropics*. Institute of Fundamental Studies. Kandy, Sri Lanka. pp. 43-49.
- Willett, I.R., and A. Intrawech. 1988. "Preliminary Studies of Chemical Dynamics of Sandy Paddy Soils of Tung Kula Ronghai, Northeast Thailand." Divisional Report No. 95. Melbourne, Australia, CSIRO.
- Willett, I.R., and M.L. Higgins. 1978. Phosphate sorption by reduced and re-oxidized rice soils. *Australian Journal of Soil Research* 16: 319-326.
- Wonprasaid, S., S. Khunthasuvon, P. Sittisuang, and S. Fukai. 1996. Performance of contrasting rice cultivars selected for rainfed lowland conditions in relation to soil fertility and water availability. *Field Crops Research* 47: 267-275.
- Yoshida, S. 1979. *Fundamentals of rice crop science*. International Rice Research Institute. pp. 135.
- Yoshida, S. 1981. *Fundamentals of Rice Crop Science*. (ed. IRRI). International Rice Research Institute, Los Banos, Laguna: Philippines.

Yoshida, S., D.A. Forno, J.H. Cock, and K.A. Gomez. 1976. *Laboratory Manual for Physiological Studies of Rice*. 3<sup>rd</sup> ed. The International Rice Research Institute. Los Banos, Philippines.

Zeigler, R.S., and D. W. Puckridge. 1995. Improving sustainable productivity in rice-based rainfed lowland systems of South and South-East Asia. *Geo. Journal* 35: 307-324.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved