

References

- Basu, M.S. and Nautiyal, P.C. 2004. Improving water use efficiency and drought tolerance in ground nut by trait based breeding programmes in India. The 4th International Crop Science Congress (Turner, N. *et al.*, eds), p. 113. Brisbane, Australia.
- Bates, T. R. and Lynch, J. P. 1996. Stimulation of root hair elongation in *Arabisopsis thaliana* by low phosphorus availability. *Plant Cell Environ.* 19 (55): 529-538.
- Bell, R.W., McLay, L., Plaskett, D., Dell, B. and Loneragan, J.F. 1990a. Internal boron requirements of green gram (*Vigna radiata*). In Plant nutrition-physiology and Applications. (Van Beusichem, M.L., ed.), pp. 275-280. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- Bell, R. W., Rerkasem, B., Keerati-Kasikorn, P., Phetchawee, S., Hiranburana, N., Ratanarat, S., Pongsakul, P. and Loneragan, J. F. 1990b. Mineral nutrition of food legumes in Thailand with particular reference to micronutrients. ACIAR Technical Reports No.16, CPN, Canberra.
- Bellaloui, N. and Brown, P.H. 1998. Cultivar differences in boron uptake and distribution in celery (*Apium graveolens*), tomato (*Lycopersicon esculentum*) and wheat (*Triticum aestivum*). *Plant Soil* 198 (2): 153-158.
- Bellaloui, N., Brown, P.H. and Dandekar, A.M. 1999. Manipulation of in vivo sorbitol production alters boron uptake and transport in tobacco. *Plant Physiol.* 119: 735-741.

- Bellaloui, N., Yadav, R.C., Chern, M.-S., Hu, H., Gillen, A.M., Greve, C., Dandekar, A.M., Ronald, P.C. and Brown, P.H. 2003. Transgenically enhanced sorbitol synthesis facilitates phloem-boron mobility in rice. *Physiol. Plant.* 117: 79-84.
- Blevins, D.G. and Lukaszewski, K.M. 1998. Boron in plant structure and function. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 49: 481-500.
- Bowen, J.E. 1972. Effect of environmental factors on water utilisation and boron accumulation and translocation in sugarcane. *Plant Cell Physiol.* 13: 703-714.
- Broschat, T.K. 1997. Nutrient distribution, dynamics, and sampling in coconut and Canary Island Date Palms. *J. Amer. Soc. Hort. Sci.* 122 (6): 884-890.
- Broughton, W.J. and Dilworth, M.J. 1971. Control of leghaemoglobin synthesis in snake bean. *Biochem J.* 125: 1075-1080.
- Brown, P.H. and Hu, H. 1994. Boron uptake by sunflower, squash and cultured tobacco cells. *Physiol. Plant.* 91: 435-441.
- Brown, P.H. and Hu, H. 1996. Phloem mobility of boron is species dependent: evidence for phloem mobility in sorbitol-rich species. *Ann. Bot.* 77: 497-505.
- Brown, P.H. and Shelp, B.J. 1997. Boron mobility in plants. *Plant Soil* 193: 85-101.
- Brown, P.H. and Hu, H. 1997. Does boron play only a structural role in the growing tissues of higher plants? *Plant Soil* 196: 211-215.
- Brown, P.H. and Hu, H. 1998. Boron mobility and consequent management in different crops. *Better Crops* 82 (2): 28-31.
- Brown, P.H., Ferguson, L. and Picchioni, G.A. 1994. Boron nutrition of pistachio. Annual report of the California pistachio commission, Fresno, California.

- Brown, P.H., Picchioni, G., Jenkin, M. and Hu, H. 1992. Use of ICP-MS and ^{10}B to tracer the movement of boron in plants and soil. *Commun. Soil Sci. Plant. Anal.* 23 (17-20): 2781-2807.
- Brown, P.H., Bellaloui, N., Hu, H. and Dandekar, A. 1999. Transgenically enhanced sorbitol synthesis facilitates phloem boron transport and increases tolerance of tobacco to boron deficiency. *Plant Physiol.* 119: 17-20.
- Brown, P.H., Bellaloui, N., Wimmer, M.A., Bassil, E.S., Ruiz, J., Hu, H., Pfeffer, H. and Dannel, F. 2002. Boron in plant biology. *Plant biol.* 4: 205-223.
- Burgess, S.S.O., Pate, J.S., Adams, M.A. and Dawson, T.E. 2000. Seasonal Water Acquisition and Redistribution in the Australian Woody Phreatophyte, Banksia prionotes. *Ann. Bot.* 85: 215-224.
- Cakmak, I., Kurz, H. and Marschner, H. 1995. Short-term effects of boron, germanium, and high light intensity on membrane permeability in boron deficient leaves of sunflower. *Physiol. Plant.* 95: 11-18.
- Campbell, L.C., Miller, M.H. and Loneragan, J.F. 1975. Translocation of boron to plant fruits. *Aust. J. Plant Physiol.* 2: 481-487.
- Cheng, C. and Rerkasem, B. 1993. Effects of boron on pollen viability in wheat. *Plant Soil* 156: 313-315.
- Clarkson, D.T. and Lüttege, U. 1991. Mineral nutrition: inducible and repressible transport systems. *Prog. Bot.* 52: 61-83.
- Conradie, W.J. 1991. Translocation and storage of nitrogen by grapevines as affected by time of application. In the international symposium on nitrogen in grapes and wine. (Rantz, F.M., ed.), pp. 32-42. The American society for enology and viticulture, Davis, CA.

- DeBoer, A.H., Prius, H.B. and Zanstra, P.E. 1983. Biphasic composition of transroot electrical potential in roots of *Plantago* species: involvement of spatially separated electrogenic pumps. *Planta* 157: 259-266.
- Delgado, A., Benlloch, M. and Fernández-Escobar, R. 1994. Mobilization of boron in olive trees during flowering and fruit development. *HortScience* 29 (6): 616-618.
- Dell, B. and Huang, L. 1997. Physiological response of plants to low boron. *Plant Soil* 193: 103-120.
- Enstone, D.E. and Peterson, C.A. 1992. The apoplastic permeability of root apices. *Can. J. Bot.* 70: 1502-1512.
- Esau, K. 1898. Plant Anatomy, 2nd/Ed. John Wiley & Sons, Inc., New York.
- Fernández-Escobar, R., Moreno, R. and Garcia-Creus, M. 1999. Seasonal changes of mineral nutrients in olive leaves during the alternate-bearing cycle. *Sci. Hortic.* 82: 25-45.
- Goldbach, H.E., Hartmann, D. and Rotzer, T. 1990. Boron is required for the stimulation of the ferricyanide-induced proton release by auxins in suspension-cultured cells of *Daucus carota* and *Lycopersicon esculentum*. *Physiol. Plant.* 80 (1): 114-118.
- Goldbach, H.E., Wimmer, M.A. and Findeklee, P. 2000. Discussion Paper: Boron - How can the critical level be defined? *J. Plant Nutr. Soil Sci.* 163: 115-121.
- Hanson, E.J. 1991. Movement of boron out of tree fruit leaves. *HortScience* 26 (3): 271-273.

- Hanson, E.J., Chaplin, M.H. and Breen, P.J. 1985. Movement of foliar applied boron out of leaves and accumulation in flower buds and flower parts of 'Italian' prune. *HortScience* 20 (4): 747-748.
- Harris, H.C. and Brolman, J.B. 1966. Comparison of calcium and boron deficiencies of the peanut. I. Physiological and yield differences. *Agron. J.* 58: 575-578.
- Hayashi, H. and Chino, M. 1990. Chemical composition of phloem sap from the uppermost internode of the rice plant. *Plant Cell Physiol.* 31: 247-251.
- Hill, W. E. and Morrill , L. G. 1974. Assessing boron needs for improving peanut yields and quality. *Agron. J.* 38: 791-794.
- Hobbs, P.R. 1974. Peanut, Annual Report 1973-1974. Multiple Cropping Project.
- Hocking, P.J. 1980. The composition of phloem exudate and xylem sap from tree tobacco (*Nicotiana glauca* (Grah)). *Ann. Bot. (Lond.)* 45: 633-643.
- Hu, H. and Brown, P.H. 1994. Localization of boron in cell walls of squash and tobacco and its association with pectin. *Plant Physiol.* 105: 681-689.
- Hu, H. and Brown, P.H. 1997. Absorption of boron by plant roots. *Plant Soil* 193: 49-58.
- Hu, H., Penn, S.G., Lebrilla, C.B. and Brown, P.H. 1997. Isolation and characterization of soluble boron complexes in higher plants: The mechanism of phloem mobility of boron. *Plant Physiol.* 113: 649-655.
- Huang, L., Ye, Z. and Bell, R.W. 1996. The importance of sampling immature leaves for the diagnosis of boron deficiency in oilseed rape (*Brassica napus* cv. Eureka). *Plant Soil* 183: 187-198.

- Huang, L., Bell, R.W. and Dell, B. 2001. Boron supply into wheat (*Triticum aestivum* L. cv. Wilgoyne) ears whilst still enclosed within leaf sheaths. *J. Exp. Bot.* 52 (361): 1731-1738.
- Huang, L., Bell, R.W., Dell, B. and Woodward, J. 2004. Rapid nitric acid digestion of plant material with an open-vessel microwave system. *Comm. Soil Sci. Plant Anal.* 35 (3&4): 427-440.
- Kobayashi, M., Matoh, T. and Azuma, J.-I. 1996. Two chains of rhamnogalacturonan II are cross-linked by borate-diol ester bonds in higher plant cell walls. *Plant Physiol.* 110: 1017-1020.
- Kulikova, A.L., Turkina, M.V. and Puryaseva, A.P. 2003. Cytoskeletal proteins in the phloem tissues and phloem sap of higher plants. *Cell Biology International* 27: 223-224.
- Lampinen, M. J. and Noponen, T. 2003. Thermodynamic analysis of the interaction of the xylem water and phloem sugar solution and its significance for the cohesion theory. *J. Theor. Biol.* 224: 285-298.
- Lehto, T., Kallio, E. and Aphalo, P. J. 2000. Boron mobility in two coniferous species. *Ann. Bot.* 86: 547-550.
- Lehto, T., Lavola, A., Julkunen-Tiitto, R. and Aphalo, P.J. 2004a. Boron retranslocation in Scots pine and Norway spruce. *Tree Physiol.* 24 (9): 1011-1017.
- Lehto, T., Raisanen, M., Lavola, A., Julkunen-Tiitto, R. and Aphalo, P.J. 2004b. Boron mobility in deciduous forest trees in relation to their polyols. *New Phytol.* 163: 333-339.

- Leite, V.M., Brown, P.H. and Rosolem, C.A. 2007. Boron translocation in coffee trees. *Plant Soil* 290: 221-229.
- Loescher, W.H. and Everard, J.D. 1996. Sugar alcohol metabolism in sink and sources. In Photoassimilate distribution in plants and crops. Source-sink relationships (Zamski, E. and Schaffer, A.A., eds.), pp. 185-207. Marcel Dekker Ink., New York.
- Lohse, G. 1982. Microanalytical azomethine-H method for boron determination in plant tissues. *Commun. Soil Sci. Plant Anal.* 13: 127-134.
- Lonergan, J.F., Snowball, K. and Robson, A.D. 1980. Copper supply in relation to content and redistribution of copper among organs of the wheat plant. *Ann. Bot. (Lond.)* 45: 621-632.
- Marentes, E., Shelp, B.J., Vanderpool, R.A. and Spiers, G.A. 1997. Retranslocation of boron in broccoli and lupin during early reproductive growth. *Physiol. Plant.* 100: 389-399.
- Marschner, H. 1995. Mineral nutrition of higher plants, 2nd/Ed. Academic Press, London.
- Marsilio, V., Campestre, C., Lanza, B. and De Angelis, M. 2001. Sugar and polyol compositions of some European olive fruit varieties (*Olea europaea* L.) suitable for table olive purposes. *Food Chem.* 72: 485-490.
- Marten, J.M. and Westermann, D.T. 1991. Fertilizer applications for correcting micronutrient deficiencies. In Micronutrients in Agriculture. SSSA Book Series no. 4 (Mordtvedt, J. J. et al., eds.), pp. 549-592. SSSA, Madison, WI.
- Matoh, T. and Ochiai, K. 2005. Distribution and partitioning of newly taken-up boron in sunflower. *Plant Soil* 278 (1-2): 351-360.

- Matoh, T., Kawaguchi, S. and Kobayashi, M. 1996. Ubiquity of a borate-rhamnogalacturonan II complex in the cell walls of higher plants. *Plant Cell Physiol.* 37: 636-640.
- Matoh, T., Ishigaki, K.-I., Mizutami, M., Matsunaga, W. and Takabe, K. 1992. Boron nutrition of cultured tobacco BY-2 cells I. Requirements for an intracellular localisation of boron and selection of cells that tolerate low levels of boron. *Plant Physiol.* 99: 1135-1141.
- McIlrath, W.J. 1965. Mobility of boron in several dicotyledonous. *Bot. Gaz.* 126: 27-30.
- Menzel, C.M., Carseldine, M.L. and Simpson, D.R. 1987. The effect of leaf age on nutrient composition of non-fruiting litchi (*Litchi chinensis* Sonn.). *J. Hortic. Sci.* 62 (2): 273-279.
- Miller, H.C. 1986. Carbon x nutrient interactions. *Tree Physiol.* 2: 373-385.
- Moing, A. 2000. Sugar alcohols as carbohydrate reserves in some higher plants. In Carbohydrate Reserves in Plants - Synthesis and Regulation (Gupta, A. K. and Kaur, N., eds.), pp. 337-358. Elsevier Science B. V.
- Mozafar, A. 1989. Boron effect on mineral nutrients of maize. *Agron. J.* 81: 285-290.
- Mozafar, A., Schreiber, P. and Oertli, J.J. 1993. Photoperiod and root-zone temperature: Interacting effects on growth and mineral nutrients of maize. *Plant Soil* 153: 71-78.
- Nachiangmai, D., Dell, B., Bell, R.W., Huang, L. and Rerkasem, B. 2004. Enhanced boron transport into the ear of wheat as a mechanism for boron efficiency. *Plant Soil* 264: 141-147.

Nambiar, E.K.S. and Fife, D.N. 1991. Nutrient translocation in temperate conifers.

Tree Physiol. 9: 185-207.

Oertli, J.J. 1993. The mobility of boron in plants. *Plant Soil* 155/156: 301-304.

Oertli, J.J. 1994. Non-homogeneity of boron distribution in plants and consequences for foliar diagnosis. *Commun. Soil Sci. Plant Anal.* 25 (7&8): 1133-1147.

O'Neill, M.A., Ishii, T., Albersheim, P. and Darvill, A.G. 2004. Rhamnogalacturonan II: Structure and Function of a Borate Cross-Linked Cell Wall Pectic Polysaccharide. *Annu. Rev. Plant Biol.* 55: 109-139.

O'Neill, M.A., Warrenfeltz, D., Kates, K., Pellerin, P., Doco, T., Darvill, A.G. and Albersheim, P. 1996. Rhamnogalacturonan-II, a Pectic Polysaccharide in the Walls of Growing Plant Cell, Forms a Dimer That Is Covalently Cross-linked by a Borate Ester. *J. Biol. Chem.* 271 (37): 22923-22930.

Oparka, K.J. and Santa Cruz, S. 2000. The great escape: Phloem transport and unloading of macromolecules. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 51: 323-347.

Pate, J.S. and Gunning, B.E.S. 1972. Transfer cells. *Annu. Rev. Plant Physiol.* 23: 173-196.

Pate, J.S., Sharkey, P.J. and Lewis, O.A.M. 1974. Phloem bleeding from legume fruits-A technique for study of fruit nutrition. *Planta* 120: 229-243.

Pate, J.S., Sharkey, P.J. and Lewis, O.A.M. 1975. Xylem to phloem transfer of solutes in fruiting shoots of Legumes, studied by a phloem bleeding technique. *Planta (Berl.)* 122: 11-26.

Patil, S.H., Kale, P.M., Deshmukh, S.N., Fulzele, G.R. and Weginwar, B.G. 1995.

Semi dwarf, early maturing and high yielding new groundnut variety, TAG 24.

J. Oilseeds Research 12: 254-257.

Perica, S., Bellaloui, N., Greve, C., Hu, H. and Brown, P.H. 2001. Boron transport and soluble carbohydrate concentrations in olive. *J. Amer. Soc. Hort. Sci.* 126 (3): 291-296.

Peterson, C.A., Murrmann, M. and Steudle, E. 1993. Location of the major barriers to water and ion movement in young roots of *Zea mays* L. *Planta* 190: 127-136.

Raven, J.A. 1980. Short- and long-distance transport of boric acid in plants. *New Phytol.* 84: 231-249.

Rerkasem, B. and Jamjod, S. 2001. Overcoming wheat sterility problem with boron efficiency. *Dev. Plant Soil Sci.* 92: 82-83.

Rerkasem, B., Netsangtip, R., Bell, R.W., Loneragan, J.F. and Hiranburana, N. 1988. Comparative species responses to boron on a Typic Tropaquealf in Northern Thailand. *Plant Soil* 106: 15-21.

Reuter, D.J. and Robinson, J.B. 1997. Plant Analysis, 2nd/Ed. CSIRO, Collingwood-Vic.

Salvador, J.O., Moreira, A. and Muraoka, T. 1999. Visual symptoms of micronutrient deficiency and of mineral content in leaves of young guava plants. *Pesquisa-Agropecuaria-Brasileira* 34 (9): 1655-1662.

Schon, M.K., Novacky, A. and Blevins, D.G. 1990. Boron Induces Hyperpolarization of Sunflower Root Cell Membranes and Increases Membrane Permeability to K+. *Plant Physiol.* 93 (2): 566-571.

- Schurr, U. 1998. Xylem sap sampling – new approaches to an old topic. *Trends Plant Sci.* 3 (8): 293-298.
- Shelp, B.J. 1987. The composition of phloem exudate and xylem sap from broccoli (*Brassica oleracea* var. *italica*) supplied with NH_4^+ , NO_3^- or NH_4NO_3 . *J. Exp. Bot.* 38 (195): 1619-1636.
- Shelp, B. J. 1988. Boron mobility and nutrition in broccoli (*Brassica oleraceae* var *italica*). *Ann. Bot.* 61: 83-91.
- Shelp, B.J. and Shattuck, V.I. 1987a. Boron nutrition and mobility, and its relation to elemental composition of greenhouse grown root crops. I. Rutabaga. *Commun. Soil Sci. Plant Anal.* 18: 187-201.
- Shelp, B.J. and Shattuck, V.I. 1987b. Boron nutrition and mobility, and its relation to hollow stem and the elemental composition of greenhouse grown cauliflower. *J. Plant Nutr.* 10 (2): 143-162.
- Shelp, B.J., Penner, R. and Zhu, Z. 1992. Broccoli (*Brassica oleracea* var. *italica*) cultivar response to boron deficiency. *Can. J. Plant Sci.* 72: 883-888.
- Shelp, B.J., Marentes, E., Kitheka, A.M. and Vivekanandan, P. 1995. Boron mobility in plants. *Physiol. Plant.* 94: 356-361.
- Shelp, B.J., Kitheka, A.M., Vanderpool, R.A., Van Cauwenberghe, O.R. and Spiers, G.A. 1998. Xylem to phloem transfer of boron in broccoli and lupin during early reproductive growth. *Physiol. Plant.* 104 (4): 533-540.
- Shorrocks, V.M. 1997. The occurrence and correction of boron deficiency. *Plant Soil* 193: 121-148.

Smith, F.W. and Loneragan, J.F. 1997. Interpretation of Plant analysis: Concepts and Principles. In Plant Analysis and Interpretation Manual (Reuter, D. J. and Robinson, J. B., eds.), pp. 3-33. Collingwood Vic: CSIRO.

Stangoulis, J.C.R. 1998. Genotypic variation in oilseed rape to low boron nutrition and the mechanism of boron efficiency. Ph.D. Thesis, University of Adelaide, South Australia.

Stangoulis, J.C.R., Brown, P.H., Bellaloui, N., Reid, R.J. and Graham, R.D. 2001. The efficiency of boron utilisation in canola. *Aust. J. Plant Physiol.* 28 (11): 1109-1114.

Subedi, K.D., Gooding, M.J. and Gregory, P.J. 2001. Cultivar variation in boron accumulation and grain set in wheat under the influence of cold temperature. *Ann. appl. Biol.* 138: 97-101.

Switzer, G.L. and Nelson, L.E. 1972. Nutrient accumulation and cycling in loblolly pine (*Pinus taeda* L.) plantation ecosystems: the first 20 years. *Soil. Sci. Soc. Amer. Proc.* 36: 143-147.

Takano, J., Noguchi, K., Yasumori, M., Kobayashi, M., Gajdos, Z., Miwa, K., Hayashi, H., Yoneyama, T. and Fujiwara, T. 2002. *Arabidopsis* boron transporter for xylem loading. *Nature* 420: 337-340.

Tanner, W. and Beevers, H. 2001. Transpiration, a prerequisite for long-distance transport of minerals in plants. *Plant Biol.* 98 (16): 9443-9447.

Thellier, M., Duval, Y. and Demarty, M. 1979. Borate exchanges of *Lemna minor* L. as studied with the help of enriched stable isotopes and of a (n,o:) nuclear reaction. *Plant Physiol.* 63: 283-288.

- Thompson, G.A. and Schulz, A. 1999. Macromolecular trafficking in the phloem. *Trends Plant Sci.* 4 (9): 354-360.
- Turner, J. and Lambert, M. J. 1986. Nutrition and nutritional relationships of *Pinus radiata*. *Annu. Rev. Ecol. Syst.* 17: 325-350.
- Van Goor, B.J. and Van Lune, P. 1980. Redistribution of potassium, boron, iron, magnesium and calcium in apple trees. *Physiol. Plant.* 48: 21-26.
- Vorasoot, N., Songsri, P., Akkasaeng, C., Jogloy, S. and Patanothai, A. 2003. Effect of water stress on yield and agronomic characters of peanut. *Songklanakarin J. Sci. Technol.* 25 (3): 283-288.
- Wegner, L.H. and Raschke, K. 1994. Ion channels in the xylem parenchyma of barley roots: a procedure to isolate protoplasts from this tissue and a patch-clamp exploration of salt passageways into xylem vessels. *Plant Physiol.* 105: 799-813.
- Wongmo, J., Jamjod, S. and Rerkasem, B. 2004. Contrasting responses to boron deficiency in barley and wheat. *Plant Soil* 259: 103-110.
- Ziegler, H. 1975. Nature of transported substances, Springer-Verlag Berlin Heidelberg, New York.
- Zimmermann, M.H. 1960. Transport in the phloem. *Annu. Rev. Plant Physiol.* 11: 167-190.