

เอกสารอ้างอิง

- กาญจนา ทองทา. 2550. ผลของการใช้รำข้าวเหนียวกำกั่งต่อการพัฒนาของวิลไลและระดับโภคเลสเทอรอล
ในเดือดของสุกรheyann. วิทยานิพนธ์ปริญญาโท ภาควิชาสัตวศาสตร์ คณะเกษตรศาสตร์
มหาวิทยาลัยเชียงใหม่. (ข้อมูลติดต่อส่วนตัว)
- ชัยวุฒิ ไชยชนะ. 2545. การสักดีและแยกงาตุจากข้าวกำกั่ง. ภาควิชาเคมี คณะวิทยาศาสตร์
มหาวิทยาลัยเชียงใหม่.
- รัชชัย แคลาท่า, พันทิพา พงษ์เพิจันทร์, และ เพทาย พงษ์เพิจันทร์. 2547. ผลของแ去买มาโอไร
ชาโนด ต่อการตอบสนองของภูมิคุ้มกันในหนูอินจารเพคผู้. วารสารเกษตร. 20 (2)
- พันทิพา พงษ์เพิจันทร์. 2541. สารอาหารกับภูมิคุ้มกันในสัตว์. ธุรกิจอาหารสัตว์. ปีที่ 15 เล่มที่ 63. หน้า
15-43.
- พันทิพา พงษ์เพิจันทร์. 2547. หลักการอาหารสัตว์ เล่มที่ 2. หลักการโภชนาศาสตร์และการ
ประยุกต์. พิมพ์ครั้งที่ 2. สำนักพิมพ์โอดีียนสโตร์. 611 หน้า
- ไฟโฉก ปัญจ. 2541 บทบาทของเรื้ചๆ ในอาหารสัตว์: เอกสารคำสอน. ภาควิชาเทคโนโลยีการเกษตร คณะ
วิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยธรรมศาสตร์
- วันดี ทาตระกูล. 2546. สุกรและการผลิตสุกร. ภาควิชาสัตวศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่.
- วีไควรณ แทนราณี. 2550. การใช้สารต้านอนุมูลอิสระจาก粒รำข้าวเหนียวกำกั่ง (*Oryza sativa L.*) เพื่อยับยั่ง
การเกิดออกซิเดชัน และเพิ่มสมรรถภาพการผลิตลูกสุกรหลังหม่าน. วิทยานิพนธ์ปริญญา
โท ภาควิชาสัตวศาสตร์ คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่. (ข้อมูลติดต่อส่วนตัว)
- วีฤก วีรานุวัตติ และ กนกนาถ ชูปัญญา. 2525. เคมีคลินิก. พิมพ์ครั้งที่ 2. คณะแพทยศาสตร์ศิริราช
พยาบาล มหาวิทยาลัยมหิดล, กรุงเทพฯ. 554 หน้า.
- รัตน์ จิราธิ จำรัส เหลืองพุกษ์ชาติ และพันทิพา พงษ์เพิจันทร์. 2543. ข้อสังเกตผลของการถอน
ไวตามินในอาหารต่อค่าภูมิคุ้มและสมรรถนะการผลิตในสุกรชุน. วารสารเกษตร. 16(3) :
204-211.
- สิชล สงค์สิริ. 2544. ภูมิคุ้มกันวิทยา. ภาควิชาภูมิคุ้มกันวิทยาคลินิก คณะเทคนิคการแพทย์
มหาวิทยาลัยเชียงใหม่.
- สุทธิพันธ์ สาระสมบัติ. 2543. อิมูโนวิทยา. พิมพ์ครั้งที่ 4. บริษัท พีพีเอส ขายค์เทคนิคล จำกัด.
กรุงเทพ.

โสมทัต วงศ์สิร่าง. 2538. วิทยาภูมิคุ้มกันทางสัตวแพทย์. พิมพ์ครั้งที่ 4.: โรงพิมพ์จุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพฯ. 114 หน้า.

Abbas, A. K., A. H. Lichman, and J. S. Pober. 1994. Cellular and Molecular Immunology. 2nd Edition. Philadelphia Pennsylvania : W.B. Saunders Company.

Aguilar-Garcia, C., G. Gavino, M. Baragano-Mosqueda, P. Hevia, and V. C. Gavino. 2006. Correlation of tocopherol, tocotrienol, c-oryzanol and total polyphenol content in rice bran with different antioxidant capacity assays. *Food Chem.* [online] Available: <http://www.sciencedirect.com>. (18 September 2006).

A.O.A.C. 1998. Official Method Anlysis. 15th ed. Association of Official Analytical Chemists, Washington, DC.

Anderson, B. K. and R. A Easter. 2005. A review of iron in pigs. Department of animal Sciences. University of Illinois, Urbana.

Andrews, N. C. 2000. Intestinal iron absorption: current concepts circa 2000. *Digest liver oil* 32:56-61.

Andrews, N. C. 2005. Molecular control of iron metabolism. *Best Practice & Res. Clin. Haematol* 18 : 159–169.

Aura, A.-M., P. Martin-Lopez, K. A. O'Leary, G. Williamson, K.-M. Oksman-Caldentey, K. Poutanen, C. Santos-Buelga. 2004. In vitro metabolism of anthocyanins by human gut microflora. *Eur J Nutr.* P 502.

Bagchi, D., A. Garg, R. L. Krohn, M. Bagchi, D. J. Bagchi, J. Balmoori, and S. J. Stohs. 1998. Protective effects of grape seed proanthocyanidins and selected antioxidants against TPA-induced hepatic and brain lipid peroxidation and DNA fragmentation, and peritoneal macrophage activation in mice. *Gen. Pharmac.* 30(5) : 771–776.

Beard, J. L. 2001. Iron Biology in Immune Function, Muscle Metabolism and Neuronal Functioning. *J. Nutr.* 131 : 568S–580S.

Bergman, C. J., and Z. Xu. 2003. Genotype and environment effects on tocopherol, tocotrienol, and g-oryzanol contents of southern U.S. rice. *Cereal Chem.* 80(4) : 446-449.

Berthon, G. 1995. Handbook of Metal-Ligand Interaction in Biological Fluids. Bioorganic Medicine. Volume 1. Marcel dekker, Inc. USA. 666 pp.

Bowlus, C. L. 2003. The role of iron in T cell development and autoimmunity. *Autoimmunity Rev.* 2 : 73–78.

- Bruyne, T. D., L. Pieters, H. Deelstra and A. Vlietinck. 1999. Condensed vegetable tannins: Biodiversity in structure and biological activities. *Biochem. Syst. Ecol.* 27 : 445-459.
- Bub, A., B. Watzl, M. Blockhaus, K. Briviba, U. Liegibel, H. Muller, B. L. Pool-Zobel and G. Rechkemmer. 2003. Fruit juice consumption modulates antioxidative status, immune status and DNA damage. *J. Nutr. Biochem.* 14 : 90-98.
- Burda, S., and W. Oleszek. 2001. Antioxidant and Antiradical Activities of Flavonoids. *J. Agric. Food Chem.* 49:2774-2779.
- Burmester, G.-R. and A. Pezzutto. 2003. Color Atlas of Immunology. GorgTheme Verlag, Germany. 322pp.
- Calder, P.C., C.J. Field and H.S. Gill. 2002. Nutrition and Immune Function. CABI Publishing, UK. 426 pp.
- Cao, G., H. U. Muccitelli, C. Sánchez-Moreno, R. L. Prior. 2001. Anthocyanins are absorbed in glycated forms in elderly women : a pharmacokinetic study. *Am J Clin Nutr.* 73 : 920-926.
- Caraway, W. T. 1963. Macro and micro methods for the determination of serum iron and iron-binding capacity. *Clin Chem.* 9(2) : 188-199.
- Chen, M.-H., and C. J. Bergman. 2005. A rapid procedure for analysing rice bran tocopherol, tocotrienol and γ -oryzanol contents. *J. Food Comp. Anal.* 18 : 319–331.
- Chung, H. S. and W. S. Woo. 2001. A quinolone alkaloid with antioxidant activity from the aleurone layer of anthocyanin-pigmented rice. *J. Nat. Prod.* 64 : 1579-1580.
- Conrad, M. E. and J. N. Umbreit. 2002. Pathways of iron absorption. *Blood Cell. Mol. Dis.* 29 : 336–355.
- Crozier, A., G. Borges, and A. J. Stewart 2004. Absorption, metabolism and potential bioavailability of dietary flavonols and anthocyanins. In *AgroFOOD industry hi-tech.* pp 16-19.
- Crowther, J. R. 1995. Methods in molecular biology ELISA theory and practice, USA: Humana Press Inc., pp. 131-149.
- Dai, Z. 2004. Fecal steroid excretion of rats fed rice bran oil and oryzanol. Ph.D. dissertation, Jinan University.
- Dixon, R. A., D.-Y. Xie, and S. B. Sharma. 2005. Proanthocyanidins – a final frontier in flavonoid research. *New Phytologist.* 165 : 9-28.

- Emerit, J., C. Beaumont, and Trivin, F. 2001. Iron metabolism, free radicals, and oxidative injury. *Biomed. Pharmacother.* 55 : 333-339.
- Ensminger, M. E., J. E. Oldfield and W. W. Heineman. 1990 Feed and Nutrition. Vol. 1. pp 115-116.
- Escribano-Bailon, M. T., C. Santos-Buelga, and J. C. Rivas-Gonzalo. 2004. Anthocyanins in cereals. *J. Chromatogr A.* 1054 : 129–141.
- Felgines, C., O. Texier, C. Besson, D. Fraisse, J.-L. Lamaison, and C. Remesy. 2002. Blackberry anthocyanins are slightly bioavailable in rats. *J. Nutr.* 132 : 1249-1253.
- Felgines, C., S. Talavera, M.-P. Gonthier, O. Texier, A. Scalbert, J.-L. Lamaison and C. Remesy. 2003. Strawberry anthocyanins are recovered in urine as glucuroand sulfoconjugates in humans. *Pelargonidin. J. Nutr.* 133 : 1296–1301.
- Feldman, K. S., K. Sahasrabudhe, R. S. Smith, and W. J. Scheuchenzuber. 1999. Immunostimulation by plant polyphenols: a relationship between tumor necrosis factor production and tannin structure. *Bioorg. Med. Chem. Lett.* 9 : 985-990.
- Frank, J., A. Kamal-Eldin, T. Lundh, K. Maatta, R. Torronen, and B. Vessby. 2002. Effects of Dietary Anthocyanins on Tocopherols and Lipids in Rats. *J. Agric. Food Chem.* 50 : 7226-7230.
- Gerhardt, A. L. and N. B Gallo. 1998. Full-fat rice bran and oat bran similarly reduce hypercholesterolemia in humans. *J. Nutr.* 128 : 865–869.
- Goffman, F.D. and C. Bergman. 2003. Relationship between hydrolytic rancidity, oil concentration and esterase activity in rice bran. *Cereal Chem.* 80(6) : 689-692.
- Gross, J. 1987. Pigments in Fruits. Academic Press. London. 303 pp.
- Hagiwara, A., K. Miyashita, T. Nakanishi, M. Sano, S. Tamano, T. Kadota, T. Koda, M. Nakamura, K. Imai, N. Ito, and T. Shirai. 2001. Pronounced inhibition by a natural anthocyanin, purple corn color, of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP)-associated colorectal carcinogenesis in male F344 rats pretreated with 1,2-dimethylhydrazine. *Cancer Lett.* 171 : 17-25.
- Hallberg, L., Rossander, L. and Skanberg, A-B. 1987. Phytates and the inhibitory effect of bran on iron absorption in man. *Am J Clin Nutr.* 45 : 988-996
- Han, S. J., S. N. Ryu, and S. S. Kan. 2004. A new 2-arylbenzofuran with antioxidant activity from the black colored rice (*Oryza sativa L.*) bran. *Chem. Pharm. Bull.* 52(11) : 1365—1366.

- Haslam, E. 1996. Natural polyphenols (vegetable tannins) as drugs: possible modes of action. *J. Nat. Prod.* 59 : 205-215.
- Hassig, A., W. X. Liang, H. Schwabl, and K. Stampfli. 1999. Flavonoids and tannins : plant-based antioxidants with vitamin character. *Med. Hypotheses.* 52(5) : 479-481.
- He, J. 2004. Absorption, excretion, and transformation of individual anthocyanins in rats. Ph.D. dissertation. University of Maryland.
- He, J., B. A. Magnuson, and M. M. Giusti. 2005. Analysis of Anthocyanins in Rat Intestinal Content Impact of Anthocyanin Chemical Structure on Fecal Excretion. *J. Agric. Food Chem.* 53:2859-2866.
- Heim, K. E., A. R. Tagliaferro, and D. J. Bobilya. 2002. Flavonoid antioxidants: chemistry, metabolism and structure-activity relationships. *J. Nutr. Biochem.* 13:572–584.
- Hentze, M. W., M. U. Muckenthaler, and N. C. Andrews. 2004. Balancing acts: molecular control of mammalian iron metabolism. *Cell.* 117 : 285–297.
- Hertog, M. G. L., P. C. H. Hollman, M. B. Katan, and D. Kromhout. 1993. Intake of potentially anticarcinogenic flavonoids and their determinants in adults in Netherlands. *Nutr. Cancer* 20 : 21-29.
- Hou, D. X., T. Ose, S. Lin, K. Harazoro, I. Imamura, M. Kubo, T. Uto, N. Terahara, M. Yoshimoto and M. Fuji. 2003. Anthocyanidins induce apoptosis in human promyelocytic leukemia cells: Structure-activity relationship and mechanisms involved. *Int. J. Oncol.* 23 : 705-712.
- Hou, D.-X., K. Kai, J.-J. Li, S. Lin, N. Terahara, M. Wakamatsu, M. Fujii, M. R. Young, and N. Colburn. 2004. Anthocyanidins inhibit activator protein 1 activity and cell transformation: structure-activity relationship and molecular mechanisms. *Carcinogenesis.* 25(1) : 29-35.
- Hu, C., J. Zawistowski, W. H. Ling, and D. D. Kitts. 2003. Black rice (*Oryza sativa L. indica*) pigmented fraction suppresses both reactive oxygen species and nitric oxide in chemical and biological model systems. *J. Agric. Food Chem.* 51 : 5271-5277.
- Hughes, D. A. 2001. Dietary carotenoids and human immune function. *Nutrition.* 17 : 823–827.
- Huang, C.-C. J. 2003. Potential functionality and digestibility of oryzanol as determined using *in vitro* cell culture models. Ph.D. dissertation, Louisiana State University. 159 pp.
- Hurrell, R. F., M. Reddy, J. D. Cook. 1999. Inhibition of non-heme iron absorption in man by polyphenolic-containing beverages. *Brit. J. Nutr.* 81 : 289–295.

- Hyun, J. W. and H. S. Chung. 2004. Cyanidin and malvidin from *Oryza sativa* cv. Heugjinjubyeo mediate cytotoxicity against human monocytic leukemia cells by arrest of G₂/M phase and induction of apoptosis. *J. Agric. Food Chem.* 52 : 2213-2217.
- Ichiyanagi, T., Y. Shida, M. M. Rahman, Y. Hatano, H. Matsumoto, M. Hirayama, and T. Konishi. 2005. Metabolic pathway of cyanidin 3-O- β -D-glucopyranoside in rats. *J. Agric. Food Chem.* 53 : 145-150.
- Iqbal, S., M.I. Bhanger, and F. Anwar. 2005. Antioxidant properties and components of some commercially available varieties of rice bran in Pakistan. *Food Chem.* 93: 265-272.
- Juliano, C., M. Cossu, M. Cossu, Alamanni, and L. Piu. 2005. Antioxidant activity of gamma-oryzanol: Mechanism of action and its effect on oxidative stability of pharmaceutical oils. *Int. J. Pharm.* 299 : 146–154.
- Kaneda, I., F. Kubo, and H. Sakurai. 2007. Relationship between trace metal concentration and antioxidative activity of ancient rice bran (red and black rice) and a present-day rice bran (Koshihikari). *J. Trace Elem. Med. Bio.* [online] Available: <http://www.ScienceDirect.com>. (29 January 2007)
- Kang, S.-Y., N. P. Seeram, M. G. Nair, and L. D. Bourquin. 2003. Tart cherry anthocyanins inhibit tumor development in Apc^{Mm} mice and reduce proliferation of human colon cancer cells. *Cancer Lett.* 194 : 13–19.
- Karladee, D., P. Pongpiachan, T. Taltachum, and A. Gavilo. 2003. Accumulation of gamma-oryzanol in purple rice grain. Book of abstracts. BioThailand. pp 374.
- Katsume, N., K. Iwashita, T. Tsushida, K. Yamaki, and M. Kobori. 2003. Induction of apoptosis in cancer cells by bilberry (*Vaccinium myrtillus*) and the anthocyanins. *J. Agric. Food Chem.* 51 : 68-75.
- Kay, C. 2004. Analysis of the bioactivity, metabolism, and pharmacokinetics of anthocyanins in humans. Ph.D dissertation., The University of Guelph. 168 pp.
- Keppler, K. and H.-U. Humpf. 2005. Metabolism of anthocyanins and their phenolic degradation products by the intestinal microflora. *Bioorg. Med. Chem.* 13 : 5195–5205.
- Khokhar, S., and R. K. O. Apenten. 2003. Iron binding characteristics of phenolic compounds: some tentative structure–activity relations. *Food Chem.* 81 : 133–140.

- Klasing, K. C. 2002. "Protecting Animal Health and Well-being Nutrition and Immune Function" in *Scientific Advances in Animal Nutrition: Promise for the New Century. Proceedings of a Symposium*. National Academic Press. Washington D.C. pp 13-20.
- Koga, T., K. Moro, K. Nakamori, J. Yamakoshi, H. Hosoyama, S. Kataoka, and T. Ariga. 1999. Increase of antioxidative potential of rat plasma by oral administration of proanthocyanidin-rich extract from grape seeds. *J. Agric. Food Chem.* 47 : 1892-1897.
- Konczak-Islam, I., M. Yoshimoto, D.-X. Hou, N. Terahara, and O. Yamakawa. 2003. Potential chemopreventive properties of anthocyanin-rich aqueous extracts from *in vitro* produced tissue of sweet potato (*Ipomoea batatas L.*). *J. Agric. Food Chem.* 51 : 5916-5922.
- Kong, J. M., C. Lian-Sai, G. Ngoh-Khang, C. Tet-Fatt, and R. Brouillard. 2003. Analysis and biological activities of anthocyanins. *Phytochemistry*. 64 : 923-933.
- Kuhnau, J. 1996. The flavonoids. A class of semi-essential food components: their role in human nutrition. *Wld. Rev. Nutr. Diet.* 24 : 117-191.
- Kuvibidila, S. and B. S. Baliga. 2002. Role of Iron in Immunity and Infection. pp 209-228. In: Calder, P.C., C.J. Field and H.S. Gill. *Nutrition and Immune Function*. CABI Publishing. UK.
- Lewis, A. J. and L. L. Southern. 2001. Swine nutrition. 2nd ed. CRC Press Boca Raton, Florida, USA. 1009 pp.
- Lin, L.-C., Y.-C. Kuo, C.-J. Chou. 2002. Immunomodulatory proanthocyanidins from *Ecdysanthera utilis*. *J. Nat. Prod.* 65 : 505-508.
- Ling, W. H., L. L. Wang, and J. Ma. 2002. Supplementation of the black rice outer layer fraction to rabbits decreases atherosclerotic plaque formation and increases antioxidant status. *J. Nutr.* 132 : 20-26.
- Lloyd, B. J., T. J. Siebenmorgen, and K. W. Beers. 2000. Effects of commercial processing on antioxidants in rice bran. *Cereal chem.* 77(5) : 551-555.
- Lotito, S. B., and B. Frei. 2004. Relevance of apple polyphenols as antioxidants in human plasma: contrasting *in vitro* and *in vivo* effects. *Free Rad. Biol. & Med.* 36(2) : 201-211.
- Lopes, G. K. B., Herbert M. Schulman, and M. Hermes-Lima. 1999. Polyphenol tannic acid inhibits hydroxyl radical formation from Fenton reaction by complexing ferrous ions. *Biochem. Biophys. Acta*. 1472 : 142-152.

- Lydyard, P., A. Whelan, and M. W. Fanger. 2004. Immunology. 2nd Edition. London : BIOS Scientific Publishers. 318 pp.
- Mariscal-Landin, G., J. H. Avellaneda, T. C. Reis de Souza, A. Aguilera, G.,A. Borbolla, and B. Marek. 2004. Effect of tannins in sorghum on amino acid ileal digestibility and on trypsin (E.C.2.4.21.4) and chymotrypsin (E.C.2.4.21.1) activity of growing pigs. *Anim. Feed Sci. Tech.* 117 : 245–264.
- Matsumoto, H., H. Inaba, M. Kishi, S. Tominaga, M. Hirayama, and T. Tsuda. 2001. Orally Administered Delphinidin 3-Rutinoside and Cyanidin 3-Rutinoside Are Directly Absorbed in Rats and Humans and Appear in the Blood as the Intact Forms. *J. Agric. Food Chem.* 49 : 1546-1551.
- Matuschek, E., T. Elifatio and U. Svanberg. 2001. Oxidation of polyphenols in phytate-reduced high-tannin cereals : effect on different phenolic groups and on in vitro accessible iron. *J. Agric. Food Chem.* 49 : 5630-5638.
- Mazza, G. and E. Miniati. 1993. Anthocyanin in Fruits, Vegetables, and Grains. CRC press, 362 pp.
- Mazza, G., C. D. Kay, T. Cottrell and B. J. Holub. 2002. Absorption of anthocyanins from blueberries and serum antioxidant status in human subjects. *J. Agric. Food Chem.* 50: 7731-7737.
- McDowell, L. R. 1992. Minerals in animal and human nutrition. San Diego. Academic Press. 524 p.
- McGhie, T. K., G. D. Ainge, L. E. Barnett, J. M. Cooney and D. J. Jensen. 2003. Anthocyanin glycosides from berry fruit are absorbed and excreted unmetabolized by both humans and rats. *J. Agric. Food Chem.* 51 : 4539-4548.
- Melidou, M., K. Riganakos, and D. Galaris. 2005. Protection against nuclear DNA damage offered by flavonoids in cells exposed to hydrogen peroxide: The role of iron chelation. *Free Rad.iol. Med.* 39 : 1591–1600.
- Meyer, A. S., M. Heinonen, and E. N. Frankel. 1998. Antioxidant interactions of catechin, cyanidin, caffeic acid, quercetin, and ellagic acid on human LDL oxidation. *Food Chem.* 61(1/2) : 71-75.
- Miller, N. J., M. Begon, and A. Ruiz-Larrea. 2002. Flavonoids and other plant phenols in the diet: their significance as antioxidants. *J. Nutr. Environ. Med.* 12 : 39–51.

- Miyazawa, T., K. Nakagawa, M. Kudo, K. Muraishi, and K. Someya. 1999. Direct intestinal absorption of red fruit anthocyanins, cyanidin-3-glucoside and cyanidin-3,5-diglucoside, into rats and humans. *J. Agric. Food Chem.* 47(3) : 1083-1091.
- Morgan, E. H. and P. S. Oates. 2002. Mechanisms and regulation of intestinal iron absorption. *Blood Cell. Mol. Dis.* 29(3) : 384-399.
- Moridani, M. Y., J. Pourahmad, H. Bui, A. Siraki, and P. J. O'Brien. 2003. Dietary flavonoid iron complexes as cytoprotective superoxide radical scavengers. *Free Rad. Biol. Med.* 34(2) : 243-253.
- Morimitsu, Y., K. Kubota, T. Tashiro, E. Hashizume, T. Kamiya, and T. Osawae. 2002. Inhibitory effect of anthocyanins and colored rice on diabetic cataract formation in the rat lenses. *Int. Congress Series.* 1245 : 503-508.
- Nair, N., S. Mahajan, R. Chawda, C. Kandaswami, T. C. Shanahan, and S. A. Schwartz. 2002. Grape seed extract activates Th1 cells in vitro. *Clin. Diagn. Lab. Imm.* 9 : 470-476.
- Nakamura, H. 1996. Effect of γ -oryzanol on hepatic cholesterol biosynthesis and fecal excretion of cholesterol metabolites. *Radioisotopes* . 25 : 371-374.
- Nanua, J. N., J. U. McGregor and J. S. Godber. 2000. Influence of high-oryzanol rice bran oil on the oxidative stability of whole milk powder. *J Dairy Sci.* 83 : 2426-2431.
- Nam, S. H., S. P. Choi, M. Y. Kang, H. J. Koh, N. Kozukue, and M. Friedman. 2006. Antioxidative activities of bran extracts from twenty one pigmented rice cultivars. *Food Chemistry.* 94 : 613-620.
- Nares, T. 1998. The Effects Vitamin E Supplemental Diets on the Immune Response in Weaned Pigs. A Thesis in Animals Science, Faculty of Agriculture, Graduate School, Chiang Mai University. 92 p.
- NRC. 1998. Nutrient Requirements of Swine. National Academic Press, Washington, D.C.
- Ohshima, H., Y. Yoshie, S. Auriol, and I. Gilibert. 1998. Antioxidant and pro-oxidant actions of flavonoids: effects on DNA damage induced by nitric oxide, peroxynitrite and nitroxyl anion. *Free Rad. Bio. Med.* 25(9) : 1057-1065.
- Oki, T., M. Masuda, S. Nagai, M. Take'ichi, M. Kobayashi, Y. Nishiba, T. Sugawara, I. Suda, and T. Sato. Radical-scavenging activity of red and black rice. *Rice is life: scientific*

- perspectives for the 21st century.* 256-259. [online] Available: <http://www.irri.cgiar.org/publications/wrrc/wrrcPDF/session8-06.pdf>. (1 December 2006)
- Papanikolaou, G. and K. Pantopoulos. 2005. Iron metabolism and toxicity. *Toxicol. Appl. Pharm.* 202 : 199– 211.
- Papas, A. M. 1999. Antioxidant Status, Diet, Nutrition, and Health. CRC Press. USA.
- Passamonti, S., U. Vrhovsek, A. Vanzo, and F. Mattivibormati. 2003. The stomach as a site for anthocyanins absorption from food. *FEBS Letters.* 544 : 210-213.
- Pataki, T., I. Bak, P. Kovacs, D. Bagchi, D. K Das, and A. Tosak. 2002. Grape seed proanthocyanidins improved cardiac recovery during reperfusion after ischemia in isolated rat hearts. *Am J Clin Nutr.* 75 : 894–899.
- Pekic , B., V. Kovac , E. Alonsod, and E. Revilla. 1998. Study of the extraction of proanthocyanidins from grape seeds. *Food Chem.* 61(1/2) : 201-206.
- Prior, R. L. and L. Gu. 2005. Occurrence and biological significance of proanthocyanidins in the American diet. *Phytochemistry.* 66 : 2264–2280.
- Qureshi, A. A. S. A. Sami, and F. A. Khan. 2002. Effects of stabilized rice bran, its soluble and fiber fractions on blood glucose levels and serum lipid parameters in humans with diabetes mellitus Types I and II. *J. Nutr. Biochem.* 13 : 175–187.
- Ramirez-Tortosa, C., O. M. Andersen, P. T. Gardner, P. C. Morrice, S.G. Wood, S. J. Duthie and Duthie, A. R. Collins and G. G. Duthie. 2001. Anthocyanin-rich extract decreases indices of lipid peroxidation and DNA damage in vitamin E-depleted rats. *Free Rad. Bio. Med.* 31 :1033–1037.
- Ray, H., M. Yu, P. Auser, L. Blahut-Beatty, B. McKersie, S.Bowley, N. Westcott, A. L. Bruce Coulman, and M. Y. Gruber. 2003. Expression of anthocyanins and proanthocyanidins after transformation of alfalfa with maize. *Plant Physiol.* 132 : 1448–1463.
- Rice-Evans, C. A., N. J. Miller, and G. Paganga. 1996. Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Rad. Bio. Med.* 20(7) : 933-956.
- Rios, L. Y., R. N. Bennett, S. A. Lazarus, C. Rémesy, A. Scalbert, and G. Williamson. 2002. Cocoa procyanidins are stable during gastric transit in humans. *Am J Clin Nutr.* 76 : 1106–1110.

- Rong N, L.M. Ausman and R.J. Nicolosi. 1997. Oryzanol decreases cholesterol absorption and aortic fatty streaks in hamsters. *Lipids.* 32(3) : 303-309.
- Ryu, S. N., S. Z. Park, and C.-T. Ho. 1998. High performance liquid chromatographic determination of anthocyanin pigments in some varieties of black rice. *J. Food Drug Anal.* 6 : 729-736.
- Saucier, C., M. Mirabel, F. Daviaud, A. Longieras, and Y. Glories. 2001. Rapid fractionation of grape seed proanthocyanidins. *J. Agric. Food Chem.* 49 : 5732-5735.
- Scavariello, E. M. and D. B Arellano. 1998. Gamma-oryzanol : an important component in rice bran oil. *Arch Latinoam Nutr.* 48(1) : 7-12.
- Simpson, K. M., E. R. Morris, and J. D. Cook. 1981. The inhibitory effect of bran on iron absorption in man. *Am J Clin Nutr.* 34 : 1469-1478.
- Smith, A. H., J. A. Imlay, and R. I. Mackie. 2003. Increasing the oxidative stress response allows *Escherichia coli* to overcome inhibitory effects of condensed tannins. *Appl. Environ. Microb.* 69(6) : 3406-3411.
- Smith, A. H. and R. I. Mackie. 2004. Effect of condensed tannins on bacterial diversity and metabolic activity in the rat gastrointestinal tract. *Appl. Environ. Microb.* 70(2) : 1104-1115.
- South, P. K., W. A. House, and D. D. Miller. 1997. Tea consumption does not affect iron absorption in rats unless tea and iron are consumed together. *Nutr. Res.* 17(8) : 1303-1310.
- Suda, I., T. Oki, M. Masuda, Y. Nishiba, S. Furuta, K. Matsugano, K. Sugita, and N. Terahara. 2002. Direct absorption of acylated anthocyanin in purple-fleshed sweet potato into rats. *J. Agric. Food Chem.* 50 : 1672-1676.
- Sugano, M. and E. Tsuji. 1997. Rice bran oil and cholesterol metabolism. *J. Nutr.* 127(3): 521s-524s.
- Tapiero, H., K. D. Tew, G. N. Ba, and G. Mathe. 2002. Polyphenols: do they play a role in the prevention of human pathologies. *Biomed. Pharmacother.* 56 : 200-207.
- Teltathum, T. 2004. Effect of Gamma Oryzanol in Purple Glutinous Rice Bran on Immune Response in Male Mice (*Mus musculus*) Master of Science (Agriculture) in Animal Science. Graduate School Chiang Mai University.
- Tizard, I. R. 2000. Veterinary Immunology : An Introduction. 6th ed. W.B. Saunders Company. USA. 482 pp.

- Todd, I. and G. Spickett. 2005. Lecture notes Immunology. 5th ed. Oxford : Blackwell Scientific. 196 pp.
- Toyokuni, S., Itani, T., Morimitsu, Y., Okada, K., Ozeki, M., Kondo, S., Uchida, K., Osawa, T., Hiai, H. and Tashiro, T. 2002. Protective effect of colored rice over white rice on Fenton-reaction-based renal lipid peroxidation in rats. *Free Radical Res.* 36(8) : 583-592.
- Tsuda, T., K. Shigu, K. Ohhim, S. Kuwakishi, and T. Osuwu. 1996. Inhibition of lipid peroxidation and the active oxygen radical scavenging effect of anthocyanin pigments isolated from *Phaseoks vulgaris L.* *Biochem. Pharmacol.* 52 : 1033-1039.
- Tsuda, T., F. Horio, and T. Osawa. 1999. Absorption and metabolism of cyanidin 3-O-β-D-glucoside in rats. *FEBS Letters.* 449 : 179-182.
- Underwood, E. J. and N. F. Suttle. 1999. The mineral nutrition of livestock. 3rd Ed. CABI Publishing. UK. 614 pp.
- Van De Graaff, K. M., S. Ir. Fox and K. M. LaFleur. 1997. Synopsis Human Anatomy and Physiology. Wm. C. Brown Publishers. USA. 639 pp.
- Viljanen, K., R. Kivistö, and M. Heinonen. 2004. Protein-lipid interactions during liposome oxidation with added anthocyanin and other phenolic compounds assays. *J. Agric. Food Chem.* 52 : 1104-1111.
- Vyoral, D. and J. Petrak. 2005. Hepcidin: a direct link between iron metabolism and immunity. *Int. J. Biochem. Cell Biol.* 37 : 1768–1773.
- Walle, T., T. S. Vincent, and U. K. Walle. 2003. Evidence of covalent binding of the dietary flavonoid quercetin to DNA and protein in human intestinal and hepatic cells. *Biochem. Pharm.* 65 : 1603–1610.
- Wang, J., and G. Mazza. 2002. Effects of anthocyanins and other phenolic compounds on the production of tumor necrosis factor α in LPS/IFN- γ -activated RAW 264.7 macrophages. *J. Agric. Food Chem.* 50 : 4183-4189.
- Weiss, G., H. Wachter, and D. Fuchs. 1995. Linkage of cell-mediated immunity to iron metabolism. *Immunol. Today.* 16(10) : 495-500.
- Winkel-Shirley, B. 2002. Biosynthesis of flavonoids and effects of stress. *Curr. Opin. Plant Biol.* 5 : 218–223.

- World Health Organization. 2004. Vitamin and Mineral Requirements in Human Nutrition: [report of a joint FAO/WHO expert consultation, Bangkok, Thailand, 21-30 September 1998]. 2nd ed. Geneva. 341 pp.
- Wren, A. F., M. Cleary, C. Frantz, S. Melton, and L. Norris. 2002. 90-Day Oral Toxicity Study of a Grape Seed Extract (IH636) in Rats. *J. Agric. Food Chem.* 50:2180-2192.
- Wu, X., G. Cao, and R. L. Prior. 2002. Absorption and metabolism of anthocyanins in elderly women after consumption of elderberry or blueberry. *J. Nutr.* 132 : 1865–1871.
- Xu, Z., and J. S. Godber. 1999. Purification and identification of components of gamma oryzanol in rice bran oil. *J. Agric. Food Chem.* 47: 2724 -2728.
- Xu, Z., N. Hua and J. S. Godber. 2001. Antioxidant activity of tocopherols, tocotrienols, and γ -oryzanol components from rice bran against cholesterol oxidation accelerated by 2,2-azobis(2-methylpropionamidine) dihydrochloride. *J. Agric. Food Chem.* 49 : 2077-2081.
- Zhao, C., M. M. Giusti, M. Malik, M. P. Moyer, and B. A. Magnuson. 2004. Effects of commercial anthocyanin-rich extracts on colonic cancer and non-tumorigenic colonic cell growth. *J. Agric. Food Chem.* 52 : 6122-6128.
- Zhang, Y., S. K. Vareed, and M. G. Nair. 2005a. Human tumor cell growth inhibition by nontoxic anthocyanidins, the pigments in fruits and vegetables. *Life Sci.* 76 : 1465–1472.
- Zhang; X-Y. W.-G. Li, Y.-J. Wu, T.-Z. Zheng, W. Li, S.-Y. Qu, N.-F. Liury. 2005b. Proanthocyanidin from grape seeds potentiates anti-tumor activity of doxorubicin via immunomodulatory mechanism. *Int. Immunopharmacol.* 5 : 1247–1257.
- Zhang M.-W, B.-J. Guo, R.-F. Zhang, J.-W. Chi, Z. C. We, Z. Z. Xu, Y. Zhang, and X.-J. Tang. 2006. Separation, purification and identification of antioxidant compositions in black rice. *Agr. Sci.* 5(6) : 431-440.