

เอกสารอ้างอิง

- จริงแท้ ศิริพานิช. 2544. ศิริวิทยาและเทคโนโลยีหลังการเก็บเกี่ยวผักและผลไม้. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์, กรุงเทพฯ. 396 น.
- คนัย บุณยเกียรติ. 2540. ศิริวิทยาหลังการเก็บเกี่ยวของพืชสวน. ภาควิชาพืชสวน คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่, เชียงใหม่. 222 น.
- คำริ ดาวน้ำศ. 2549. เกษตรอินทรีย์ คืออะไร. [ระบบออนไลน์]. แหล่งที่มา. <http://www.organic-life.co.th/organic-life.php> (19 มิถุนายน 2549).
- เบญจนาค รัตนชินกร, สมพร พรมหมักดิบ, อุมาภรณ์ สุจิริค ทวีสุข และcarintha กำแพงเพชร. 2549. การเก็บรักษาภารถ่ำปีสีหันฝอยพร้อมบริโภค. วารสารวิทยาศาสตร์เกษตร, 37 (2) : 123-126.
- นิพนธ์ ไชยมงคล. 2550. กะหล่ำปลี, ระบบข้อมูลพืชผัก. สาขาพืชผัก, ภาควิชาพืชสวน, คณะผลิตกรรมการเกษตร, มหาวิทยาลัยแม่โจ้. [ระบบออนไลน์]. แหล่งที่มา. http://www.agric-prod.mju.ac.th/vegetable/file_link/cabbage.pdf (8 พฤษภาคม 2549).
- นิพนธ์ ไชยมงคล, พฤทิพย์ พลเพ็ม, ภาคราช สื่อมโนธรรม และ อนันต์ ธรรมรักษ์. 2544. สถานการณ์การผลิตและการตลาดผัก, บุณนิชิโครงการหลวง, เชียงใหม่. [ระบบออนไลน์]. แหล่งที่มา. http://www.agric-prod.mju.ac.th/vegetable/File_link/cabbage.pdf (3 กุมภาพันธ์ 2549).
- นิธิยา รัตนานปนันท์. 2543. เคมีอาหาร. ภาควิชาวิทยาศาสตร์และเทคโนโลยีการอาหาร คณะอุตสาหกรรมการเกษตร มหาวิทยาลัยเชียงใหม่, เชียงใหม่. 473 น.
- นิธิยา รัตนานปนันท์ และคนัย บุณยเกียรติ. 2548. การปฏิบัติภัยหลังการเก็บเกี่ยวผักและผลไม้. สำนักพิมพ์โอเดียนสโตร์, กรุงเทพฯ. 236 น.
- มนีนัตร นิกรพันธ์. 2545. กะหล่ำปลี. สำนักพิมพ์โอเดียนสโตร์, กรุงเทพฯ. 208 น.
- วัลย์เงิน มหาคุณ และพิมพ์หทัย วิจิตรนาวัน. 2549. เกษตรอินทรีย์ : ทางเลือกใหม่ของเกษตรกรไทย. [ระบบออนไลน์]. แหล่งที่มา. <http://www.scb.co.th/LIB/th/article/ktb/data/k8-27> (8 พฤษภาคม 2549).
- วิชูรย์ ปัญญาภูต. 2545. ความรู้เบื้องต้นเกษตรอินทรีย์. บุณนิชิสถาบัณไชยแผ่นดิน. สำนักพิมพ์ ที ชี จี พรินติ้ง จำกัด, กรุงเทพฯ. 108 น.
- วิชูรย์ ปัญญาภูต และ เยาวณี สุขจิรัตติกาล. 2546. สถานการณ์เกษตรอินทรีย์ไทย เกษตรอินทรีย์ โลก. สำนักพิมพ์ ที ชี จี พรินติ้ง จำกัด, กรุงเทพฯ. 137 น.

สายชล เกตุฯ. 2531. เทคโนโลยีหลังการเก็บเกี่ยวของดอกไม้. สำนักพิมพ์บริษัทสารมวลผล
จำกัด, กรุงเทพฯ. 291 น.

สุพจน์ ชัยวินถ. 2549. เกษตรอินทรีย์ คืออะไร. [ระบบออนไลน์]. แหล่งที่มา. <http://www.doae.go.th/LIBRARY> (14 มีนาคม 2549).

Able, J. A., L. S. Wong, A. Prasad and T. J. O'Hare. 2005. The physiology of senescence in detached pak choy leaves (*Brassica rapa* var. *chinensis*) during storage at different temperatures. Postharvest Biology and Technology. 35 : 271-278.

AOAC. 1998. Official Method of Analysis (16 th ed.). Association of Official Analytical Chemists, Gaithersburg, Maryland, USA.

Aquino-Bolanos, E. N., M. I. Cantwell, G. Peiser and E. Mercado-Silva. 2000. Changes in the quality of fresh-cut jicama in relation to storage temperature and controlled atmospheres. Journal of Food Science. 65 : 1238-1243.

Augustin, J. 1975. Variations in the nutritional composition of fresh potatoes. Journal of Food Science. 40 : 1295-1299.

Beharrell, B. and J. H. MacFie. 1991. Consumer attitudes to organic foods. British Food Journal. 93 : 25-30.

Beuchat, L. R. 1669. Pathogenic micro-organisms associated with fresh produce. Journal of Food Protection. 59 : 204-206.

Beuchat, L. R. and J. H. Ryu. 1997. Produce handling and processing practices. Emerging Infectious Diseases. 3 : 459-465.

Bolin, H. R., and C. C. Huxsoll. 1991. Control of minimally processed carrot (*Daucus carota*) surface discoloration caused by abrasion peeling. Journal of Food Science. 56 : 416-418.

Boonyakiat, D. 1999. Postharvest losses of highland vegetables in Thailand. Acta Hort. 483 : 251-254.

Bordeleau, G., I. Myers-Smith, M. Midak and A. Szeremeta. 2007. Food Quality : A comparison of organic and conventional fruits and vegetables. [Online]. Available. http://kursus.kul.dk/shares/ea/03Projects/32gamle_2002/FoodQualityFinal.pdf (24 January 2007).

- Brandt, K. and J. P. Mølgaard. 2001. Organic agriculture : does it enhance or reduce the nutritional value of plant foods?. *Journal of the Science of Food and Agriculture.* 31 : 924-931.
- Bush, W., D. Fasseel, R. Martin and K. Strehl. 2006. Carbohydrate structure and protein, pigment, and vitamin C concentration analysis in organic and conventional Baby Spinach. *Cell and Molecular Biology.* Tuesday Section 3, February 28, 2006. [online]. Available. http://www.msu.edu/course/lbs/145/luckie/inquiries2006/vita_C/index.html (1 April 2007).
- Cacek, T. and L. L. Lagner. 1986. The economic implications of organic farming. *American Journal of Alternative Agriculture.* 1 : 25-29.
- Cantwell, M. 2002. Postharvest handling systems : minimally process fruit and vegetables. [Online]. Available. <http://vric.ucdavis.edu/selectnewtopic.minproc.html> (6 September 2006).
- Carbonaro, M. and M. Mattera. 2001. Polyphenol oxidase activity and polyphenol levels in organically and conventionally grown peach (*Prunus persica* L., cv. Regina Bianca) and pear (*Pyrus communis* L., cv. Williams). *Food chemistry.* 72 : 419-424.
- Daniel, O., M. S. Meier, J. Schlatter and P. Frischknecht. 1999. Selected phenolic compounds in cultivated plant : ecologic functions, health implication, and modulation by pesticides. *Environmental and Health Perspectives.* 107 : 109-114.
- Eppendorfer, W. H. 1975. Effects of fertilizer on quality and nutritional value of grain protein. pp. 249-263. In *Fertilizer Use and Protein Production.* Proceedings of the 11th colloquium of the Int. Potash Inst., Ronne-Bornholm, Denmark.
- Eppendorfer, W. H., B. O. Eggum, and S. W. Bille. 1979. Nutritive value of potato crude protein as influenced by manuring and amino acid composition. *Journal of the Science of Food and Agricultural.* 30 : 361-368.
- Ewa, R., H. Ewelina and S. Anna. 2006. Nutritive quality of tomato fruits from organic and conventional cultivation. *Organic Food Quality & Health Newsletter April 2006* : 6-15.

- Finesilver, T. 2007. Comparison of Food Quality of Organically versus Conventionally Grown Plant Food. [Online]. Available. http://eap.mcgill.ca/Publications/eap_head.html (21 January 2007).
- Francis, A. G., C. Thomas and D. O'Beirne. 1999. The microbiological safety of minimally processed vegetables. International Journal Food Science and Technology. 34 : 1-22.
- Freyman, S., P. M. Toivonen, P. W. Perrin, W. C. Lin and J. W. Hall. 1991. Effect of nitrogen fertilization on yield, storage losses and chemical composition of winter cabbage. Canadian Journal of Plant Science. 71 : 943-946.
- Gajewski, M. and H. Skapski. 1994. Storage of Chinese cabbage (*Brassica pekinensis*) and leaf chicory (*Cichorium intybus* var. *foliosum*) as a method of prolongation their consumption period. Acta Hort. 371 : 145-149.
- Gorny, J. R. 1997. Summary of CA and MA requirements and recommendations for fresh-cut (minimally processed) fruits and vegetables. pp 30-66. In Gorny, J. R. (ed.). Proceedings of Seventh International Controlled Atmosphere Conference, Vol. 5. Postharvest Outreach Program, University of California, Davis, USA.
- Goupy, P., M. J. Amiot, F. Richard-Forget, F. Duprat, S. Aubert and J. Nicolas. 1995. Enzymatic browning of model solution and apple phenolic extracts by apple polyphenol oxidase. Journal of Food Science. 60 : 497-501.
- Hardenburg, R. E., A. E. Watada and C. Y. Wang. 1986. The commercial storage of Fruits, Vegetables, and Florist and Nursery stocks. USDA Agricultural Handbook No. 66. 130 p.
- Hader, Y. 1986. The role of organic matter in the introduction of biofertilizers and biocontrol agents to soil. pp. 169-180. In Chen Y. and Y. Avnimelech. (eds.). The Role of Organic Matter in Modern Agriculture. Martinus Nijhoff Publishers, Boston.
- Henis, Y. 1986. Soil microorganisms "soil organic matter and soil fertility". pp. 29-54. In Chen, Y. and Y. Avnimelech. (eds.). The Role of Organic Matter in Modern Agriculture, Martinus Nijhoff Publishers, Boston.
- Hodge, J. E. and B. T. Hofreiter. 1962. Determination of Reducing Sugar and Carbohydrate : Methods in Carbohydrate Chemistry Academic Press. New York. 380-394 p.

- Javanmardi, J. and C. Kubota. 2006. Variation of lycopene, antioxidant activity, total soluble solids and weight loss of tomato during postharvest storage. *Postharvest Biology and Technology*. 41 : 151-155.
- Kader, A. A. (ed.). Postharvest Technology of Horticultural Crops. Third edition. University of California, Agriculture and Natural Resources, Publication 3311. 535 p.
- Kader, A. A. and L. L. Morris. 1978. Prompt handling reduces processing-tomato losses. *California Agriculture*. 32 (5) : 21-22.
- Ke, D. and M. E. Saltveit. 1989. Wound-induced ethylene production, phenolic metabolism and susceptibility to russet spotting in iceberg lettuce. *Physiology Plantarum*. 76 : 412-418.
- Ketsa, S. and S. Atantiee. 1998. Phenolics, lignin, peroxidase activity and increased firmness of damaged pericarp of mangosteen fruit after impact. *Postharvest Biology and Technology*. 14 : 117-124.
- Khalafalla, M. S. and A. Palzkill. 1990. Seasonal patterns of carbohydrates and proline in jojoba clones that differ in frost susceptibility. *HortScience*. 25 (1) : 103-105.
- Kiss, I. 1984. Testing Method in Food Microbiology. Elsevier Science Publishers, Budapest. 477 p.
- Kumpulainen, J. 2001. Nutritional and toxicological quality comparison between organic and conventionally grown foodstuffs. Proceedings of the International Fertilizer Society. 472 : 1-20.
- Izumi, H., A. E. Watada and N. P. Ko. 1995. Quality changes in carrot slices, and shreds stored at various temperature. *Food Science and Technology*. 1 : 71-73.
- Izumi, H., A. E. Watada, N. P. Ko and W. Douglas, 1996. Controlled atmosphere storage of carrot slices, sticks, and shreds. *Postharvest Biology and Technology*. 9 : 165-172.
- Lammerding, A. L. 1997. An overview of microbial food safety risk assessment. *Journal of Food Protection*. 60 : 1420-1425.
- Lampkin, N. 1990. Organic Agriculture. Farming Press : Ipswich, Ipswich/GB. 701 p.
- Lea, A. G. H. and F. W. Beech. 1978. The phenolic of ciders : effect of cultured conditions. *Journal of the Science of Food and Agriculture*. 29 : 493-496.

- Lee, G. Y. and J. R. Whitaker. 1995. 1995. "Enzymatic Browning and Its Prevention" American Chemical Society Symposium Series 600, American Chemical Society, Washington, D.C. 338 p.
- Lee, S. K. and A. A. Kader. 2000. Preharvest and postharvest factors influencing vitamin C content of horticultural crops. Postharvest Biology and Technology. 20 : 207-220.
- Lisiewska, Z. and W. Kmiecik. 1996. Effect of level of nitrogen fertilizer, processing conditions and period of storage for frozen broccoli and cauliflower on vitamin C retention. Food Chemistry. 57 : 267-270.
- Lockeretz, W., G. Shrader and D. H. Kohl. 1981. Organic farming in the cornbelt. Science. 211 : 540-547.
- Lohse, G. 1982. Micro analytical azomethine-H method for boron determination in plant tissue. Commun. Soil Science and Plant Analysis. 13 : 127-134.
- Lucarini, M., M. Carbonaro, S. Nicoli, A. Aguzzi, M. Cappelloni, S. Ruggeri, G. Di Lullo, L. Gambelli and E. Carnovale. 1999. Endogenous markers for organic versus conventional plant products. pp. 306-310. In Hagg, M., R. Ahvenainen, A. M. Evers and R. tilikkala. (eds.). Agri-Food Quality // Quality Management of Fruits and Vegetables. Cambridge : Royal Society of Chemistry. UK.
- Ludford, P. M. and F. M. R. Isenberg. 1987. Brassica crops. pp. 497-522. In J. Weichmann. (ed.). Postharvest Physiology of vegetables, Marcel Dekker, New York.
- Mader, P., L. Pfiffner, U. Niggli, U. Balzer, F. Balzer, K. Plochberger, A. Velimirov and J. M. Besson. 1993. Effects of three farming systems (bio-dynamic, bio-organic, conventional) on yield and quality of beet root (*Beta vulgaris* L. var. *Esculenta* L.) in a seven year crop rotation. Acta Hort. 339 : 10-31.
- McCollum G., A. Plotto, D. Chellemi, E. Rosskopf and G. Church. 2007. Postharvest quality of tomatoes produced in organic and conventional production systems. "Organic Agriculture : Postharvest Challenges and Opportunities". [online]. Available. <http://ashs.org/profcast/ASHS.rss> (5 January 2007)
- McGuire, R. G. 1992. Reporting of objective colour measurement. Journal of Horticulture Science. 27 (12) : 1254-1255.

- Menniti, A. M., M. Maccaferri and A. Folchi. 1996. Physio-pathological responses of cabbage stored under controlled atmospheres. Postharvest Biology and Technology. 10 : 207-212.
- Millard, P. 1986. The nitrogen content of potato (*Solanum tuberosum L.*) tubers in relation to nitrogen application-the effect on amino acid composition and yields. Journal of the Science of Food and Agricultural. 37 : 107-114.
- Moreira, M. R., S. I. Roura and C. E. del Valle. 2002. Quality of Swiss Chard produced by conventional and organic methods. Lebensmittel. - Wissenschaft u. – Technologie. 36 : 135-141.
- Mozafar, A. 1993. Nitrogen fertilizers and the amount of vitamins in plants : Review Journal of Plant Nutrition. 16 : 2479-2506.
- Muller, K. and J. Hippe. 1987. Influence of differences in nutrition on important quality characteristics of some agricultural crops. Plant and Soil. 100 : 35-45.
- Munro, D. B. and E. Small. 1997. Vegetables of Canada. NRC Research Press, National Research Council of Canada, Ontario, Canada, 417 p.
- Nage, S. 1980. Vitamin C contents of citrus fruit and their products : a review : Journal of Agricultural and Food Chemistry. 28 : 8-18.
- NACMCF. 1999. Microbiological safety evaluation and recommendations on fresh produce. Food Control. 10 : 117-143.
- Nicolas, J. J., F. C. Richard-Forget, P. M. Goupy, M. J. Amiot and S. Aubert. 1994. Enzymatic browning reactions in apple and apple products. Critical Reviews in Food Science and Nutrition. 34 : 109-157.
- Nugz, K., J. Shindano, S. Samapundo and A. Huyghebaert. 2004. Microbiological evalution of fresh-cut organic vegetables produced in Zambia. Food control. [Online]. Available. <http://www.sciencedirect.com> (5 May 2006).
- Nyanjage, M. O., H. Wainwright, C. F. H. Bishop and F. J. Cullum. 2001. Biological agriculture & horticulture. 18 (3) : 221-234.
- O'Connor-Shaw, R. E., R. Roberts, A. L. Ford, and S. M. Nottingham. 1994. Shelf life of minimally processed honeydew, kiwifruit, papaya, pineapple and cantaloupe. Journal of Food Science. 59 : 1202-1206.

- Petterson, B. D. 1977. A comparison between conventional and big-dynamic farming systems as indicated by yields and quality. Bio-Dynamics. No. 124 : 19-27.
- Porter, K. L., A. Klieber and G. Collins. 2002. Chilling injury limits low temperature storage of 'Yuki' Chinese cabbage. Postharvest Biology and Technology. 28 : 153-158.
- Prange, R. K. 2006. Chinese Cabbage. Agriculture and Agri-Food Canada, Atlantic Food and Horticulture Research center Kentville, Nova Scotia, Canada. [Online]. Available. <http://usna.usda.gov/hb66/054chinesecabbage.pdf> (12 December 2006).
- Ranganna, S. 1986. Handbook of Analysis and Quality control for Fruit and Vegetable Products. Tata McGraw-Hill Publishing Company Inc., New Delhi. 1112 p.
- Rhodes, J. M. and L. S. C. Wooltorton. 1978. The biosynthesis of phenolic compounds in wounded plant storage tissues. pp. 243-286. In Kahl, G. (ed.). Biochemistry of Wounded Plant Tissues. Berlin, New York.
- Roura, S., L. Davidovch and C. Del Valle. 2000. Postharvest changes in fresh Swiss chard under different storage condition. Journal of Food Quality. 23 : 143-147.
- Schuphan, W. 1974. Nutritional value of crops as influenced by organic and inorganic fertilizer treatments - results of 12 years' experiments with vegetables (1960-1972). Qualitas Plantarum-Plant Foods for Human Nutrition. 23 (4) : 333-358.
- Singleton, V. L. and J. A. Rossi Jr. 1965. Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. American Journal of Enology Viticulture. 16 : 144-158.
- Smith, L. 1995. Calculations for Research Experiments Using Stored Fruit Volume I. Queensland Department of Postharvest Industries Horticulture Group, Hamilton, Queensland, Australia. 34 p.
- Sapers, G. M., L. Garzarella and V. Pilizota. 1990. Application of browning inhibitors to cut apple and potato by vacuum and pressure infiltration. Journal of Food Science 55 : 1049-1053.
- Sorensen, J. N., A. S. Johansen and N. Poulsen. 1994. Influence of growth conditions on the value of crisphead lettuce. 1. Marketable and nutritional quality as affected by nitrogen supply, cultivar and plant age. Plant Foods Human Nutrition. 46 : 1-11.

- Stevenson, F. J. and M. S. Ardakani. 1972. Organic matter reactions involving micronutrients in soils. pp. 79-114. In Mortvedt J. J., P. M. Giordano and P. M. Lindsay. (eds.). *Micronutrients in agriculture*. Soil Society of America. Madison, USA.
- Talekar, N. S. and T. D. Griggs. 1981. Chinese Cabbage. Asian Vegetable Research and Development Center. Shanhua, Tainan, Taiwan. 461 p.
- Trevor, S. 2000. "Postharvest Handling For Organic Crop ". [Online]. Available. <http://www.anrcatalog.ucdavis.edu> (24December2547).
- Underhill, S. J. R. 1992. Lychee (*Litchi chinensis* Sonn.) pericarp browning. *Tropical Science*. 32 : 305-312.
- Wang, S. L. and R. F. Cerkauskas. 1999. Recent development of production and processing of oriental vegetables in Canada. *Acta Hort.* 483 : 429-436.
- Watada, A. E., N. P. Ko and D. A. Minott. 1996. Factors affecting quality of fresh-cut horticultural products. *Postharvest Biology and Technology*. 9 : 115-125.
- Watada, A. E. and L. Qi. 1999. Quality of fresh- cut produce. *Postharvest Biology and Technology*. 15 : 201-205.
- Warman, P. R. and K. A. Harvard. 1997. Yield, vitamin and mineral content of organically and conventionally grown carrots and cabbage. *Agriculture, Ecosystems and Environment*. 61 : 155-162.
- Warman, P. R. and K. A. Harvard. 1998. Yield, vitamin and mineral content of organically and conventionally grown potatoes and sweet corn. *Agriculture, Ecosystems and Environment*. 68 : 207-213.
- Weston, L. A. and M. M. Barth. 1997. Preharvest factors affecting postharvest quality of vegetables. *HortScience*. 32 : 812-815.
- Will, R. B. H. and V. V. V. Ku. 2002. Use of 1- MCP to extend the time to ripen of green tomatoes and postharvest life of ripe tomatoes. *Postharvest Biology and Technology*. 26 : 85-90.
- Witham, F. H., D. H. Blaydes, R. M. Devin and D. Van. 1971. *Experiments in Plant Physiology*. Nostrand company. New York. 524 p.

- Woese, K., D. Lange, C. Boess and KW. Boegl. 1997. A comparison of organically and conventionally grown foods- results of a review of the relevant literature. Journal of the Science of Food and Agriculture. 74 (3) : 281-293.
- Wolfson, J. L. and G. Shearer. 1981. Amino acid composition of grain protein of maize grown with and without pesticides and standard commercial fertilizers. Agronomy Journal. 73 : 611-613.
- Worthington, V. 2001. Nutritional quality of organic versus conventional fruits, vegetables, and grains. The journal of alternative and complementary medicine. 7 (2) : 161-173.
- Yamahuchi, N. and A. E. Watada . 1991. Regulated chlorophyll degradation in spinach leaves during storage. Journal of the American Society for Horticultural Science. 116 : 58-62.
- Yano, M. and R. Sajio. 1987. New preservation method for shredded cabbage with special reference to non-browning cultivar. Journal of the Japanese Society for Cold Preservative. 13 : 11-15.
- Zepplin, M. and C. A. Elvehjein. 1944. Effect of refrigeration on retention of ascorbic acid in vegetables. Food Research. 9 : 100-111.