

เอกสารอ้างอิง

- โกศล เจริญสม และวิวัฒน์ เสือสะอาด. 2537. ศัตรูธรรมชาติของแมลงศัตรูพืชในประเทศไทย. เอกสารพิเศษ ฉบับที่ 6. ศูนย์วิจัยควบคุมศัตรูพืชโดยชีวินทรีย์แห่งชาติ มหาวิทยาลัยเกษตรศาสตร์/สำนักงานคณะกรรมการวิจัยแห่งชาติ, กรุงเทพฯ. 144 หน้า.
- ฉวีวรรณ หุตะเจริญ และ พรทิพย์ ผลวิชา. 2535. วิธีเลี้ยงแตนเบียน *Brachymeria lasus* Walker ศัตรูธรรมชาติของหนอนกินใบสัก *Hyblaea puera* Cramer. ใน: การประชุมวิชาการป่าไม้ ประจำปี 2535. วันที่ 16-20 พฤศจิกายน 2535, จังหวัดเชียงราย.
- รุทธนา แชนจ์จันทร์หลวง. 2548. ชีววิทยาและประสิทธิภาพของแตนเบียน *Pteromalus puparum* (Linnaeus) (Hymenoptera: Pteromalidae) และเทคนิคการเพาะเลี้ยงขยายปริมาณ. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต. มหาวิทยาลัยเชียงใหม่, เชียงใหม่. 55 หน้า.
- Capinera, J. L. 2005. Imported cabbageworm, *Pieris rapae* (Linnaeus) (Insecta: Lepidoptera: Pieridae). (Online). Available: <http://edis.ifas.ufl.edu/IN283> (April 1, 2009).
- Chaput, J. 2008. Caterpillar pests of cruciferous crops. (Online). Available: <http://www.omafra.gov.on.ca/english/crops/facts/99-035.htm> (April 1, 2009).
- Cranshaw, W. S. 2004. Biological controls IX: Insect parasitoids. (Online). Available: <http://scarab.msu.montana.edu/HpIPMSearch/docs/insectparasitoids-biologicalcontrol.htm> (April 1, 2009).
- Ek-Amnuay, P. 2006. Butterflies of Thailand. Amarin Printing and Publishing Public Co., Ltd., Bangkok. 867 pp.
- Gillott, C. 2005. Entomology. 3rd ed. Springer Publishing Co., Inc., Dordrecht. 831 pp.
- Hutchison, W. D., P. C. Bolin and R. L. Hines. 2007. Imported cabbageworm. (Online). Available: <http://www.vegedge.umn.edu/vegpest/colecrop/cabbworm.htm> (January 13, 2009).

IPM DANIDA. 2006. กะหล่ำปลี: คู่มือการจัดการศัตรูพืชและระบบนิเวศ. (ระบบออนไลน์).
แหล่งข้อมูล: [http://www.thailand.ipminfo.org/documents/Cabbage_Ecological_guide_\(Thai\).pdf](http://www.thailand.ipminfo.org/documents/Cabbage_Ecological_guide_(Thai).pdf). (September 1, 2007).

Iwao, K., Y. Sato and N. Ohsaki. 1989. Spatio-temporal distribution patterns of two tachinid flies, *Epicamponera succineta* and *Compsilura concinnata* parasitizing *Pieris*. *Researches on Population Ecology* 31: 105-112.

Harcourt, D.G. 1966. Major factors in the survival of the immature stages of *Pieris rapae* (L.). *Canadian Entomologist* 98: 653-662.

Husni, Y. Kainoh and H. Honda. 2001. Effects of host pupal age on host preference and host suitability in *Brachymeria lasus* (Walker) (Hymenoptera: Chalcididae). *Applied Entomology and Zoology* 36: 97-102.

Mahr, D. 1999. Major groups of natural enemies: Parasitoids. Part IV. (Online). Available: <http://www.entomology.wisc.edu/mbcn/fea607.html> (January 13, 2009).

Mahr, S. 1996a. *Cotesia glomerata*, parasite of imported cabbageworm. (Online). Available: <http://www.entomology.wisc.edu/mbcn/kyf303.html> (January 13, 2009).

Mahr, S. 1996b. *Pteromalus puparum*, parasite of imported cabbageworm. (Online). Available: <http://www.entomology.wisc.edu/mbcn/kyf312.html> (January 13, 2009).

Mao, H. and Y. Kunimi. 1994. Longevity and fecundity of *Brachymeria lasus* (Walker) (Hymenoptera: Chalcididae), a pupal parasitoid of the oriental tea tortrix, *Homona magnanima* Diakonoff (Lepidoptera: Tortricidae) under laboratory conditions. *Applied Entomology and Zoology* 29: 237-243.

Mau, R. F. L., J. L. M. Kessing and J. M. Diez. 2007. *Pieris rapae* (Linnaeus). (Online). Available: <http://www.extento.hawaii.edu/Kbase/Crop/Type/pieris.htm> (January 13, 2009).

Morris, R. F. 1959. Single factor analysis in population dynamics. *Ecology* 40: 580-588.

- Napompeth, B. 1973. Ecology and population dynamics of the corn planthopper, *Peregrinus maidis* (Ashmead) (Homoptera: Delphacidae), in Hawaii. Ph.D. Dissertation. University of Hawaii, Honolulu. 257 pp.
- Pesticide Action Network (PAN). 2009. Cabbage white butterfly: General information. (Online). Available: http://www.oisat.org/pests/insect_pests/caterpillars_grubs/_cabbage_white_butterfly/general_information.html (January 13, 2009).
- Ragab, M.E. 1992. Ecological and biological studies on the parasitoids of the cabbage white butterfly, *Pieris rapae* (L.) (Lep., Pieridae) in winter cabbage at Mansoura. Zeitschrift für Angewandte Entomologie 113: 513-517.
- Statewide IPM Program. 2008. UC IPM Pest Management Guidelines: Cole crops: Imported cabbageworm. (Online). Available: <http://www.ipm.ucdavis.edu/PMG/r108301111.html> (April 1, 2009).
- Varley, G. C. and G. R. Gradwell. 1970. Recent advances in insect population dynamics. Annual Review of Entomology 15: 1-24.
- Weeden, C.R., A. M. Shelton and M. P. Hoffmann. 2009. Biological control: A guide to natural enemies in north America. (Online). Available: <http://www.nysaes.cornell.edu/ent/biocontrol/parasitoids/cotesia.html> (April 1, 2009).
- Wikimedia Foundation. 2007. *Pieris canidia*. (Online). Available: http://en.wikipedia.org/wiki/Pieris_canidia (September 1, 2007).
- Zhang, B.C. 1994. Index of Economically Important Lepidoptera. CAB International, Wallingford. 599 pp.