

REFERENCES

- Abbasi, N. A., Iqbal, Z., Maqbool, M. and Hafiz, I. A. 2009. Postharvest quality of mango (*Mangifera indica*) fruit as affected by chitosan coating. Pak. J. Bot. 41(1): 343-357.
- Abd-AllA, M. A. and Haggag, W. M. 2010. New safe methods for controlling anthracnose disease of mango (*Mangifera indica L.*) fruits caused by *Colletotrichum gloeosporioides* (Penz.). J. Am. Sci. 8(8): 361-367.
- Afanador-Kafuri, L., Minz, D., Maymon, M. and Freeman, S. 2003. Characterization of *Colletotrichum* isolates from tamarillo, passiflora and mango in Colombia and identification of a unique species from the genus. Phytopathology. 93(5): 579-587.
- Akem, N. C. 2006. Mango anthracnose disease: present status and future research priorities. Plant Pathol. J. 5 (3): 266-273.
- Albertini, C., Gredt, M. and Leroux, P. 1999. Mutations of the β -tubulin gene associated with different phenotypes of benzimidazole resistance in the cereal eyespot fungi *Tapesia yallundae* and *Tapesia acuformis*. Pestic. Biochem. Physiol. 64: 17-31.

- Ann, P. J. 1995. The sexual stage (*Glomeralla cingulata*) of *Colletotrichum gloeosporioides* from mango, effect of temperature and light on its reproduction. (Abstr.) Plant Patho. Bull. (Taiwan) 4: 173-179.
- Aranaz, I., Mengibar, M., Harris, R., Panos, I., Mirall, B. and Acosta, N. 2009. Functional characterization of chitin and chitosan. Curr. Chem. Biol. 3(2): 203-230.
- Arauz, F. L. 2000. Mango anthracnose: economic impact and current options for integrated management. Plant Dis. 84 (6): 600-611.
- Bally, I. S. E. 2006. *Mangifera indica* (mango). ver. 3.1. In: Elevitch, C. R. (ed.). Species profiles for pacific island agroforestry. Permanent Agriculture Resources (PAR), Hōlualoa, Hawaii. Available:<http://www.traditionaltree.org>. (September 8, 2009).
- Banasiak, U. 2003. Carbendazim (072)/thiophanate-methyl (077). Available: <http://www.fao.org/ag/AGP/AGPP/Pesticid/JMPR/.../thiophan.pdf>. (September 8, 2009).
- Baraldi, E., Mari, M., Chierici, E., Pondrelli, M., Bertolini, P. and Pratella, G. C. 2003. Studies on thiabendazole resistance of *Penicillium expansum* of pears: pathogenic fitness and genetic characterization. Plant Pathol. 52 (3): 362-370.
- Barkai-Golan, R. 2001. Postharvest diseases of fruits and vegetable: Development and control. Elsevier Science B. V. 418 pp.
- Bautista-Baños, S., Hernández-Lauzardo, A. N., Velázquez-del Valle, M. G., Hernández-López , M., Ait Barka, E., Bosquez-Molina, E. and Wilson, C. L. 2006. Chitosan as a potential natural compound to control pre and postharvest diseases of horticulture commodities. Crop Prot. 25 (2): 108-118.

- Baxter, A. P., Westhuizen, G. C. A. van der. and Eicker, A. 1983. Morphology and taxonomy of South African isolates of *Colletotrichum*. *South Afr. J. Bot.* 2: 259-289.
- Benhamou, N. 1996. Elicitor-induced plant defense pathways. *Trends Plant Sci.* 1(7): 233-240.
- Ben-Shalom, N., Ardi, R., Pinto, R., Aki, C. and Fallik, E. 2003. Controlling gray mould caused by *Botrytis cinerea* in cucumber plant by means of chitosan. *Crop Prot.* 22 (2): 285-290.
- Beresford, R. 1994. Understanding fungicide resistance. *The Orchardist.* 67 (9): 24. Available: <http://www.hornet.co.nz/publications/science/orch94.htm>. (30 September 2010).
- Bhaskara, R. B. M. V., Arul, J., Angers, P. and Couture, L. 1999. Chitosan treatment of wheat seeds induces resistance to *Fusarium graminearum* and improves seed quality. *J. Agric. Food Chem.* 47 (3): 1208-1216.
- Brent, J. K. and Hollomon, D. W. 1998. Fungicide resistance: The assessment of Risk. Aimprint in the United Kingdom. 48 pp.
- Buhr, L. T. and Dickman, M. B. 1994. Isolation, characterization, and expression of a second β -tubulin-encoding gene from *Colletotrichum gloeosporioides* f. sp. *aeschynomene*. *Appl. Environ. Microbiol.* 60 (11): 4155-4159.
- Cañas-Gutiérrez, G. P., Patiño, L. F., Rodriguez-Arango, E. and Arango, R. 2006. Molecular characterization of benomyl-resistant isolates of *Mycosphaerella fijiensis*, collected in Colombia. *J. Phytopathol.* 154 (7-8): 403-409.
- Cannon, J. A., Clarke, B. B., White, J. W. And Hillman, B. I. 2009. Systematic analysis of the falcate-spored graminicolous *Colletotrichum* and a description

- of six new species of the fungus from warm-season grasses. *Mycologia*. 101 (5): 717-732.
- Chien, P. J., Sheu, F. and Yang, F-H. 2007. Effects of edible chitosan coating on quality and shelf life of sliced mango fruit. *J. Food Eng.* 78 (1): 225–229.
- Chomchalow, N. and Na Songkhla, P. 2008. Thai mango export: A Slow-but-sustainable development. *Au. J. T.* 12(1): 1-8.
- Chung, W. H., Ishii, H., Nishimura, K., Fukaya M., Yano, K. and Kajitani, Y. 2006. Fungicide sensitivity and phylogenetic relationship of anthracnose fungi isolated from various fruit crops in Japan. *Plant Dis.* 90 (4): 506-512.
- Cunha, G. M. and Rizzo, M. D. 2003. Development of fungicide cross resistance in *Helminthosporium solani* population from California. *Plant Dis.* 87 (7): 798-803.
- Dalwoo, C. 1999. Structure of Chitin/chitosan and cellulose. Available: <http://dalwoo.tripod.com/structure.htm>. (20 September 2010).
- Damicone, J. and Smith, D. 2009. Fungicide resistance management. Oklahoma Cooperative Extension Fact Sheets. Available: <http://osufacts.okstate.edu>. (September 8, 2009).
- Davidse, C. L. 1986. Benzimidazole fungicides: mechanism of action and biological impact. *Annu. Rev. Phytopathol.* 24: 43-65.
- Davidson, R. M., Hanson, L. E., Franc, G. D. and Panella, L. 2006. Analysis of β -tubulin gene fragments from benzimidazole-sensitive and -tolerant *Cercospora beticola*. *J. Phytopathol.* 154 (6): 321-328.
- Deising, H. B, Reimann S. and Pascholati, S. F. 2008. Mechanisms and significance of fungicide resistance. *Braz. J. Microbiol.* 39 (2): 286-295.

- Dinh, S. Q., Chongwungse, J., Pongam, P. and Sangchote, S. 2003. Fruit infection by *Colletotrichum gloeoporiooides* and anthracnose resistance of some mango cultivars in Thailand. Aus. Plant Pathol. 32 (4): 533-538.
- Dirou, J. and Stovold, G. 2005. Fungicide management program to control mango anthracnose. Prime facts 19, Profitable & Sustainable Primary Industries. Available: <http://www.dpi.nsw.gov.au/data/.../mango-anthracnose-pf19.pdf>. (September 8, 2009).
- Dodd, J. C., Prusky, D. and Jeffries, P. 1997. Fruit diseases. In: The Mango: Botany, Production and uses. R. E. Litz (ed.) CAB International, Oxon, UK. 57-280.
- Duamkhanmanee, R. 2008. Natural essential oils from lemon grass (*Cymbopogon citratus*) to control postharvest anthracnose of mango fruit. Int. J. Biotechnology. 10 (1): 104-108.
- Du, J., Gemma, H. and Iwahori, S. 1997. Effects of Chitosan Coating on the Storage of Peach, Japanese Pear, and Kiwifruit. J. Japan Soc. Hort. Sci. 66 (1): 15-22.
- Eiadthong, W., Yonemori, K., Sugiura, A., Utsunomiya, N. and Subhadrabandhu, S. 1999. Identification of mango cultivars of Thailand and evaluation of their genetic variation using the amplified fragments by simple sequence repeat-(SSA-) anchored primers. Sci. Hortic, -Amsterdam. 82(1): 57-66.
- El Ghaouth, J., Ponnampalam, R. and Boulet, M. 1991. Chitosan coating effect on storability and quality of fresh strawberries. J. Food Sci. 56: 1618-1620.

- El Ghaouth, A., Arul, J., Drenier, J. and Asselin, A. 1992a. Antifungal activity of chitosan on two postharvest pathogens of strawberry fruits. *Phytopathology* 82 (4): 398-402.
- El Ghaouth, A., Ponnampalam, R., Castaigne, F. and Arul, J. 1992b. Chitosan coating to extend the storage life of tomatoes. *Hort. Sci.* 27 (9): 1016-1018.
- El Hadrami, A., Adam, L. R., El Hadrami, I. and Daayf, F. 2010. Chitosan in Plant Protection (Invited Review). *Marine Drugs* 8: 968-987.
- FAO, 1997. The state of food and Agriculture 1997. Food and agriculture organization of the united nations (FAO), Rome, 1997. Available: <http://www.fao.org/docrep/w5800e/w5800e00.htm> (September 8, 2009).
- Farungsang, U. and Farungsang, N. 1992. Benomyl resistance of *Colletotrichum* spp. associated with rambutan and mango fruit rot in Thailand. *Acta Hort. (ISHS)* 321: 891-897.
- Farungsang, U., Farungsang, N. and Sangchote, S. 1994. Benomyl resistance of *Colletotrichum* species associated with mango and rambutan fruit rots in Thailand. In: Proceedings of an International Conference held in Bangkok, Thailand: Development of Postharvest handling technology for tropical tree fruits. G. I. Johnson and E. Highley eds. ACIAR No. 58: 45-50.
- Fitzell, R. D. 1979. *Colletotrichum acutatum* as a cause of anthracnose of mango in New South Wales. *Plant Dis. Reporter* 63: 1067-1070.
- Freeman, S., Katan, T. and Shabi, E. 1998. Characterization of *Colletotrichum* species responsible for anthracnose diseases of various fruits. *Plant Dis.* 82 (6): 596-605.

- Freeman, S., Minz, D., Jurkevitch, E., Maymon, M. and Shabi, E. 2000. Molecular analyses of *Colletotrichum* species from almond and other fruits. *Phytopathology*. 90 (6): 608–614.
- Fujimura, M., Oeda, K., Inoue, H. and Kato, T. 1992. A single amino-acid substitution in the beta-tubulin gene of *Neurospora* confers both carbendazim resistance and diethofencarb sensitivity. *Curr. Genet.* 21 (4-5): 399-404.
- Gafur, A., Tanaka, C., Shimizu, K., Ouchi, S. and Tsuda, M. 1998. Molecular analysis and characterization of the *Cochliobolus heterostrophus* β -tubulin gene and its possible role in conferring resistance to benomyl. *J. Gen. Appl. Microbiol.* 44 (3): 217-223.
- García-Rincón, J., Vega-Pérez, J., Guerra-Sánchez, M. G., Hernández-Lauzardo, A. N., Peña-Díaz, A., Velázquez-Del Valle M. G. 2010. Effect of chitosan on growth and plasma membrane properties of *Rhizopus stolonifer* (Ehrenb.:Fr.) Vuill. *Pest. Biochem. Physiol.* 97: 275-278.
- Guerra-Sánchez, M. G., Vega-Pérez, J., Velázquez-Del Valle, M. G. and Hernández-Lauzardo, A. N. 2009. Antifungal activity and release of compounds on *Rhizopus stolonifer* (Ehrenb.:Fr.) Vuill. by effect of chitosan with different molecular weights. *Pest. Biochem. Physiol.* 93: 18-22.
- Hall, T. A. 1999. BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucl. Acids. Symp. Ser.* 41: 95-98.
- Haman, T. and Sangchote, S. 2003. Effect of chitosan on anthracnose disease of mango fruit after harvest. *Agricultural Sci. J.* 34 (4-6 (suppl.)): 49-52.

- Han, C., Zhao, Y., Leonard, S. W. and Traber, M. G. 2004. Edible coatings to improve storability and enhance nutritional value of fresh and frozen strawberries (*Fragaria x ananassa*) and raspberries (*Rubus ideaus*). *Postharvest Biol. Technol.* 33 (1): 67–78.
- Harish Prashanth, K. V. and Tharanathan, R. N. 2007. Chitin/chitosan: modifications and their unlimited application potential-an overview. *Trends Food Sci. Technol.* 18 (3): 117-131.
- Haute, V. D. 2007. Heath & consumer protection directorate-general. European commission. Available:http://www.ec.europa.eu/food/fs/rc/scph/sum_1012207_en.pdf. (September 8, 2009).
- Hibbett, D. S., Binder, M., Bischoff, J. F., Blackwell, M., Cannon, P. F., Eriksson, O. E., Huhndorf, S., James, T., Kirk, P. M., Lücking, R., Lumbsch, T., Lutzoni, F., Matheny, P. B., McLaughlin, D. J., Powell, M. J., Redhead, S., Schoch, C. L., Spatafora, J. W., Stalpers, J. A., Vilgalys, R., Aime, M. C., Aptroot, A., Bauer, R., Begerow, D., Benny, G. L., Castlebury, L. A., Crous, P. W., Dai, Y.-C., Gams, W., Geiser, D. M., Griffith, G. W., Gueidan, C., Hawksworth, D. L., Hestmark, G., Hosaka, K., Humber, R. A., Hyde, K. D., Ironside, J. E., Köljalg, U., Kurtzman, C. P., Larsson, K.-H., Lichtwardt, R., Longcore, J., Midlikowska, J., Miller, A., Moncalvo, J.-M., Mozley-Standridge, S., Oberwinkler, F., Parmasto, E., Reeb, V., Rogers, J. D., Roux, C., Ryvarden, L., Sampaio, J. P., Schüßler, A., Sugiyama, J., Thorn, R. G., Tibell, L., Untereiner, W. A., Walker, C., Wang, Z., Weir, A., Weiß, M., White, M. M., Winka, K., Yao, Y.-J., Zhang, N. 2007. A higher-level phylogenetic classification of the Fungi. *Mycological Research.* 111: 509-547.

- Ishii, H. 2006. Impact of fungicide resistance in plant pathogens on crop disease control and agricultural environment. *Jpn. Agric. Res. Q.* 40 (3): 205–211.
- Jayasinghe, C. K. and Fernando, T. H. P. S. 2009. First Report of *Colletotrichum acutatum* on *Mangifera India* in Sri Lanka. *Cey. J. Sci (Bio. Sci.).* 38(1): 31-34.
- Jiang, Y. M. and Li, Y. 2001. Effects of chitosan coating on postharvest life and quality of longan fruit. *Food Chem.* 73(2): 139-143.
- Jiang, Y. M., Li, J. and Jiang, W. 2005. Effect of chitosan coating on shelf life of cold-stored litchi fruit at ambient temperature. *LWT-food Sci. Technol.* 38 (7): 757-761.
- Johnson, G. I. and Sangchote, S. 1994. Control of postharvest diseases of tropical fruits: challenges for the 21st century. In: Champ, B. R., Highley, E. and Johnson, G. I. (Eds.), *Post-harvest Handling of Tropical Fruit*. Australian Center for International Agricultural Research, Canberra. 140-167.
- Kaewchai, S., Soytong, K. and Hyde, K.D. 2009. Mycofungicides and fungal biofertilizers. *Fungal Divers.* 38: 25-50.
- Khieokachee, P. 2008. Effect of chitosan an induction of antifungal agent formation in mango fruit cv. Chok Anan. M. S. Thesis (Postharvest Technology). Graduate School, Chiang Mai University, Chiang Mai. 91 pp.
- Kim, Y-S., Min, J. Y., Kang, B. K., Bach, N. V., Choi, W. B., Park, E. W. and Kim, H. T. 2007. Analyses of the less benzimidazole-sensitivity of the isolates of *Colletotrichum* spp. causing the anthracnose in pepper and strawberry. *Plant Pathol. J.* 23 (3): 187-192.

- Kleekron, S. 2005. Use of chitosan to stimulate self-defense system for rice blast disease. M. S. Thesis (Biotechnology). Graduate school, Chiang Mai University, Chiang Mai. 91 pp.
- Koenraadt, H., Somerville, S. C. and Jones, A. L. 1992. Characterization of mutations in the beta-tubulin gene of benomyl-resistant field isolates of *Venturia inaequqlis* and other plant pathogenic fungi. *Phytopathology*. 82 (11): 1348-1354.
- Konstantinidis, K. T., Yoder-Himes, D. R. and Tiedje, J. M. 2003. Identification of Potential Therapeutic Targets for *Burkholderia cenocepacia* by Comparative Transcriptomics. *PLoS ONE*. Available: [http://www.plosone.org. J. Bacteriol. 5\(1\): 1-11. \(September 8, 2009\).](http://www.plosone.org. J. Bacteriol. 5(1): 1-11. (September 8, 2009).)
- Koning, R. 2010. Cytoskeleton. Available: http://plantphys.info/plant_physiologycytoskeleton.shtml. (September 8, 2010).
- Kumar, M. N. V. R. 2000. A review of chitin and chitosan applications. *Reac. Func. Polym.* 46 (1): 1-27.
- Kumar, A. S., Reddy, N. P. E., Reddy, K. H. and Devi, M. C. 2007. Evaluation of fungicidal resistance among *Colletotrichum gloeosporioides* isolates causing mango anthracnose in Agri Export Zone of Andhra Pradesh, India. *Plant Pathol. Bull.* 16: 157-160.
- Kumpoun, W. and Boonyakiat, D. 2010. Relationship between susceptibility to anthracnose disease and antifungal compounds content in fruit latex of Thai mango. *Acta Hort.* 877: 1501-1509.

- Kuo, K. 2001. Sensitivity of mango anthracnose pathogen, *Colletotrichum gloeosporioides*, to the fungicide Prochloraz in Taiwan. Proc. Natl. Sci. Counc. Repub. China (B). 25: 174-9.
- Lubbe, C. M., Denman, S., Cannon, P. F., Groenewald, J. Z., Lamprecht, S. C. and Crous, P. W. 2004. Characterization of *Colletotrichum* species associated with diseases of Proteaceae. Mycologia. 96 (6): 1268-1279.
- Luimnark, W. 1998. Effect of chitosan coating on postharvest diseases control and quality of 'Nam Dork Mai' and 'Keaw Sawoey'mangoes. Available: <http://www.grad.cmu.ac.th/abstract/1998/>. (September 8, 2009).
- Ma, Z., Yoshimura A. M. and Michailides, T. J. 2003. Identification and characterization of benzimidazole resistance in *Monilinia fructicola* from stone fruit orchards in California. Appl. Environ. Microbiol. 69 (12): 7145-7152.
- Ma, Z. and Michailides, T. J. 2005. Advances in understanding molecular mechanisms of fungicide resistance and molecular detection of resistant genotypes in phytopathogenic fungi. Crop Protect. 24 (10): 853-863.
- Maymon, M., Zveibil, A., Pivonia, S., Minz, D. and Freeman, S. 2006. Identification and characterization of benomyl-resistant and sensitive populations of *Colletotrichum gloeosporioides* from Statice (*Limonium* spp.). Phytopathology. 96(5): 542-548.
- McKay, G. J., Egan, D., Morris, E. and Brown, A. E. 1998. Identification of benzimidazole resistance in *Cladobotryum dendroides* using a PCR-based method. Mycol. Res. 102(6): 671-676.

- Metaphase. png. 2005. Available: <http://commons.wikimedia.org/wiki/File:Metaphase.png>. (September 8, 2009).
- Mills, P. R., Sreenivasaprasad, S. and Brown, A. E. 1992. Detection and differentiation of *Colletotrichum gloeosporioides* isolates using PCR. FEMS Microbiol. Lett. 98: 137–143.
- Mordue, J. E. M. 1971. *Glomerella cingulata*. Descriptions of Pathogenic Fungi and Bacteria No. 315. CAB International, Wallingford, UK.
- Mukherjee, S. K. 1997. Introduction: Botany and Importance, The mango: botany, production and use. CAB International, Cambridge.
- Muñoz, Z. Moret, A. and Garcés, S. 2009. Assessment of chitosan for inhibition of *Colletotrichum* sp. on tomatoes and grapes. Crop Prot. 28:36–40.
- Nelson, S. C. 2008. Mango anthracnose (*Colletotrichum gloeosporioides*). Available: www.ctahr.hawaii.edu/oc/freepubs/pdf/pd-48.pdf. (September 1, 2009).
- Nge, L. K., New, N., Chandrkrachang, S. and Stevens, W. 2006. Chitosan as a growth stimulator in orchid tissue culture. Plant Sci. 170: 1185-1195.
- Noiaium, S. and Soytong, K. 2000. Integrated biological control of mango var. Choke Anan. Acta Hort. (ISHS) 509: 769-778.
- Obagwa, J. and Korsten, L. 2003. Integrated control of citrus green and blue moulds using *Bacillus subtilis* in combination with sodium bicarbonate or hot water. Postharv. Biol. Technol. 28: 187-194.
- Orbach, J. M., Porro, E. B. and Yanofsky, C. 1986. Cloning and characterization of the gene for β -tubulin from a benomyl-resistant mutant of *Neurospora crassa* and its use as a dominant selectable marker. Mol. Cell. Biol. 6 (7): 2452-2461.

- Peres, N. A. R., Souza, N. L., Peever, T. L. and Timmer, L. W. 2004. Benomyl sensitivity of isolates of *Colletotrichum acutatum* and *C. gloeosporioides* from citrus. *Plant Dis.* 88 (2): 125-130.
- Pfeil, R. and Dellarco, V. 2005. Pesticide residues in food 2005. Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Core assessment Group. Geneva, Switzerland, 20-29 September 2005.
- Philippine mango seeding farm crop. 2010. Available: <http://www.mangoseedling.com/culturalmgmt.html>. (September 8, 2009)
- Photita, W., Taylor, P. W. J., Ford, R., Hyde, K. D. and Lumyong, S. 2005. Morphological and molecular characterization of *Colletotrichum* species from herbaceous plants in Thailand. *Fungal Divers.* 18: 117-113.
- Pike, S. 2007. APVMA review of Dimethoate, Fenthion, Carbendazim. in: Delivering mango research, the amistar sixth australian mango conference. Available:http://www.mangoes.net.au/.../mango_conference_07_proceedings.pdf. (September 8, 2009).
- Ploetz, R. C. and Prakash, O. 2000. Foliar, floral and soilborne disease. pp. 281-285. In: E. R. Litz (ed.). *The Mango: Botany, Production and Uses*. CAB International. London. UK.
- Ploetz, R. C. 2003. Diseases of mango. Pages 327-363 in: R. C. Ploetz,(ed.), *Diseases of Tropical Fruit Crops*. CABI Publishing, Oxford, UK.
- Pongsuwan, D. 1993. Quality improvement of fruit and vegetable crops for export. Section of Plant pathology and Microbiology, Department of Agriculture, Bangkok. 122 p.

- Prabakar, K., Raguchander, T., Saravanakumar, D., Muthulakshmi, P., Parthiban, K. V. and Prakasam, V. 2008. Management of postharvest disease of mango anthracnose incited by *Colletotrichum gloeosporioides*. Arch. Phytopathology Plant Protect. 41(5): 333-339.
- Prakash, O. 2004. Diseases and disorders of mango and their management. pp. 511-619. In: S. A. M. H. Naqvi, (ed.). Diseases of fruits and vegetables, volume I. Kluwer Academic Publishers, the Netherland.
- Prusky, D., Fuchs, Y. and Yanko, U. 1983. Assessment of latent infections as a basis for control of postharvest disease of mango. Plant Dis. 67: 816-818.
- Prusky, D. 1996. Pathogen quiescence in postharvest diseases. Annu. Rev. Phytopathology 34: 413-434.
- Prihasturi, H., Cai, L. and Hyde, K. D. 2009. Characterization of *Colletotrichum* species associated with coffee berries in Chiang Mai, Thailand. Fungal Divers. 39: 89-109.
- Prior, C., Elango, F. and Whitwell, A. 1992. Chemical control of *Colletotrichum* infection in Mangoes. Pages 326-336. In: *Collectotrichum: Biology, Pathology and Control*. J. A. Bailey, and M. J. Jeger, eds. CAB International, Wallingford, U.K.
- Rabea, E. I., Badawy, E. T., Stevens, C. V., Smagghe, G. and Steurbaut, W. 2003. Chitosan as antimicrobial agent: Applications and mode of action. Biomacromol. 4 (6): 1457-1465.
- Rahman, H., Alam, M. M., Bhyam, S. B and Akanda, A. M. 2008. Alteration of cellular pigments of papaya leaves infected with seven symptomatic isolates of PRSV-P. J. Plant Sci. 3: 69-76.

- Rappussi, M. C. C., Pascholati, S. F., Benato, E. A. and Cia, P. 2009. Chitosan Reduces Infection by *Guignardia citricarpa* in Postharvest ‘Valencia’ Oranges. *Braz. Arch. Biol. Technol.* 52 (3): 513-521.
- Rawal, D. R., 1997. Management of fungal diseases in tropical fruits. pp. *In: Arora R. K. and Ramanatha Rao V., (eds.) Proceedings of the IPGRI-ICAR-UTFANET Regional Training Course on the Conservation and Use of Germplasm of Tropical Fruits in Asia held at Indian Institute of Horticultural Research 18-31 May 1997, Bangalore, India.*
- Rivera-Vargas, L. I., Lugo-Noel, Y., McGovern, R. J., Seijo, T. and Davis, M. J. 2006. Occurrence and Distribution of *Colletotrichum* spp. On Mango (*Mangifera indica L.*) in Puerto Rico and Florida, USA. *Plant Pathol. J.* 5 (2): 191-198.
- Romanazzi, G. 2010. Chitosan Treatment for the Control of Postharvest Decay of Table Grapes, Strawberries and Sweet Cherries. *Fresh Produce.* 4 (Special Issue): 111-115.
- Roller, S. and Covill, N. 1999. The antifungal properties of chitosan in laboratory media and apple juice. *Intl. J. Food Microbiol.* 47 (1-2): 67-77.
- Ru-Lin, Z. and Jun-Sheng, H. 2007. Cloning of a carbendazim-resistant gene from *Colletotrichum gloeosporioides* of mango in South China. *Afr. J. Biotechnol.* 6(2): 143-147.
- Sanders, G. M., Korsten, L. and Wehner, F. C. 2000. Survey of fungicide sensitivity in *Colletotrichum gloeosporioides* from different avocado and mango production areas in South Africa. *European J. Plant Pathol.* 106 (8): 745-752.


- Sanders, G. M. and Korsten, L. 2003. Comparision of cross inculation potential of South African avocado and mango isolate of *Colletotrichum gloeosporioides*. Microbial. Res. 158 (2): 143-150.
- Sandford, P. A. 1989. Chitosan: Commercial uses and potential applications, pp 51-69. In: Skjak-braek, G., Anthonsen, T. and Sandford, P. (eds.) Chitin and Chitosan. Elsevier, London.
- Sangchote, S. 1987. Postharvest disease of mango fruit and their losses. Kasetsart J. (Nat. Sci.) 21: 81-85.
- Sariah, M. 1989. Detection of benomyl resistance in the anthracnose pathogen, *Colletotrichum capsici*. J. Islam. Acad. Sci. 2(3): 168-171.
- Sasananun, W., Sardsud, V. and Sardsud, U. 2002. Effect of Hot Water and Chitosan on Posthrvest Quality And Shelf Life of Mango cv. Mahajanaka. Agricultural Sci. J. 33 (6 (Suppl.)): 71-74.
- Shivas, R. G. and Tan, Y. P. 2009. A Taxonomic re-assessment of *Colletotrichum acutatum*, introducing *C. fioriniae* comb. et stat, nov. and *C. simmondsii* sp. nov. Fungal Divers. 39: 111-122.
- Sholberg, L. P., Harlton, C., Haag, P., Levesque, C. A., O'Gorman, D. and Seifert, K. 2005. Benzimidazole and diphenylamine sensitivity and identity of *Penicillium* spp. that cause postharvest blue mold of apples using β -tubulin gene sequences. Postharv. Biol. and Technol. 36 (1): 41-49.
- Singh, S. B., Mukherjee, I., Maisnam, J., Kumar, P., Gopal, M. and Kulshrestha, G. 2008. Determination of pesticide residues in IPM and non-IPM sample of mango (*Mangifera indica*). J. Environ. Sci. Health Part B. 43: 300-306.

- Soytong, K. 2004. Research and development of microbial products for bio-agriculture: review article. Proceeding of the 1th International Conference on Integration of Science and Technology for Sustainable Development. KMITL, Bangkok, 25-26 August, Vol. 2:10-13.
- Soytong, K., Srinon, W., Rattanacherdchai, K., Kanokmedhakul, S. and Kanokmedhakul, K. 2005. Application of antagonistic fungi to control anthracnose disease of grape. J. Agri. Tech. 1: 33-41.
- Staub, T. 1991 . Fungicide resistance: practical experience with antiresistance strategies and the role of integrated use. Annu. Rev. Phytopathol 29: 421-442.
- Steffens, J. J., Pell, E. J. and Tien, M. 1996. Mechanisms of fungicide resistance in phytopathogenic fungi. Curr. Opin. Biotechnol. 7: 348-355.
- Sutton, B. C. 1980. The *Coelomycetes*: fungi imperfecti with pycnidia acervuli and stromata. CMI. Kew Surrey, England, 696 p.
- Sutton, B. C. 1992. The genus *Gliomerella* and its anamorph *Colletotrichum*. In: *Colletotrichum* Biology, Pathology and Control (eds. J. A. Bailey and M. J. Jeger). CAB International, Wallingford, UK: 1-27.
- Swofford, D. L. 2002. PAUP*: Phylogenetic Analysis Using Parsimony (*and Other Methods), Version 4. Sinauer Associates, Sunderland, MA, 142 p.
- Taggart, J. P., Locke, T. Phillips, A. N., Pask, N., Hollomon, D. W., Kendall, S. J., Cooke, L. R. and Mercer, P. C. 1999. Benzimidazole resistance in *Rhynchosporium secalis* and its effect on barley leaf blotch control in the UK. Crop Protect. 18: 239-243.

- Tamthong, J., Boonchoo, T. and Photchanachai, S. 2006. Effect of chitosan on spore germination and mycelial growth of fungi. Agricultural Sci. 34(4-6): 116-118.
- Terry, A. L. and Joyce, D. C. 2003. Elicitors of induced disease resistance in postharvest horticulture crops: a brief review. Postharvest Biol. Tech. 32: 1-13.
- Thapinta, A., and Hudak, P. F. 2000. Pesticide use and residual occurrence in Thailand. Environ. Monit. Assess. 60(1): 103-114.
- Thompson, J. D., Gibson, T. J., Plewniak, F., Jeanmougin, F. and Higgins, D. G. 1997. The CLUSTAL_X windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools, Nucleic Acids Res. 25 (24) 4876-4882.
- Toohill, B. L. 1985. The mango an industry for Western Australia. WANATCA Yearbook 10, 46-54.
- Tsigos, I., Martinou, A., Kafezopoulos, O. and Bouriotis, V. 2000. Chitin deacetylases: new versatile tools in biotechnology. Tibtech. 18: 305-312.
- U. S. Environmental Protection Agency. 1999. EPA Pesticide Tolerance Index. Available:<http://www.apsjournals.apsnet.org/doi/pdfplus/10.1094/PDIS.2000.84.6.600>
- FAO. 1997. FAO/WHO Pesticide Database. (September 8, 2009).
- Vasyukova, I. N., Zinov'eva, S. V., II'inskaya, L. I., Perekhond, E. A., Gerasimova, G. N., II'ina, A. V., Varlamor, V. P. and Ozeretskova, O. L. 2001. Modulation of plant resistance to diseases by water-soluble chitosan. Appl. Biochem. Micro. 37 (1): 103-109.
- von Arx, J.A. 1957. Die Arten der Gattung *Colletotrichum* Cda. Phytopathologische Zeitschrift. 29: 414-468.

- White, T. J., Bruns, S. L. and Taylor, J. W. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: M. A. Innis, D. H. Gelfand, J. J. Sninsky and T. J. White (Eds.), PCR protocols: A guide to methods and applications pp. 315–322. New York: Academic.
- Wong, F. P., de la Cerdá, K. A., Hernandez-Martinez, R. and Midland, S. L. 2008. Detection and Characterization of Benzimidazole Resistance in California Populations of *Colletotrichum cereal*. Plant Dis. 92(2): 239-246.
- Yan, K. and Dickman, M. B. 1996. Isolation of a β -tubulin gene from *Fusarium moniliforme* that confers cold-sensitive benomyl resistance. Appl. Environ. Microbiol. 62: 3053-3056.
- Yarden, O. and Katan, T. 1993. Mutations leading to substitutions at amino acids 198 and 200 of β -tubulin that correlates with benomyl-resistance phenotypes of field isolates of *Botrytis cinerea*. Phytopathology. 83: 1478-1483.
- Yahia, E. M. 1999. Postharvest handling of mango. Agricultural Technology Utization and Transfer/RONCO, Giza, Egypt 131 pp.
- Yoon, C. S., Ju, E-H., Yeoung, Y. R. and Kim, B. S. 2008. Survey of fungicide resistance for chemical control of *Botrytis cinerea* on Paprika. Plant Pathol. J. 24 (4): 447-452.
- Zhang, C. Q., Hu, J. L., Wei, F. L. Zhu, G. N. 2009. Evolution of resistance to different classes of fungicides in *Botrytis cinerea* from greenhouse vegetables in eastern China. Phytoparasitica. 37(4): 351-359.
- Zhu, X., Wang, Q., Cao, J. and Jiang, W. 2008. Effects of chitosan coating on postharvest quality of mango (*Mangifera indica* L. cv. Toinong) fruits. J. Food Proc. Preserv. 32: 770-784.

- Ziogas, B. N., Nikou, D., Markoglou, A. N., Malandrakis, A. A. and Vontas, J. 2009. Identification of a novel point mutation in the β -tubulin gene of *Botrytis cinerea* and detection of benzimidazole resistance by a diagnostic PCR-RFLP assay. Eur. J. Plant. Pathol. 125: 97-107.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright[©] by Chiang Mai University
All rights reserved