

เอกสารอ้างอิง

- เกษม พิละกันธา. 2553. ผลของการลดอุณหภูมิแบบสุญญากาศร่วมกับการบรรจุแบบแอกทีฟต่อคุณภาพของยอดชาโศไดอินทรีย์. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาวิศวกรรมกระบวนการอาหาร มหาวิทยาลัยเชียงใหม่. 182 น.
- งามทิพย์ ภู่วโรดม. 2550. การบรรจุอาหาร. เอส.พี.เอ็ม. การพิมพ์, กรุงเทพฯ. 389 น.
- จริงแท้ ศิริพานิช. 2549. สรีรวิทยาและเทคโนโลยีหลังการเก็บเกี่ยวผักและผลไม้. ภาควิชาพืชสวน คณะเกษตร วิทยาเขตกำแพงแสน มหาวิทยาลัยเกษตรศาสตร์, นครปฐม. 396 น.
- จริงแท้ ศิริพานิช. 2550. ชีววิทยาหลังการเก็บเกี่ยวและการวางของพืช. โรงพิมพ์ศูนย์ส่งเสริมและฝึกอบรมการเกษตรแห่งชาติ มหาวิทยาลัยเกษตรศาสตร์ วิทยาเขตกำแพงแสน นครปฐม. 453 น.
- ไฉน ยอดเพชร. 2542. พืชผักในตระกูลครุฑซีเฟอร์. สำนักพิมพ์ริ้วเขียว, กรุงเทพฯ. 495 น.
- คณัฏ บุญเกียรติ. 2540. สรีรวิทยาหลังการเก็บเกี่ยวของพืชสวน. ภาควิชาพืชสวน คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่, เชียงใหม่. 222 น.
- คณัฏ บุญเกียรติ และ นิธิยา รัตนานนท์. 2548. การปฏิบัติภายหลังการเก็บเกี่ยวผักและผลไม้. สำนักพิมพ์โอเดียนสโตร์. กรุงเทพมหานคร. 236 น.
- วรรณิ ฉินศิริกุล อสิรา เฟื่องฟูชาติ และวณิ ชนเห็นชอบ. 2548. การพัฒนาเทคโนโลยีฟิล์มบรรจุภัณฑ์แอกทีฟสำหรับยืดอายุผักและผลไม้สดของไทย. เกษตร 29 (11): 105-108.
- สายชล เกตุษา. 2528. สรีรวิทยาและเทคโนโลยีหลังการเก็บเกี่ยวผักและผลไม้สด. ศูนย์ส่งเสริมและฝึกอบรมการเกษตรแห่งชาติ, กรุงเทพฯ. 364 น.
- สุรพงษ์ โกสิยะจินดา. 2531. การคัดเลือกและแบ่งชั้นผลิตผลสดพืชสวน เอกสารการฝึกอบรม Improvement of Postharvest Techniques to Reduce of Perishable Commodities Produced in the Highlands of Northern Thailand. โครงการหลวง. 162-212 .
- พวงเพชร เหมรัตน์ตระกูล. 2552. ผลของการลดอุณหภูมิแบบสุญญากาศต่อคุณภาพหลังการเก็บเกี่ยวของปวยเล้ง. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต (เกษตรศาสตร์) สาขาวิชาพืชสวน มหาวิทยาลัยเชียงใหม่. 166 น.
- อภิชาติ สิรินันท์วัฒน์. 2553. ผลของการบรรจุแบบแอกทีฟและการลดอุณหภูมิแบบสุญญากาศต่อคุณภาพของผักชีไทยอินทรีย์. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาวิศวกรรมกระบวนการอาหาร มหาวิทยาลัยเชียงใหม่. 175 น.

- อศิรา เพื่องฟูชาติ, วรณิ ฉินศิริกุล, นภคณ เกิดดอนแฝก, ตติยา ตรงสถิตกุล, สรญา พิบูลกุลสัมฤทธิ์, เสาวภา ไชยวงศ์ และ วาณี ชนเห็นชอบ. 2549. การสร้างสภาพบรรยากาศดัดแปลงแบบ สมดุลภายในบรรจุภัณฑ์สำหรับผลิตผลสด โดยอาศัยการคำนวณจากโมเดลคณิตศาสตร์ อย่างง่าย. วารสารวิทยาศาสตร์เกษตร. 37(5) พิเศษ: 62-65.
- Aguayo, E., V.H., Escalona and F. Art'es. 2007. Quality of minimally fresh processed *Cucumis melo* var. *saccharinus* as improved by controlled atmosphere. European Journal of Horticultural Science. 72(1): 1611-4426.
- Aiamla-or, S., S. Kaewsuksaeng, M. Shigyo and N. Yamauchi. 2010. Impact of UV-B irradiation on chlorophyll degradation and chlorophyll-degrading enzyme activities in stored broccoli (*Brassica oleracea* L. *Italica* group) florets. Journal of Food Chemistry. 120: 645-652.
- Al-Ati, T. and J.H. Hotchkiss. 2002. Application of packaging and modified atmosphere to fresh-cut fruits. In: Lamikanra, O. (Ed.), Fresh-cut Fruits and Vegetables: Science, Technology, and Market. CRC Press. Florida. 305-338.
- Amanatidou, A., R.A. Slump, L.G.M. Gorris and E.J. Smid. 2000. High oxygen and high carbon dioxide modified atmospheres for shelf-life extension of minimally processed carrots. Journal of Food Science. 65: 61-66.
- Amir-Shapira, D., E.E. Goldschmidt and A. Altman. 1987. Chlorophyll catabolism in senescence plant tissues: In vivo breakdown intermediates suggest different degradative pathways for citrus fruit and parsley leaves. The Proceeding of the National Academy of Science of the United States of America. 84: 1901-1905.
- Baldwin, E.A. 1994. Edible coating for fresh fruit and vegetable: pest, present, and future. In: Krochta, J. M., E.A. Baldwin and M. Nisperos-Carriedo (eds.). Edible coating and film to improve food quality. Technomic Publishing Co., U.S.A. 25-64.
- Baldwin, E.A., M.O. Nisperos-Carriedo and R.A. Baker. 1995. Use of edible coatings to preserve quality of lightly (and slightly) processed products. Critical Reviews in Food Science and Nutrition. 35: 509-524.
- Barth, M.M., A.K. Perry, S.J. Schmidt and B.P. Klein. 1992. Misting effects on market quality and enzyme activity of broccoli during retail storage. Journal of Food Science. 57: 954-957.

- Barth, M.M., E.L. Kerbel, A.K. Perry and S.J. Schmidt. 1993. Modified atmosphere packaging affects ascorbic acid, enzyme activity and market quality of broccoli. *Journal of Food Science*. 58: 140–143.
- Barth, M.M. and H. Zhuang. 1996. Packaging design affects antioxidant vitamin retention and quality of broccoli florets during postharvest storage. *Postharvest Biology and Technology*. 9: 141–150.
- Bastrash, S., J. Makhlouf, F. Castaigne and C. Willemot. 1993. Optimal controlled atmosphere conditions for storage of broccoli florets. *Journal of Food Science*. 58: 338–341.
- Beaudry, R.M. 1999. Effect of O₂ and CO₂ partial pressure on selected phenomena affecting fruit and vegetable quality. *Postharvest Biology and Technology*. 15: 293–303.
- Beltran, D., M.V. Selma, A. Martín and M.I. Gil. 2005. Ozonated water extends the shelf life of fresh-cut lettuce. *Journal of Agricultural and Food Chemistry*. 53: 5654–5663.
- Bergquist, S. 2006. Bioactive compounds in baby spinach (*Spinacia oleracea* L.): Effects of Pre- and Postharvest Factors. Doctoral's thesis, Swedish University of Agricultural Sciences, Sweden.
- Blakistone, B.A. 1999. *Principals and Apprications of Modified Atmosphere Packaging of Foods*. Aspen Pub. Gaithersburg, Maryland.
- Bradford, M.M. 1976. Quantitation of microgram quantities of protein utilizing the principle of protein- dye binding. *Analytical Biochemistry*. 72: 248-254.
- Breitfellner, R., S. Solar and G. Sontag. 2002. Effect of gamma irradiation on phenolic acids in strawberries. *Journal of Food Science*. 67: 517–521.
- Brewer, M.S., B.P. Klein., B.K. Rastogi and A.K. Perry. 1994. Microwave blanching effects on chemical, sensory and color characteristics of frozen green beans. *Journal of Food Quality*. 17: 245-259.
- Cao, G., E. Sofic and R.L. Prior. 1996. Antioxidant capacity of tea and common vegetables. *Journal of Agricultural and Food Chemistry*. 44: 3426–3431.
- Cantwell, M. 2002. Postharvest handling systems : minimally processed fruit and vegetables. [Online]. Available source : [http ://vric.ucdavic.edu/selectnewtopic.minproc.html](http://vric.ucdavic.edu/selectnewtopic.minproc.html) (6 September 2008).

- Courtesy, D.G. 1983. Postharvest losses in perishable foods of the developing world. *In* M. Lieberman Post-harvest Physiology and Crop Preservation. Plenum Press, New York. 485-514.
- Downes, T.W. 1989. Food packaging in the IFT era: five decades of unprecedented growth and change. *Journal of Food Science and Technology*. 43(9): 228-240.
- Escalona, V.H., E. Aguayo and F. Artes. 2006. Metabolic activity and quality changes of whole and fresh-cut kohlrabi (*Brassica oleracea* L. *gongylodes* group) stored under controlled atmospheres. *Postharvest Biology and Technology*. 41: 181–190.
- Escalona, V.H., E. Aguayo, P. Gomez and F. Artes. 2004. Modified atmosphere packaging inhibits browning in fennel. *Lebensm.-Wiss. u.-Technology*. 37: 115–121.
- Fan, X., P.M.A. Toivonen, K.T. Rajkowski and K.J.B. Sokorai. 2003. Warm water treatment in combination with modified atmosphere packaging reduces undesirable effects of irradiation on the quality of fresh-cut Iceberg lettuce. *Journal of Agricultural and Food Chemistry*. 51: 1231–1236.
- Fang, Z., J.C. Bouwkamp and T. Solomos. 1998. Chlorophyllase activities and chlorophyll degradation during leaf senescence in non-yellowing mutant and wild type of *Phaseolus vulgaris* L. *Journal of Experimental Botany*. 49: 503-519.
- Fernandez-Lopez. J.A., L. Almela, J.M. Lopez-Roca and C. Alcaraz. 1991. Iron deficiency in citrus limon: effects on photochlorophyllase synthetic pigments and chlorophyllase activity. *Journal of Plant Nutrition*. 14: 1133-1144.
- Fonseca, S.C., F.A.R. Oliveira, J.K. Brecht and K.V. Chau. 2005. Influence of low oxygen and high carbon dioxide on shredded Galega kale quality for development of modified atmosphere packages. *Postharvest Biology and Technology*. 35: 279–292.
- Forney, C.F. and R.E. Rij. 1991. Temperature of broccoli florets at time of packaging influences package atmosphere and quality. *Journal of American Society for Horticultural Science*. 24 (10): 1301–1303.

- Gill, M.I., M.A. Conesa and F. Artes. 2002. Quality changes in fresh cut tomato as affected by modified atmosphere packaging. *Postharvest Biology and Technology*. 25: 199-207.
- Gillies, S.L., M.A. Cliff, P.M.A. Toivonen and M.C. King. 1997. Effect of atmosphere on broccoli sensory attributes in commercial MAP and microperforated packages. *Journal of Food Quality*. 20: 105–115.
- Ginsburg, S. and P. Matile. 1993. Identification of catabolites of chlorophyll-porphyrin in senescent rape cotyledons. *Plant Physiology*. 102: 521-527.
- Gomez P.A. and F. Artes. 2005. Improved keeping quality of minimally fresh processed celery sticks by modified atmosphere packaging. *Journal of Food Science and Technology*. 38: 323–329.
- Gorny, J.R. 2003. Packaging Design for Fresh-Cut Produce. International Fresh-cut Produce Association. 28 p.
- Gross, J. 1987. Pigments in Fruits. Academic Press, London. 303 p.
- Hansen, M.E., H. Sorensen and M. Cantwell. 2001a. Changes in acetaldehyde, ethanol and amino acid concentrations in broccoli florets during air and controlled atmosphere storage. *Postharvest Biology and Technology*. 22: 227–237.
- Hansen, C.H., U. Wittstock, C.E. Olsen, A.J. Hick, J.A. Pickett and B.A. Halkier. 2001b. Cytochrome P450 CYP79F1 from *Arabidopsis* catalyzes the conversion of dihomomethionine and trihomomethionine to the corresponding aldoximes in the biosynthesis of aliphatic glucosinolates. *Journal of Biology Chemistry*. 14: 11078–11085.
- Hornero-Méndez, D., G.R. Gómez-Ladrón and M.I. Mínguez-Mosquera. 2000. Carotenoid biosynthesis changes in five red pepper (*Capsicum annuum* L.) cultivars during ripening. Cultivar selection for breeding. *Journal of Agricultural and Food Chemistry*. 48: 3857-3864.
- Hortensteiner, S., F. Vicentini and P. Matile. 1995. Chlorophyll breakdown in senescent cotyledons of rape, *Brassica napus* L: enzymatic cleavage of phaeophorbide a in vitro. *New Phytologist*. 129: 237-246.
- Hui, Y.H. 1992. Packaging: Labeling. p. 1975-1978. In Y.H. Hui (ED.). *Encyclopedia of Food Science and Technology*. John Wiley & Sons Inc., New York.

- Izumi, H., A.E. Watada and W. Douglas. 1996. Optimum O₂ or CO₂ atmospheres for storing broccoli florets at various temperatures. *Journal of American Society for Horticultural Science*. 121: 127–131.
- Jacobsson, A., T. Nielsen and I. Sjöholm. 2004. Effects of type of packaging material on shelf-life of fresh broccoli by means of changes in weight, colour and texture. *Europe Food Research Technology*. 218: 57–163.
- Jia, C-G., C-J. Xu, J. Wei, J. Yuan, G-F. Yuan, B-L. Wang and Q-M. Wang. 2009. Effect of modified atmosphere packaging on visual quality and glucosinolates of broccoli florets. *Journal of Food Chemistry*. 114: 28–37.
- Jones, R.B., J.D. Faragher and S. Winkler. 2006. A review of the influence of postharvest treatments on quality and glucosinolate content in broccoli (*Brassica oleracea* var. *italica*) heads. *Postharvest Biology and Technology*. 41: 1–8.
- Kader, A.A. 1986. Biochemical and Physiological basis for effects of controlled and modified atmospheres on fruits and vegetables. *Journal of Food Technology*. 40(5): 99-100.
- Kaur, P., D.R. Rai and S. Paul. 2011. Quality changes in fresh-cut spinach (*Spinacia oleracea*) under modified atmospheres with perforations. *Journal of Food Quality*. 34: 10–18.
- King, G.A. and S.C. Morris. 1994. Physiological changes of broccoli during early postharvest senescence and through the preharvest–postharvest continuum. *Journal of American Society for Horticultural Science*. 119: 270–275.
- Kiss, I. 1984. *Testing Method in Food Microbiology*. Elsevier Science. Amsterdam. 447 p.
- Koide, S. and J. Shi. 2007. Microbial and quality evaluation of green peppers stored in biodegradable film packaging. *Food Control*. 18: 1121–1125.
- Kopaslane, L.M. and J.J. Warthesen. 1995. Carotenoid photostability in raw spinach and carrots during cold storage. *Journal of Food Science*. 60(4): 773-776.
- Lanfer-Marquez, U.M., R.M.C. Barros and P. Sinnecker. 2005. Antioxidant activity of chlorophylls and their derivatives. *Food Research International*. 38: 885-891.
- Lange, D.L. 2000. New film technologies for horticultural products. *Journal of American Society for Horticultural Science, HortTechnology*. 10(3): 487-490.
- Langmeier, M., S. Ginsburg and P. Matile. 1993. Chlorophyll breakdown in senescent leaves: demonstration of Mg-dechelataase activity. *Physiologia Plantarum*. 89: 347-353.

- Lee, S.K. and A. Kader. 2000. Preharvest and postharvest factors influencing vitamin C content of horticultural crops. *Postharvest Biology and Technology*. 20: 207–220.
- Lipton, W.J. 1987. Senescence of leafy vegetable. *Journal of American Society for Horticultural Science*. 22: 854-859.
- Lucera, A., C. Costa, M. Mastromatteo, A. Conte and M.A. Del Nobile. 2011. Fresh-cut broccoli florets shelf-life as affected by packaging film mass transport properties. *Journal of Food Engineering*. 102: 122–129.
- Makhlouf, J., F. Castaigne, J. Arul, C. Willemort and A. Gosseli. 1989. Longterm storage of broccoli under controlled atmosphere. *Journal of American Society for Horticultural Science*. 24 : 637–639.
- Malenčić, D., Z. Maksimović, M. Popović and J. Miladinović. 2007. Polyphenol contents and antioxidant activity of soybean seed extracts. *Bioresource Technology*. 99: 6688-6691.
- Manthey, J. A. 2004. Fractionation of orange peel phenols in ultrafiltered molasses and mass balance studies of their antioxidant levels. *Journal of Agricultural and Food Chemistry*. 52: 7586-7592.
- Matile, P., T. Duggelin, M. Schellenberg, D. Rentsch, K. Bortlik, C. Peisker and H. Thomas. 1989. How and why is chlorophyll broken down in senescent leaves. *Plant Physiology and Biochemistry*. 27: 595-604.
- Matile, P., M. Schellenberg. 1996. The cleavage of phaeophorbide a is located in the envelope of barley gerontoplasts. *Plant Physiology and Biochemistry*. 34: 55-59.
- Matile, P., H. Thomas and B. Krautler. 1996. Chlorophyll breakdown in senescent leaves. *Plant Physiology*. 112: 1403-1409.
- Matile, P., M. Schellenberg and F. Vicentini. 1997. Localization of chlorophyllase in the chloroplast envelope. *Planta*. 201: 96-99.
- McGuire, R.G. 1992. Reporting of objective colour measurement. *Journal of American Society for Horticultural Science*. 27: 1254-1255.
- Nguyen-The, C. and F. Carlin. 1994. The microbiology of fresh-cut fresh fruits and vegetables. *Critical Review in Food Science*. 34: 371–401.

- Noichinda, S., K. Bodhipadma, C. Mahamontri, T. Narongruk and S. Ketsa. 2007. Light during storage prevents loss of ascorbic acid, and increases glucose and fructose levels in Chinese kale (*Brassica oleracea* var. *alboglabra*). *Postharvest Biology and Technology*. 44: 312–315.
- Oms-Oliu, G., R. Soliva-Fortuny and O. Martin-Belloso. 2008. Physiological and microbiological changes in fresh-cut pears stored in high oxygen active packages compared with low oxygen active and passive modified atmosphere packaging. *Postharvest Biology and Technology*. 48 : 295-301.
- Owens, T.G. and P.G. Falkowski. 1982. Enzymatic degradation of chlorophyll a by marine hytoplankton in vitro. *Phytochemistry*. 21: 979-984.
- Padda, M.S. and D.H. Picha. 2008. Effect of low temperature storage on phenolic composition and antioxidant activity of sweet potatoes. *Postharvest Biology and Technology*. 47: 176-180.
- Pariasca, J.A.T., T. Miyazaki, H. Hisaka, H. Nakagawa and T. Sato. 2000. Effect of modified atmosphere packaging (MAP) and controlled atmosphere (CA) storage on the quality of snow pea pods (*Pisum sativum* L. var. *saccharatum*). *Postharvest Biology and Technology*. 21: 213–223.
- Pawelzik, E. 2006. Workshop on the Nutritional Quality and Phytochemicals of Tropical and Subtropical Fruits. *Postharvest Technology Institute, Chiang Mai University*. Chiang-Mai.
- Portela, S.I. and M.I. Cantwell. 2001. Cutting blade sharpness affects appearance and others quality attributes of fresh-cut cantaloupe melon. *Journal of Food Science*. 66: 1265–1270.
- Raffo, A.I.B., N. Nardo and F. Paoletti. 2007. Internal quality and antioxidant content of cold stored red sweet peppers as affected by polyethylene bag packaging and hot water treatment. *European Food Research and Technology*. 225: 395-405.
- Rai, D.R., S.K. Tyagi, S.N., Jhaand and S. Mohan. 2008. Qualitative changes in the broccoli under modified atmosphere packaging in perforated polymeric film. *Journal of Food Science and Technology – Mysore*. 45(3): 247-250.

- Raju, M., S. Varakumar., R. Lakshminarayana., T.P. Krishnakantha and V.Baskaran. 2007. Carotenoid composition and vitamin A activity of medicinally important green leafy vegetables. *Journal of Food Chemistry*. 101: 1598-1605.
- Ranganna, S. 1986. *Handbook of Analysis and Quality Control for Fruit and Vegetable Products*. 2nd ed. TataMcGraw-Hill Publishing Company Limited, New Delhi. 1112 p.
- Rangkadilok, N., B. Tomkins, M.E. Nicolas, R.R. Premier, R.N. Bennett and D.R. Eagling. 2002. The effect of post-harvest and packaging treatments on glucoraphanin concentration in Broccoli (*Brassica oleracea* var. *italica*). *Journal of Agricultural and Food Chemistry*. 50 : 7386–7391.
- Rice-Evans, C.A., N.J. Miller and G. Paganga. 1996. Structure-antioxidant activity relationship of flavonoids and phenolic acids. *Free Radical Biology and Medicine*. 20: 933-955.
- Rico, D., A.B. Martín-Diana, C. Barry-Ryan, J.M. Frías, G.T.M. Henehan and J.M. Barat. 2008. Optimisation of steamer jet-injection to extend the shelf-life of fresh-cut lettuce. *Postharvest Biology and Technology*. 48: 431–442.
- Rizzo, V. and G. Muratore. 2009. Effects of packaging on shelf-life of fresh celery. *Journal of Food Engineering*. 90: 124–128.
- Ryall, A.L. and W.J. Lipton. 1978. *Handling, transportation and storage of fruit and vegetables*. Printed in United State of America. 587 p.
- Saltveit, M.E., 1997. A summary of CA and MA recommendations for harvested vegetables. *The Proceedings of Vegetables and ornamentals of Postharvest Horticulture*. University of California. 4: 98–117.
- Schlimme, D.V. and M.L. Rooney. 1994. Packaging of minimally processed refrigerated fruits and vegetables. pp. 135-182. In R.C. Wiley (Ed.). *Minimally Processed Refrigerated Fruits and Vegetables*. U.S.A. Chapman & Hall Inc., New York.
- Schoefs, B. 2002. Chlorophyll and carotenoid analysis in food products. Properties of the pigments and methods of analysis. *Trends in Food Science and Technology*. 13: 361-371.
- Sellappan, S., C.C. Akoh and G. Krewer. 2002. Phenolic compounds and antioxidant capacity of Georgia-grown blueberries and blackberries. *Journal of Agricultural and Food Chemistry*. 50: 2432-2438.

- Serrano, M., D. Martinez-Romero, F. Guillen, S. Castillo and D. Valero. 2006. Maintenance of broccoli quality and functional properties during cold storage as affected by modified atmosphere packaging. *Postharvest Biology and Technology*. 39: 61–68.
- Shahidi, F. 1996. Natural antioxidants. In Shahidi, F. (Ed.), *Natural Antioxidant Chemistry, Health Effects and Applications*. 1-11 p.
- Shimokawa, K., S. Shimada and K. Yaeo. 1978. Ethylene-enhanced chlorophyllase activity during degreening of *Citrus unshiu* Marc. *Scientia Horticultura*. 8: 129-135.
- Starzynska, A., M. Leja and A. Mareczek. 2003. Physiological changes in the antioxidant system of broccoli flower buds senescing during short-term storage, related to temperature and packaging. *Plant Science*. 165: 1387–1395.
- Takamiya, K.I., T. Tsuchiya and H. Ohta. 2000. Degradation pathway(s) of chlorophyll: what has gene cloning revealed? *Trends in Plant Science*. 5(10): 426-431.
- Tsang, M. and Furutani, S. 2002. Vegetarian in paradise: the crown jewel of nutrition. [Online]. Available: <http://www.vegparadise.com/highestperch4.html> (2007, October 1).
- Toivonen, P.M.A., 1997. The effects of storage temperature, storage duration, hydro-cooling, and micro-perforated wrap on shelf life of broccoli (*Brassica oleracea* L. *Italica* group). *Postharvest Biology and Technology*. 10: 59–65.
- Toivonen, P.M.A. and J.R. Deell. 2001. Chlorophyll fluorescence, fermentation product accumulation, and quality of stored broccoli in modified atmosphere packages and subsequent air storage. *Postharvest Biology and Technology*. 23: 61–69.
- Toivonen, P.M.A., and M. Sweeney. 1998. Differences in chlorophyll loss at 13 °C for two broccoli (*Brassica oleracea* L.) cultivars associated with antioxidant enzyme activities. *Journal of Agricultural and Food Chemistry*. 46: 20–24.
- Velioglu Y.S., G. Mazza, L. Gao and B.D. Oomah. 1998. Antioxidant activity and total phenolics in selected fruits, vegetables and grain product. *Journal of Agricultural and Food Chemistry*. 46: 4113-4117.
- Villanueva, M.J., M.D. Tenorio, M. Sagardoy, A. Redondo and M.D. Saco. 2005. Physical, chemical, histological and microbiological changes in fresh green asparagus (*Asparagus officinalis* L.) stored in modified atmosphere packaging. *Journal of Food Chemistry*. 91: 609–619.

- Vina, S.Z. and A.R. Chaves. 2006. Antioxidant responses in minimally processed celery during refrigerated storage. *Journal of Food Chemistry*. 94: 68–74.
- Voss, D.H. 1992. Relating colorimeter measurement of plant color to the Royal Horticultural Society color chart. *Journal of American Society for Horticultural Science*. 27(12): 1256-1260.
- Watada, A.E., P.K. Nathane and D.A. Minott. 1996. Factors affecting quality of fresh-cut horticultural products. *Postharvest Biology and Technology*. 9: 115-125.
- Whitham, R.H., D.H. Blaydes, R.M. Devin and D. Van. 1971. *Experiments in Plant Physiology*. Nostrand company. New York. 245 p.
- Wiley, R. C. 1994. *Minimally Processed Refrigerated Fruit and Vegetables*. Chapman and Hall, Inc. New York. 368 p.
- Wills, R.B.H., W.B. McGlasson, D. Graham and D. Joyce. 1998. *Postharvest: An Introduction to the Physiology and Handling of Fruits, Vegetables and Ornamentals*. 4th ed. New South Wales University Press, New South Wales. 262 p.
- Yam, K.L. and D.S. Lee. 1995. Design of modified atmosphere packaging for fresh produce. *In*: M.L. Rooney, Editor, *Active Food Packaging*, Blackie Academic and Professional, London. 55–73 p.
- Yano, M. and A. Hayami. 1978. Studies on the improvement of storage ability in head vegetable(II). The relationship between the post-harvest physiological characteristics and the storage ability of lettuce. *Horticultural Abstract*. 48: 930.
- Zepplin, M. and C.A. Elvehjein. 1994. Effect of refrigeration on retention of ascorbic acid in vegetables. *Food Research*. 9: 100-111.
- Zerbini, P.E. 1990. Chilled of topical and citrus fruit. *In* P. Zeuthen, J.C. Cheftel, C. Eriksson, T.R. Gormley, P. Linko and K. Paulus (Eds.). *Processing and Quality of Foods*. Volume. 3, Northern Ireland. University Press Ltd. 3,336-3,355 p.