

4.25	The average pyruvate balance (%) in both phases after 72 h biotransformation	168
D.1	Correlation curve between dried biomass concentration and optical density at 600 nm for <i>S. cerevisiae</i> TISTR 5606	195
D.2	Correlation curve between dried biomass concentration and optical density at 600 nm for <i>C. utilis</i> UNSW 709400	195
D.3	Correlation curve between dried biomass concentration and optical density at 600 nm for <i>C. utilis</i> UNSW 709700	196
G.1	Chromatogram of sucrose, glucose, fructose, acetic acid, and ethanol	217
G.2	Standard curve for sucrose	217
G.3	Standard curve for glucose	218
G.4	Standard curve for fructose	218
G.5	Standard curve for acetic acid	219
G.6	Standard curve for ethanol	219
H.1	Chromatogram of PAC, benzoic acid, and benzaldehyde	221

ABBREVIATIONS AND SYMBOLS

°Brix	degree Brix
°Brix/h	degree Brix per hour
Baht/g	baht per gram
Baht/l	baht per liter
Baht/kg	baht per kilogram
°C	degree Celcius
cm	centimeter
DDL FH	digested dried longan flesh hydrolysate
DLE	dried longan extract
FBG	fungal beta-glucanase unit
FXU	fungal xylanase unit
g	gram
g/g	g enzyme/g dried longan flesh powder
g/g/l	g sugar/g enzyme/liter mixture
g/l	gram per liter
g/l/h	gram per liter per hour

h	hour(s)
/h	per hour
kg	kilogram
kNU	kilo – Novo α -amylase unit
l	liter
M	molar
min	minute
ml	milliliter
ml/min	milliliter per minute
ml/ μ mol·cm	milliliter per micromole centimeter
mm	millimeter
mmol/mol	millimole per mole
mM	millimolar
mo	month
nm	nanometer
ODU	optical density unit
ODU/h	optical density unit per hour
psi	pound-force per square inch
rpm	revolutions per minute
U/mg	unit per milligram

v/v volume per volume

w/v weight per volume


$\mu\text{g/baht/L}$ $\mu\text{g sugar/baht/L mixture}$

μl microliter

μm micrometer

yrs years

% percent



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University
All rights reserved