

REFERENCES

1. Anderson LL, Atkinson BF. Preinvasive lesions of the cervix and vagina. In: Hernandez E, Atkinson BF, eds. *Clinical Gynecologic Pathology*. Philadelphia: WB Saunders 1996, 129-39.
2. Androphy EJ, Lowy DR, Schiller JT. Bovine papillomavirus E2 trans-activating gene product binds to specific sites in papillomavirus DNA. *Nature* 1987; 325: 70-3.
3. Astori G, Beltrame A, Pipan C, Raphenon G, Botta GA. PCR-RFLP-detected human papillomavirus infection in a group of senegalese women attending an STD clinic and identification of a new HPV-68 subtype. *Intervirology* 1999; 42: 221-7.
4. Baker CC. Bovine papillomavirus type 1 transcription. In: Pfister H, ed. *Papillomaviruses and Human Cancer*. Boca Raton: CRC Press 1990, 103-6.
5. Barbosa MS, Lowy DR, Schiller JT. Papillomavirus polypeptides E6 and E7 are zinc-binding proteins. *J Virol* 1989; 63: 1404-7.
6. Barron BA, Richart RM. A statistical; model of the natural history of cervical carcinoma based on a prospective study of 557 cases. *J Natl Cancer Inst* 1968; 45: 1343-53.
7. Bedell MA, Jones KH, Laimins LA. The E6-E7 region of human papillomavirus type 18 is sufficient for transformation of NIH 3T3 and rat-1 cells. *J Virol* 1987; 61: 3635-40.
8. Berg L, Lusky M, Stenlund A, Botchan M. Repression of bovine papillomavirus replication is mediated by virally encoded trans-acting factor. *Cell* 1986; 46: 753-62.
9. Bonnez W. Papillomavirus. In: Richman DD, Whitley RJ, Hayden FG, eds. *Clinical Virology*. New York: Churchill Livingstone 1997, 569-611.
10. Bornstein J, Rahat MA, Abramovici H. Etiology of cervical cancer: current concepts. *Obstet Gynecol Surv* 1995; 50: 146-54.
11. Boyd JT and Doll RA. A study of the aetiology of carcinoma of the cervix. *Br J Cancer* 1964; 18: 419-34.

12. Briton LA, Hamman RF, Huggins GR, *et al.* Sexual and reproductive risk factor for invasive squamous cell cervical carcinoma. *J Natl Cancer Inst* 1987; 79: 23.
13. Briton LA, Reeves WC, Brenes MM, *et al.* The male factor in the etiology of cervical cancer among sexually monogamous women. *Int J Cancer* 1989; 44: 199.
14. Briton LA. Oral contraceptives and cervical neoplasia. *Contraception* 1991; 43: 581.
15. Buckley JD, Harris RWC, Doll R, Vessey, MP, Williams PT. Case control study of the husbands of women with dysplasia or carcinoma of the cervix uteri. *Lancet* 1981; 2: 1010.
16. Carmichael JA, Masken PD. Cervical dysplasia and human papillomavirus. *Am J Obstet Gynecol* 1989; 160: 916-8.
17. Chiang Mai University. Faculty of Medicine, Maharaj Nakorn Chiang Mai Hospital. Chiang Mai Cancer Registry Annual Report Volume 14, Cancer unit Maharaj Nakorn Chiang Mai Hospital, Faculty of Medicine, Chiang Mai University. Chiang Mai: the Faculty, 1993.
18. Chiang Mai University. Faculty of Medicine, Maharaj Nakorn Chiang Mai Hospital. Chiang Mai Cancer Registry Annual Report Volume 15, Cancer unit Maharaj Nakorn Chiang Mai Hospital, Faculty of Medicine, Chiang Mai University. Chiang Mai: the Faculty, 1995.
19. Chiang Mai University. Faculty of Medicine, Maharaj Nakorn Chiang Mai Hospital. Chiang Mai Cancer Registry Annual Report Volume 16, Cancer unit Maharaj Nakorn Chiang Mai Hospital, Faculty of Medicine, Chiang Mai University. Chiang Mai: the Faculty, 1996.
20. Chiang Mai University. Faculty of Medicine, Maharaj Nakorn Chiang Mai Hospital. Chiang Mai Cancer Registry Annual Report Volume 17, Cancer unit Maharaj Nakorn Chiang Mai Hospital, Faculty of Medicine, Chiang Mai University. Chiang Mai: the Faculty, 1997.
21. Chiang Mai University. Faculty of Medicine, Maharaj Nakorn Chiang Mai Hospital. Chiang Mai Cancer Registry Annual Report Volume 18, Cancer unit Maharaj

Nakorn Chiang Mai Hospital, Faculty of Medicine, Chiang Mai University. Chiang Mai: the Faculty, 1998.

22. Choo KB, Lee HH, Pan CC, *et al.* Sequence duplication and internal deletion in the integrated human papillomavirus type 16 genome cloned from a cervical carcinoma. *J Virol* 1988; 62: 1659-66.

23. Choo KB, Pan CC, Han SH. Integration of human papillomavirus type 16 into cellular DNA of cervical carcinoma: preferential deletion of the E2 gene and invariable retention of the long control region and the E6/E7 open reading frames. *Virology* 1987; 161: 259-61.

24. Clertant RP, Seif I. A common function for polyoma virus large-T and papillomavirus E1 proteins? *Nature* 1984; 311: 276-9.

25. Crook T, Tidy JA, Vousden KH. Degradation of p53 can be targeted by HPV E6 sequences distinct from those required for p53 binding and trans-activation. *Cell* 1991; 67: 547-56.

26. Crum CP, Barber S, Symbular M, Snyder K, Saleh AM, Roche JK. Coexpression of the human papillomavirus type 16 E4 and L1 open reading frames in early cervical neoplasia. *Virology* 1990; 178: 238-46.

27. Cullen AP, Reid R, Champion M, Lorincz AT. Analysis of the physical state of different human papillomavirus DNAs in intraepithelial and invasive cervical neoplasm. *J Virol* 1991; 65: 606-12.

28. Cuzick J, Szarewski A, Terry G, *et al.* Human papillomavirus testing in primary cervical screening. *Lancet* 1995; 345: 1533-6.

29. Czegledy J, Evander M, Hernandi Z, Gergely L, Wadell G. Human papillomavirus type 18 E6* mRNA in primary tumors and pelvic lymph nodes of Hungarian patients with squamous cervical cancer. *Int J Cancer* 1994; 56: 182-6.

30. Day PM, Roden RB, Lowey DR, Schiller JT. The papilloma minor capsid protein, L2, induced localization of the major capsid protein, L1, and the viral transcription/replication protein, E2, to PML oncogenic domains. *J Virol* 1998; 72: 142-50.

31. Devasa SS. Descriptive epidemiology of cancer of the uterine cervix. *Obstet Gynecol* 1984; 63: 605-12.
32. DiMaio D, Guralski D, Schiller JT. Translation of open reading frame E5 of bovine papillomavirus is required for its transforming activity. *Proc Natl Acad Sci USA* 1986; 83: 1797-801.
33. DiSaia PJ, Creasman WT. *Clinical Gynecologic Oncology*. St.Louis: Mosby 1993.
34. Doorbar J, Ely S, Sterling J, Mclean C, Crawford L. Specific interaction between HPV-16 E1-E4 and cytokeratins results in collapse of the epithelial cell intermediate filament network. *Nature* 1991; 352: 824-7.
35. Doorbar J, Gallimore PH. Identification of proteins encoded by the L1 and L2 open reading frames of human papillomavirus 1a. *J Virol* 1987; 61: 2793-9.
36. Dyson N, Howley PM, Munger K, Harlow E. The human papillomavirus 16 E7 oncoprotein is able to bind to the retinoblastoma gene product. *Science* 1989; 243: 934-7.
37. Franco ELF. Epidemiology of anogenital warts and cancer. *Obstet Gyn Clin Nor Am* 1996; 23: 597-623.
38. Gissmann L, Schwartz E. Cloning of papillomavirus DNA. In: Becker Y, ed. *Recombinant DNA Research and Virus*. Boston: Martinus Nijhoff, 1985; 173-97.
39. Grossman SR, Laimins LA. E6 protein of human papillomavirus type 18 binds zinc. *Oncogene* 1989; 4: 1089-93.
40. Halbert CL, Demers GW, Galloway DW. The E7 gene of human papillomavirus type 16 is sufficient for immortalization of human epithelial cells. *J Virol* 1991; 65: 473-8.
41. Halbert CL, Demers GW, Galloway DW. The E6 and E7 genes of human papillomavirus type 6 have weak immortalizing activity in human epithelial cells. *J Virol* 1992; 66: 2125-34.
42. Ham J, Dostatni N, Gauthier JM, Yaniv M. The papillomavirus E2 protein: a factor with many talents. *TIBS* 1991; 16: 440-4.
43. zur Hausen H. Virus in human cancers. *Science* 1991; 254:1167-73.

44. zur Hausen H. Human papillomaviruses in the pathogenesis of anogenital cancer. *Virology* 1991; 184: 9-13.
45. Heller PB, Hernandez E, Atkinson BF. Malignant neoplasm of the cervix and vagina. In: Hernandez E and Atkinson BF, eds. *Clinical Gynecologic Pathology*. Philadelphia: WB Saunders 1996, 175-221.
46. Howley PM, Munger K, Werness BA, Phelps WC, Schlegel R. Molecular mechanisms of transformation by human papillomaviruses. *Princes Takamatsu Symp* 1989; 20: 199-206.
47. Howley PM. Papillomavirinae: the viruses and their replication. In: Fields BN, Knipe DM, Howley PM, *et al*, eds. *Fields Virology*. 3rd ed. Philadelphia: Lippincott-Raven 1996, p 2045-2076.
48. Hsu EM, McNicol PJ. Characterization of HPV-16 E6/E7 transcription in CaSki cells by quantitative PCR. *Mol Cell Probe* 1992; 6: 459-66.
49. Hsu EM, McNicol PJ, Guijon FB, Paraskevas M. Quantification of HPV-16 E6-E7 transcription in cervical intraepithelial neoplasia by reverse transcriptase polymerase chain reaction. *Int J Cancer* 1993; 55: 397-401.
50. Hubbert NL, Schiller JT, Lowy DR, Androphy EJ. Bovine papillomavirus transformed cell contain multiple E2 proteins. *Proc Natl Acad Sci USA* 1988; 85: 5864.
51. Hubbert NL, Sedman SA, Schiller JT. Human papillomavirus type 16 increases the degradation rate of p53 in human keratinocytes. *J Virol* 1992; 66: 6237-41.
52. Hudson JB, Bedell MA, McCance DJ, Laiminis LA. Immortalization and altered differentiation of human keratinocytes in vitro by the E6 and E7 open reading frames of human papillomavirus type 18. *J Virol* 1990; 64: 519-26.
53. Jewers RJ, Hildebrandt P, Ludlow JW, Kell B, McCance DJ. Regions of human papillomavirus type 16 E7 oncoprotein required for immortalization of human keratinocytes. *J Virol* 1992; 66: 1329-35.
54. Kessler II. Perspective on the epidemiology of cervical cancer with special reference to the herpes virus hypothesis. *Cancer Res* 1974; 34: 1091-110.

55. Koss LG and Gompel C. Introduction to Gynecologic Cytopathology with Histologic and Clinical Correlations. Baltimore: Williams & Wilkins 1999.
56. Koutsky LA, Galloway DA, Holmes KK. Epidemiology of genital human papillomavirus infection. *Epidemiol Rev* 1988; 10: 12-63.
57. Koutsky LA, Holmes KK. A cohort study of the risk of cervical intraepithelial neoplasia grade 2 or 3 in relation to papillomavirus infection. *N Eng J Med* 1992; 327: 1272-8.
58. Kurman JJ, Schiffman MH, Lancaster WD, *et al.* Analysis of individual human papillomavirus types in cervical dysplasia: A possible role for type 18 in rapid progression. *Am J Obstet Gynecol* 1988; 159: 293-6.
59. Lambert PF, Spalholz BA, Howley PM. A transcriptional repressor encoded by BPV-1 shares a common carboxy terminal domain with the E2 transactivator. *Cell* 1987; 50: 69-78.
60. Lambert PF, Hubbert NL, Androphy EJ, Howley PM, Schiller JT. Genetic assignment of multiple E2 gene products in bovine papillomavirus-transformed cells. *J Virol* 1989; 63: 3151-4.
61. Lambert PF. Papillomavirus DNA replication. *J Virol* 1991; 65: 3417-20.
62. Law MF, Lancaster WD, Howley PM. Conserved polynucleotide sequences among the genomes of papillomaviruses. *J Virol* 1978; 32: 199-211.
63. Leechanachai P, Banks L, Moreau F, Matlashewski G. The E5 gene from human papillomavirus type 16 is an oncogene which enhances growth factor-mediated signal transduction to the nucleus. *Oncogene* 1992; 7: 19-25.
64. Lombard I, Vicent-Salomon, Validire P, *et al.* Human papillomavirus genotype as a major determinant of the course of cervical cancer. *J Clin Oncol* 1998; 16: 2613-9.
65. Lusky M, Botchan M. Characterization of the bovine papillomavirus plasmid maintenance sequences. *Cell* 1984; 36: 391-401.
66. Lusky M, Botchan M. A bovine papillomavirus type 1-encoded modulator function is dispensable for transient viral replication but is required for establishment of the stable plasmid state. *J Virol* 1986; 60: 729-42.

67. Lusk M, Botchan M. Transient replication of bovine papillomavirus type 1 plasmids: cis and trans requirements. *Proc Natl Acad Sci USA* 1986; 83: 3609-13.
68. Martin P, Vass WC, Schiller JT, Lowy DR, Velu TJ. The bovine papillomavirus E5 transforming protein can stimulate the transforming activity of EGF and CSF-1 receptors. *Cell* 1989; 59: 21-32.
69. McNicol P, Guijon F, Wayne S, Hiajat R, Paraskevas M. Expression of human papillomavirus type 16 E6-E7 open reading frame varies quantitative in biopsy tissue from different grades of cervical intraepithelial neoplasia. *J Clin Microb* 1995; 33: 1169-73.
70. Mims C, Playfair J, Roitt I, Wakelin D, Williams R. *Medical Microbiology*. 2nd ed. London: Mosby 1998, 116.
71. Munger K, Phelps WC, Bubb V, Howley PM, Schlegel R. The E6 and E7 gene of the human papillomavirus type 16 together are necessary and sufficient for transformation of primary human keratinocytes. *J Virol* 1989; 63: 4417-21.
72. Munger K, Scheffner M, Huibregste JM, Howley PM. Interactions of HPV E6 and E7 oncoproteins with tumor suppressor gene products. *Cancer Surv* 1992; 12: 197-217.
73. van Muyden RCPA, ter Harmsel BWA, Smedts FMM, *et al*. Detection and typing of human papillomavirus in cervical carcinomas in Russian women. *Cancer* 1999; 85: 2011-6.
74. Nasiell K, Nasiell M, Vaclavinkova V. Behavior of moderate cervical dysplasia during long-term follow-up. *Obstet Gynecol* 1983; 61: 609-14.
75. Nasiell K, Roger V, Nasiell M. Behavior of mild cervical dysplasia during long-term follow-up. *Obstet Gynecol* 1986; 67: 665-9.
76. Neary K, Horwitz BH, DiMaio D. Mutational analysis of open reading frame E4 of bovine papillomavirus type 1. *J Virol* 1987; 61: 1248-52.
77. Palefsky JM, Winkler B, Rabanus JP, *et al*. Characterization of in vivo expression of the human papillomavirus type 16 E4 protein in cervical biopsy tissues. *J Clin Invest* 1991; 87: 2132-41.

78. Patten SF. Diagnostic Pathology of the Uterine Cervix. 2nd ed. Basel: S Karger, 1978.
79. Pfister H. The role of human papillomavirus in anogenital cancer. *Obstet Gyn Clin North Am* 1996; 23: 579-98.
80. Rawls EW, Tompkins WAE, Fogueroa ME, *et al.* Herpesvirus type 2: association with carcinoma of the cervix. *Science* 1968; 167: 1255-6.
81. Reagan JW, Patten SF. Dysplasia: basic reaction to injury in uterine cervix. *Ann NY Acad Sci* 1962; 97: 662-82.
82. Roberts S, Ashmole I, Johnson GD, Kreider JW, Gallinore PH. Cutaneous and mucosal human papillomavirus E4 proteins form intermediate filament-like structures in epithelial cells. *Virology* 1993; 197: 176-87.
83. Roitkin ID. A comparison review of key epidemiological studies in cervical cancer related to current searches for transmissible agents. *Cancer Res* 1973; 33: 1353-67.
84. Rose BR, Thompson CH, Tattersall MH, Elliott PM, Dalrymple C, Cossart YE. Identification of E6/E7 transcription pattern in HPV 16-positive cancer using the reverse transcription/polymerase chain reaction. *Gynecol Oncol* 1995; 56: 239-44.
85. Scheffner M, Takahashi T, Huibregtse JM, Minna, Howley PM. Interaction of the human papillomavirus types 16 E6 oncoprotein with wild-type and mutant human p53 proteins. *J Virol* 1992; 66:5100-5.
86. Scheffner M, Werness BA, Huibregtse JM, Levine AJ, Howley PM. The E6 oncoprotein encoded by human papillomavirus types 16 and 18 promotes the degradation of p53. *Cell* 1990; 63: 1129-36.
87. Schiller JT, Vass WC, Vousden KH, Lowy DR. E5 open reading frame of bovine papillomavirus type 1 encodes a transforming gene. *J Virol* 1986; 57:1-6.
88. Schlegel R, Wade-Glass M, Rabson MS, Yang YC. The E5 transforming gene of bovine papillomavirus encodes a small, hydrophobic polypeptide. *Science* 1986; 233: 464-7.

89. Schneider-Maunoury, S, Croissant O, Orth G. Integration of human papillomavirus type 16 DNA sequences: a possible early event in the progression of genital tumors. *J Virol* 1987; 61: 3295-8.
90. Sebbelov AM, Davison M, Kruger-Kjaer S, *et al.* Comparison of human papillomavirus genotypes in archival cervical cancer specimens from alaska natives, greenland natives and danish caucasians. *Microbes Infect* 2000; 2: 121-6.
91. Shah KV and Howley PM. Papillomaviruses. In: Fields BN, Knipe DM, Howley PM, *et al.*, eds. *Fields Virology*. 3rd ed. Philadelphia: Lippincott-Raven 1996, 2077-109.
92. Shirasawa H, Tomita Y, Sekiya S, Takamizawa H, Simizu B. Integration and transcription of human papillomavirus type 16 and 18 sequences in cell lines derived from cervical carcinomas. *J Gen Virol* 1987; 68: 583-91.
93. Shope RE, Hurst EW. Infectious papillomatosis of rabbits; with a note on the histopathology. *J Exp Med* 1933; 58: 607-24.
94. Sherris J, ed. "Worldwide Cervical Cancer Issues" [Online]. Available : http://www.rho.org/html/cxca_overview_.htm. May, 4, 2000.
95. Slattery ML, Robinson, LM, Schuman KL, *et al.* Cigarette smoking and exposure to passive smoke are risk factors for cervical cancer. *JAMA* 1989; 261: 1593.
96. Smotkin D, Wettstain FO. Transcription of human papillomavirus type 16 early genes in a cervical cancer and a cancer-derived cell line and identification of E7 protein. *Proc Natl Acad Sci USA* 1986; 83: 4680-4.
97. Smotkin D, Prokoph H, Wettstain FO. Oncogenic and nononcogenic human genital papillomaviruses generate the E7 mRNA by different mechanism. *J Virol* 1989; 63: 1441-7.
98. Socoloski M, Tan W, Jellue M, Schwartz S. mRNA instability elements in the human papillomavirus type 16 L2 coding region. *J Virol* 1998; 72: 1504-15.
99. Steger G, Pfister H. In vitro expressed HPV 8 E6 protein does not bind p53. *Arch Virol* 1992; 125:355-60.

100. Takebe N, Tsunokawa Y, Nozawa S, Terada M, Sugimura T. Conservation of E6 and E7 regions of human papillomavirus types 16 and 18 present in cervical cancers. *Biochem Biophys Res Commun* 1987; 142: 837-44.
101. Thorner L, Bucay N, Choe J, Botcham M. The product of the bovine papillomavirus types 1 modulator gene (M) is a phosphoprotein. *J Virol* 1988; 62: 2474-82.
102. Torroella-Kouri M, Morsbrger S, Carrillo A, *et al.* HPV prevalence among Mexican women with neoplastic and normal cervixes. *Gynecol Oncol* 1998; 70: 115-20.
103. Turek LP and Smith EM. The genetic program of genital human papillomaviruses in infection and cancer. *Obstet Gyn Clin North Am* 1996; 735-59.
104. Vatanasapt V, Martin N, Sriplung H, *et al.* Cancer in Thailand 1988-1991. IARC Technical Report 1993.
105. de Valliers EM, Wagner D, Schneider A, *et al.* Human papillomavirus in women without and with cytological abnormalities: results of a 5-years follow-up study. *Gynecol Oncol* 1992; 44: 33-9.
106. Vousden KH, Doniger J, DiPaolo JA, Lowy DR. The E7 open reading frame of human papillomavirus type 16 encodes a transforming gene. *Oncogene Res* 1988; 3: 167-75.
107. Werness BA, Levine AJ, Howley PM. Association of human papillomavirus types 16 and 18 E6 proteins with p53. *Science* 1990; 244: 76-9.
108. Wright TC, Richart RM. Role of human papillomavirus in the pathogenesis of genital tract warts and cancer. *Gynecol Oncol* 1990; 37:151-64.
109. Yasumoto S, Burkhardt AL, Doniger J, DiPaolo JA. Human papillomavirus types 16 DNA-induced malignant transformation of NIH 3T3 cells. *J Virol* 1986; 57: 572-7.
110. Yoshikawa H, Kawana T, Kitagawa K, Mizuno M, Yoshikura H, Iwamoto A. Detection and typing of multiple genital human papillomaviruses by DNA amplification with consensus primers. *Jap J Cancer Res* 1991; 82: 524-31.

111. Zhou J, Sun XY, Louis K, Frazer H. Interaction of human papillomavirus (HPV) types 16 capsid proteins with HPV DNA requires an intact L2 N-terminal sequence. J Virol 1994; 68: 619-25.

112. ปราณีย์ ลี้ชนะชัย. Restriction Fragment Length Polymorphism. ใน วสันต์ จันทราทิตย์, ปราณีย์ ลี้ชนะชัย และวาสนา ศิริรังษี (บก.), วิทยาการทันสมัยในการตรวจวินิจฉัยโครโมโซมและยีน, เชียงใหม่: ภาควิชาจุลชีววิทยาคคลินิก คณะเทคนิคการแพทย์ มหาวิทยาลัยเชียงใหม่ 2539: 17-1 - 17-15.

มหาวิทยาลัยเชียงใหม่
Chiang Mai University