

## REFERENCES

- Abe H, Miyahara E, Yamana K. Syntheses of alkaline phosphatase in embryonic cells during aggregate formation. *Nat New Biol* 1972;235(60):254-6.
- Ali S. Cell mediated calcification and matrik vesicles. Amsterdam: Elsevier; 1986.
- Bailyes EM, Seabrook RN, Calvin J, Maguire GA, Price CP, Siddle K, et al. The preparation of monoclonal antibodies to human bone and liver alkaline phosphatase and their use in immunoaffinity purification and in studying these enzymes when present in serum. *Biochem J* 1987;244(3):725-33.
- Baines D. Analysis of purity. in Roe S (Ed.), Protein purification techniques. 2 nd ed. New York: Oxford University Press; 2001.
- Bamford KF, Harris H, Luffman JE, Robson EB, Cleghorn TE. Serum-Alkaline-Phosphatase and the ABO Blood-Groups. *Lancet* 1965;19:530-1.
- Barka T, Henderson S, van der Noen HM. Passive immunotherapy of mice bearing Ehrlich ascites tumor expressing human, membrane-bound placental alkaline phosphatase. *Tumour Biol* 2000;21(3):145-52.
- Barthel LK, Raymond PA. Subcellular localization of alpha-tubulin and opsin mRNA in the goldfish retina using digoxigenin-labeled cRNA probes detected by alkaline phosphatase and HRP histochemistry. *J Neurosci Methods* 1993;50(2):145-52.
- Bayer PM, Hotschek H, Knoth E. Intestinal alkaline phosphatase and the ABO blood group system-a new aspect. *Clin Chim Acta* 1980;108(1):81-7.

Beckman L. Associations between Human Serum Alkaline Phosphatases and Blood Groups. *Acta Genet Stat Med* 1964;14:286-97.

Becq F, Fanjul M, Merten M, Figarella C, Hollande E, Gola M. Possible regulation of CFTR-chloride channels by membrane-bound phosphatases in pancreatic duct cells. *FEBS Lett* 1993;327(3):337-42.

Berger J, Garattini E, Hua JC, Udenfriend S. Cloning and sequencing of human intestinal alkaline phosphatase cDNA. *Proc Natl Acad Sci U S A* 1987;84(3):695-8.

Beyzavi K, Hampton S, Kwasowski P, Fickling S, Marks V, Clift R. Comparison of horseradish peroxidase and alkaline phosphatase-labelled antibodies in enzyme immunoassays. *Ann Clin Biochem* 1987;24(Pt 2):145-52.

Bianes D. Analysis of purity. in Roe S. (Ed.), Protein purification techniques. 2 nd ed. Oxford: Oxford University Press; 2001.

Bowers GN, Jr., McComb RB. Measurement of total alkaline phosphatase activity in human serum. *Clin Chem* 1975;21(13):1988-95.

Brocklehurst D, Wilde CE, Doar JW. The incidence and likely origins of serum particulate alkaline phosphatase and lipoprotein-X in liver disease. *Clin Chim Acta* 1978;88(3):509-15.

Brocklehurst D. The alkaline phosphatase-lipoprotein X complex. *Clin Chem* 1981;27(7):1317-8.

Bublitz R, Hoppe H, Cumme GA, Thiele M, Attey A, Horn A. Structural study on the carbohydrate moiety of calf intestinal alkaline phosphatase. *J Mass Spectrom* 2001;36(8):960-72.

Catalan RE, Martinez AM, Aragones MD, Miguel BG, Robles A. Insulin action on brain microvessels; effect on alkaline phosphatase. *Biochem Biophys Res Commun* 1988;150(2):583-90.

Celano P, Berchtold CM, Mabry M, Carroll M, Sidransky D, Casero RA, Jr., et al. Induction of markers of normal differentiation in human colon carcinoma cells by the v-rash oncogene. *Cell Growth Differ* 1993;4(4):341-7.

Chang CH, Angellis D, Fishman WH. Presence of the rare D-variant heat-stable, placental-type alkaline phosphatase in normal human testis. *Cancer Res* 1980;40(5):1506-10.

Chapman JF WL, Silverman LM. Alkaline phosphatase isoenzymes. in Kaplan L (Ed.), *Method in clinical chemistry*. St. Louis: The C.V. Mosby Company; 1987.

German Society for Clinical Chemistry. Recommendations of the German Society for Clinical Chemistry. Standardization of methods for the estimation of enzyme activities in biological fluids: Experimental basis for the optimized standard conditions. *Klin Chem Klin Biochem* 1972;10(6):281-91.

Coleman RE, Whitaker KB, Moss DW, Mashiter G, Fogelman I, Rubens RD. Biochemical prediction of response of bone metastases to treatment. *Br J Cancer* 1988;58(2):205-10.

Crofton PM, Smith AF. High-molecular-mass alkaline phosphatase in serum and bile: physical properties and relationship with other high-molecular-mass enzymes. *Clin Chem* 1981;27(6):860-6.

Cummings RD, Kornfeld S. Fractionation of asparagine-linked oligosaccharides by serial lectin-Agarose affinity chromatography. A rapid, sensitive, and specific technique. *J Biol Chem* 1982;257(19):11235-40.

Day AP, Feher MD, Chopra R, Mayne PD. Triglyceride fatty acid chain length influences the post prandial rise in serum intestinal alkaline phosphatase activity. Ann Clin Biochem 1992;29 (Pt 3):287-91.

De Broe ME, Borgers M, Wieme RJ. The separation and characterization of liver plasma membrane fragments circulating in the blood of patients with cholestasis. Clin Chim Acta 1975;59(3):369-72.

De Broe ME, Wieme RJ, Logghe GN, Roels F. Spontaneous shedding of plasma membrane fragments by human cells in vivo and in vitro. Clin Chim Acta 1977;81(3):237-45.

De Broe ME, Roels F, Nouwen EJ, Claeys L, Wieme RJ. Liver plasma membrane: the source of high molecular weight alkaline phosphatase in human serum. Hepatology 1985;5(1):118-28.

Deerasamee s. MN, Sontipong S., Sriamporn S., Sriplung H., Srivatanakul P., Vatanasapt V., Parkin D.M., Ferlay J. Cancer in Thailand Vol II 1992-1994. Thailand: The international Agency for research on cancer; 1999.

Deng JT, Hoylaerts MF, Van Hoof VO, De Broe ME. Differential release of human intestinal alkaline phosphatase in duodenal fluid and serum. Clin Chem 1992;38(12):2532-8.

Dent CE, Norris TS, Smith R, Sutton RA, Temperley JM. Steatorrhoea with striking increase of plasma-alkaline-phosphatase of intestinal origin. Lancet 1968;1(7556):1333-6.

Domar U, Danielsson A, Hirano K, Stigbrand T. Alkaline phosphatase isozymes in non-malignant intestinal and hepatic diseases. Scand J Gastroenterol 1988;23(7):793-800.

Domar U, Hirano K, Stigbrand T. Serum levels of human alkaline phosphatase isozymes in relation to blood groups. Clin Chim Acta 1991;203(2-3):305-13.

Dousa TP, Kempson SA. Regulation of renal brush border membrane transport of phosphate. Miner Electrolyte Metab 1982;7(3):113-21.

Duffy MJ. Cancer metastasis: biological and clinical aspects. Ir J Med Sci 1998;167(1):4-8.

Elder MG. Serum heat stable alkaline phosphatase levels and their relationship to urinary oestrogen output and fetal and placental weights. J Obstet Gynaecol Br Commonw 1971;78(2):123-9.

Etzler ME, Birkenmeier H, Moog F. Localization of alkaline phosphatase isozymes in mouse duodenum by immunofluorescence microscopy. Histochemistry 1969;20(2):99-104.

Farley JR, Hall SL, Herring S, Libanati C, Wergedal JE. Reference standards for quantification of skeletal alkaline phosphatase activity in serum by heat inactivation and lectin precipitation. Clin Chem 1993;39(9):1878-84.

Farley JR, Hall SL, Ilacas D, Orcutt C, Miller BE, Hill CS, et al. Quantification of skeletal alkaline phosphatase in osteoporotic serum by wheat germ agglutinin precipitation, heat inactivation, and a two-site immunoradiometric assay. Clin Chem 1994;40(9):1749-56.

Farquharson MA, Harvie R, Kennedy A, McNicol AM. Detection of mRNA by in situ hybridisation and in northern blot analysis using oligodeoxynucleotide probes labelled with alkaline phosphatase. J Clin Pathol 1992;45(11):999-1002.

Fedde KN, Whyte MP. Alkaline phosphatase (tissue-nonspecific isoenzyme) is a phosphoethanolamine and pyridoxal-5'-phosphate ectophosphatase: normal and hypophosphatasia fibroblast study. Am J Hum Genet 1990;47(5):767-75.

Fishman WH, Green S, Inglis NI. L-phenylalanine: an organ specific, stereospecific inhibitor of human intestinal alkaline phosphatase. Nature 1963;198:685-6.

Fishman WH. Alkaline phosphatase isozymes: recent progress. Clin Biochem 1990;23(2):99-104.

Fishman WH Inglis NJ, Krant MJ. Serum alkaline phosphatase of intestinal origin in patients with cancer and cirrhosis of the liver. Clin Chim Acta 1965;12:298-303.

Forsberg PO, Martin SC. Plasmin digestion of human fibrinogen previously phosphorylated by protein kinase C or dephosphorylated by alkaline phosphatase in vitro. Thromb Res 1990;58(2):119-27.

Fritsche HA, Jr., Adams-Park HR. Cellulose acetate electrophoresis of alkaline phosphatase isoenzymes in human serum and tissue. Clin Chem 1972;18(5):417-21.

Fujimori-Arai Y, Koyama I, Hirano K, Sakagishi Y, Komoda T. Purification and partial characterization of intestinal-like alkaline phosphatase in rabbit kidney. Arch Biochem Biophys 1991;284(2):320-5.

Fukumasu H, Fukumasu Y, Ogita S. Elevation in plasma alkaline phosphatase level during rhG-CSF administration. Granulocytopenic patients with gynecologic cancers treated with cancer chemotherapy. Gynecol Obstet Invest 1998;45(2):99-104.

Gladkikh AS, Gadakchian DG. [Serum alkaline phosphatase isoenzymes and their role in forensic serology]. Sud Med Ekspert 1973;16(3):21-5.

Glickman RM, Alpers DH, Drummey GD, Isselbacher KJ. Increased lymph alkaline phosphatase after fat feeding: effects of medium chain triglycerides and inhibition of protein synthesis. Biochim Biophys Acta 1970;201(2):226-35.

Goldstein DJ, Rogers C, Harris H. A search for trace expression of placental-like alkaline phosphatase in non-malignant human tissues: demonstration of its occurrence in lung, cervix, testis and thymus. Clin Chim Acta 1982;125(1):63-75.

Gonchoroff DG, Branum EL, O'Brien JF. Alkaline phosphatase isoenzymes of liver and bone origin are incompletely resolved by wheat-germ-lectin affinity chromatography. Clin Chem 1989;35(1):29-32.

Griffiths WC, Lev R, Gentile J, Horvath G. On the difference between colonic and small intestinal alkaline phosphatase. Clin Biochem 1985;18(4):254-6.

Griffiths J, Black J. Separation and identification of alkaline phosphatase isoenzymes and isoforms in serum of healthy persons by isoelectric focusing. Clin Chem 1987;33(12):2171-7.

Griffiths J. Alkaline phosphatases. Newer concepts in isoenzymes and clinical applications. Clin Lab Med 1989;9(4):717-30.

Griffiths WC, Camara PD, Rosner M, Lev R, Brooks EM. Prevalence and properties of the intestinal alkaline phosphatase identified in serum by cellulose acetate electrophoresis. Clin Chem 1992;38(4):507-11.

Griffiths J. An alternate origin for the placental isoenzyme of alkaline phosphatase. Arch Pathol Lab Med 1992;116(10):1019-24.

Griffiths DL. The bone-setters of Anglesey: a re-examination of a legend. Bull Hosp Jt Dis 1993;53(4):54-61.

Griffiths WC, Camara PD, Gentile J. The re-examination of the source of "intestinal" alkaline phosphatase as observed with cellulose acetate electrophoresis [ Abstract]. Clin Chem 1987;33:999.

Hage DS. Affinity chromatography: a review of clinical applications. Clin Chem 1999;45(5):593-615.

Hagerstrand I. Distribution of alkaline phosphatase activity in healthy and diseased human liver tissue. *Acta Pathol Microbiol Scand [A]* 1975;83(5):519-26.

Hanna SD, Mircheff AK, Wright EM. Alkaline phosphatase of basal lateral and brush border plasma membranes from intestinal epithelium. *J Supramol Struct* 1979;11(4):451-66.

Hansen-Smith FM, Blackwell LH, Joswiak GR. Expression of muscle capillary alkaline phosphatase is affected by hypoxia. *J Appl Physiol* 1992;73(2):776-80.

Harmenberg U, Koha M, Makiya R, Koshida K, Brismar B, Stigbrand T, Wahren B. Identification and characterization of alkaline phosphatase isoenzymes in human colorectal adenocarcinomas. *Tumour Biol* 1991;12(4):237-48.

Thailand public health. Thailand public health 2003. Bangkok, Thailand: Alpha research Co.Ltd; 2003.

Henderson KM, Camberis M, Simmons MH, Starrs WJ, Hardie AH. Application of enzymeimmunoassay to measure oestrone sulphate concentrations in cow's milk during pregnancy. *J Steroid Biochem Mol Biol* 1994;50(3-4):189-96.

Hendrix PG, Hoylaerts MF, Nouwen EJ, De Broe ME. Enzyme immunoassay of human placental and germ-cell alkaline phosphatase in serum. *Clin Chem* 1990;36(10):1793-9.

Henthorn PS, Raducha M, Kadesch T, Weiss MJ, Harris H. Sequence and characterization of the human intestinal alkaline phosphatase gene. *J Biol Chem* 1988;263(24):12011-9.

Herz F, HM. Modulation of alkaline phosphatases in Lo Vo, a human colon carcinoma cell line. *Biochem Biophys Acta* 1989;1013:259-65.

Hirano K, Matsumoto H, Tanaka T, Hayashi Y, Iino S, Domar U, et al. Specific assays for human alkaline phosphatase isozymes. *Clin Chim Acta* 1987;166(2-3):265-73.

Hirano K, Koyama I, Stigbrand T. Purification and partial characterization of the placental-like alkaline phosphatase in human lung tissue. *Clin Chim Acta* 1990;186(2):265-73.

National guideline clearing house. "2000 update of recommendations for the use of tumor markers in breast and colorectal cancer: clinical practice guidelines of the American Society of Clinical Oncology". [Online]. Available: [www.guideline.gov](http://www.guideline.gov) [2000].

Hoylaerts MF, Millan JL. Site-directed mutagenesis and epitope-mapped monoclonal antibodies define a catalytically important conformational difference between human placental and germ cell alkaline phosphatase. *Eur J Biochem* 1991;202(2):605-16.

Hummer C, Millan JL. Gly429 is the major determinant of uncompetitive inhibition of human germ cell alkaline phosphatase by L-leucine. *Biochem J* 1991;274 ( Pt 1):91-5.

Iqbal SJ, Brain A, Reynolds TM, Penny M, Holland S. Relationship between serum alkaline phosphatase and pyridoxal-5'- phosphate levels in hypophosphatasia. *Clin Sci (Lond)* 1998;94(2):203-6.

Itoh H, Kakuta T, Genda G, Sakonju I, Takase K. Canine serum alkaline phosphatase isoenzymes detected by polyacrylamide gel disk electrophoresis. *J Vet Med Sci* 2002;64(1):35-9.

Jenkins MA, Steer CB, Cheng LW, Ratnaike S. An unusual alkaline phosphatase isoenzyme associated with gastric carcinoma. *Ann Clin Biochem* 1999;36 ( Pt 6):743-8.

Kaeoyot K. Kinetic and regulation of intestinal alkaline phosphatase isoenzyme from bovine tissue by chemicals, amino acid and modulator. BS (MT) term paper ,Chiang Mai University, 2003.

Karmen C, Mayne PD, Foo AY, Parbhoo S, Rosalki SB. Measurement of biliary alkaline phosphatase by mini-column chromatography and by electrophoresis and its application to the detection of liver metastases in patients with breast cancer. *J Clin Pathol* 1984;37(2):212-7.

Karp G. Cancer. in Cell and molecular biology concept and experiment. 3rd ed. New York: Von Hoffman Press; 2002.

Keiding NR. The Alkaline Phosphatase Fractions of Human Lymph. *Clin Sci* 1964;26:291-7.

Kempson SA, Kim JK, Northrup TE, Knox FG, Dousa TP. Alkaline phosphatase in adaptation to low dietary phosphate intake. *Am J Physiol* 1979;237(5):E465-73.

Kiutukchiev B, Matrova T. [Alkaline phosphatase during pregnancy]. Akush Ginekol 1968;7(1):21-5.

Kleinsmith LJ, Kerrigan KD, Spangler S. "Understanding Cancer".[Online]. Available: <http://press2.nci.nih.gov/sciencebehind/cancer/cancer01.htm> - 20k [2004].

Koett J, Howell J, Wolf PL. Clinical significance of an ultrafast alkaline phosphatase isoenzyme. *J Clin Pathol* 1979;32(12):1286-92.

Komoda T, Sakagishi Y. The function of carbohydrate moiety and alteration of carbohydrate composition in human alkaline phosphatase isoenzymes. *Biochim Biophys Acta* 1978;523(2):395-406.

Komoda T, Sakagishi Y, Sekine T. Multiple forms of human intestinal alkaline phosphatase: chemical and enzymatic properties, and circulating clearances of the fast- and slow-moving enzymes. *Clin Chim Acta* 1981;117(2):167-87.

Kornfeld R, Kornfeld S. Assembly of asparagine-linked oligosaccharides. *Annu Rev Biochem* 1985;54:631-64.

Koyama I, Miura M, Matsuzaki H, Sakagishi Y, Komoda T. Sugar-chain heterogeneity of human alkaline phosphatases: differences between normal and tumour-associated isozymes. *J Chromatogr* 1987;413:65-78.

Kuwana T, Rosalki SB. Intestinal variant alkaline phosphatase in plasma in disease. *Clin Chem* 1990;36(11):1918-21.

Langman MJ, Leuthold E, Robson EB, Harris J, Luffman JE, Harris H. Influence of diet on the "intestinal" component of serum alkaline phosphatase in people of different ABO blood groups and secretor status. *Nature* 1966;212(57):41-3.

Langman MJ, Constantinopoulos A, Bouchier IA. ABO blood groups, secretor status, and intestinal mucosal concentrations of alkaline phosphatase. *Nature* 1968;217(131):863-5.

Le Du MH, Millan JL. Structural evidence of functional divergence in human alkaline phosphatases. *J Biol Chem* 2002;277(51):49808-14.

Lehmann FG. Differentiation of human alkaline phosphatases by lectin binding affinity. *Klin Wochenschr* 1980;58(18):947-51.

Lev R, Griffiths WC. Colonic and small intestinal alkaline phosphatase. A histochemical and biochemical study. *Gastroenterology* 1982;82(6):1427-35.

Levin B, Brooks D, Smith RA, Stone A. Emerging technologies in screening for colorectal cancer: CT colonography, immunochemical fecal occult blood tests, and stool screening using molecular markers. *CA Cancer J Clin* 2003;53(1):44-55.

Logunov D, Cherenova LV, Shmarov MM, Shashkova EV, Verkhovskaya LV, Doronin KK, et al. [Delivery of secreted placental alkaline phosphatase (SEAP) gene in vitro and in vivo as a component of recombinant avian adenovirus (CELO)]. Mol Gen Mikrobiol Virusol 2002;4:21-5.

Lustig V KJ. Species, organ and subcellular specificity of alkaline phosphatases as determined by amino acid inhibition studies. Comp Biochem Physiol A 1971;39:305-310.

Mansell DE. "Colon polyps, colon cancer and all information you wanted related colon CA, polyps". [Online]. Available <http://www.maxinet.com/mansell/polyp.html> (April 23, 1999).

Martin D, Tucker DF, Gorman P, Sheer D, Spurr NK, Trowsdale J. The human placental alkaline phosphatase gene and related sequences map to chromosome 2 band q37. Ann Hum Genet 1987;51 (Pt 2):145-52.

Matsumoto H, Erickson RH, Gum JR, Yoshioka M, Gum E, Kim YS. Biosynthesis of alkaline phosphatase during differentiation of the human colon cancer cell line Caco-2. Gastroenterology 1990;98(5 Pt 1):1199-207.

Matsushita M, Irino T, Stigbrand T, Nakajima T, Komoda T. Changes in intestinal alkaline phosphatase isoforms in healthy subjects bearing the blood group secretor and non-secretor. Clin Chim Acta 1998;277(1):13-24.

Matsushita M, Irino T, Kawaguchi T, Komoda T. The effect of different buffers and amounts of intestinal alkaline phosphatase isoforms on total alkaline phosphatase activity. Clin Chim Acta 2002;319(1):49-55.

McComb RB, Bowers GN, Jr. Alkaline phosphatase and the International Clinical Enzyme Scale. Am J Clin Pathol 1985;84(1):67-73.

McComb RB, Bowers GN, Posen S. Alkaline phosphatase. New York: Plenum Press; 1979.

Mercer D, Tang M, Marino IR, Demetris A, Fung J, Starzl T, et al. Changes in biliary (high-molecular-mass) and liver isoforms of alkaline phosphatase after baboon-to-human liver transplantation. *Clin Chem* 1994;40(7 Pt 1):1335-9.

Millan JL. Molecular cloning and sequence analysis of human placental alkaline phosphatase. *J Biol Chem* 1986;261(7):3112-5.

Millan JL. Oncodevelopmental expression and structure of alkaline phosphatase genes. *Anticancer Res* 1988;8(5A):995-1004.

Millan JL. Oncodevelopmental alkaline phosphatases: in search for a function. *Prog Clin Biol Res* 1990;344:453-75.

Millan JL. Alkaline phosphatase as a reporter of cancerous transformation. *Clin Chim Acta* 1992;209(1-2):123-9.

Miura M, Sakagishi Y, Hata K, Komoda T. Differences between the sugar moieties of liver- and bone-type alkaline phosphatases: a re-evaluation. *Ann Clin Biochem* 1994;31 ( Pt 1):25-30.

Miura M, Matsuzaki H, Bailyes EM, Koyama I, Sakagishi Y. Differences between human liver and bone-type alkaline phosphatase. *Clin Chim Acta* 1989;180:177-88.

Montreuil J. Primary structure of glycoprotein glycans: basis for the molecular biology of glycoproteins. *Adv Carbohydr Chem Biochem* 1980;37:157-223.

Moog F, Glazier HS. Phosphate absorption and alkaline phosphatase activity in the small intestine of the adult mouse and of the chick embryo and hatched chick. *Comp Biochem Physiol A* 1972;42(2):321-36.

Moore RJ, Veum TL. Adaptive increase in phytate digestibility by phosphorus-deprived rats and the relationship of intestinal phytase (EC 3.1.3.8) and alkaline phosphatase (EC 3.1.3.1) to phytate utilization. *Br J Nutr* 1983;49(1):145-52.

Morris DC, Masuhara K, Takaoka K, Ono K, Anderson HC. Immunolocalization of alkaline phosphatase in osteoblasts and matrix vesicles of human fetal bone. *Bone Miner* 1992;19(3):287-98.

Morton RK. The purification of alkaline phosphatases of animal tissues. *Biochem J* 1954;57(4):595-603.

Moss DW, King EJ. Properties of alkaline-phosphatase fractions separated by starch-gel electrophoresis. *Biochem J* 1962;84:192-5.

Moss DW, Walli AK. Intermediates in the hydrolysis of ATP by human alkaline phosphatase. *Biochim Biophys Acta* 1969;191(2):476-7.

Moss DW. Biochemical studies on phosphohydrolase isoenzymes. *Ann N Y Acad Sci* 1969;166(2):641-52.

Moss DW, Shakespeare MJ, Thomas DM. Observations on the heat-stability of alkaline phosphatase isoenzymes in serum. *Clin Chim Acta* 1972;40(1):35-41.

Moss DW. Immunochemical similarities between major and minor components of human placental alkaline phosphatase. *Clin Chim Acta* 1973;43(3):447-9.

Moss DW. Alkaline phosphatase isoenzymes. *Clin Chem* 1982;28(10):2007-16.

Moss DW, Whitaker KB. Modification of alkaline phosphatases by treatment with glycosidases. *Enzyme* 1985;34(4):212-6.

- Moss DW. Perspectives in alkaline phosphatase research. *Clin Chem* 1992;38(12):2486-92.
- Moss DW, Maire I, Calam DH, Gaines Das RE, Lessinger JM, Gella FJ, et al. Reference materials in clinical enzymology: preparation, requirements and practical interests. *Ann Biol Clin (Paris)* 1994;52(3):189-98.
- Mueller HD, Stinson RA, Mohyuddin F, Milne JK. Isoenzymes of alkaline phosphatase in infantile hypophosphatasia. *J Lab Clin Med* 1983;102(1):24-30.
- Mulivor RA, Plotkin LI, Harris H. Differential inhibition of the products of the human alkaline phosphatase loci. *Ann Hum Genet* 1978;42(1):1-13.
- National Cancer Institute, NCI Home. "Colorectal cancer screening: question and answer". [Online]. Available: <http://www.nci.nih.gov> (31 August 2004).
- Neale FC, Clubb JS, Hotchkis D, Posen S. Heat Stability of Human Placental Alkaline Phosphatase. *J Clin Pathol* 1965;18:359-63.
- Nishihara Y, Hayashi Y, Adachi T, Koyama I, Stigbrand T, Hirano K. Chemical nature of intestinal-type alkaline phosphatase in human kidney. *Clin Chem* 1992;38(12):2539-42.
- Okochi T, Seike H, Saeki K, Sumikawa K, Yamamoto T, Higashino K. A novel alkaline phosphatase isozyme in human adipose tissue. *Clin Chim Acta* 1987;162(1):19-27.
- Page M, Thorpe R. Protein blotting by electroblotting. in Walker JM (Ed.), *The protein protocols handbook*. New Jersey: Humana Press; 2002.
- Pannall P., Kotasek D. *Cancer and clinical biochemistry*. London: Piggott Printer (Cambridge) Ltd.; 1997.

Pfleiderer G, Baier M, Mondorf AW, Stefanescu T, Scherberich JE, Muller H. Change in alkaline phosphatase isoenzyme pattern in urine as possible marker for renal disease. *Kidney Int* 1980;17(2):242-9.

Price CP. Multiple forms of human serum alkaline phosphatase: detection and quantitation. *Ann Clin Biochem* 1993;30(Pt 4):355-72.

Rambaldi A, Masuhara K, Borleri GM, Amaru R, Gianni M, Terao M, et al. Flow cytometry of leucocyte alkaline phosphatase in normal and pathologic leucocytes. *Br J Haematol* 1997;96(4):815-22.

Rej R, HorderM. Aspartate aminotransferase (glutamate oxaloacetate transaminase). in Bergmeyer HU, Bergmeyer J, Grassl J. (Ed.), Methods of enzymatic analysis. Verlag Chemie: Weinheim; 1987.

Robison R. The possible significance of hexosophosphoric esters in ossificatio in vitro. *Biochem* 1923;17:289-93.

Roche J, Sarles H. [The origin of blood alkaline phosphatase and the regulation of blood phosphatase level]. *Bull Soc Chim Biol (Paris)* 1954;36(4-5):501-10.

Skillet AW, Fifield RD, Sheraidah GS. Serum alkaline phosphatase isoenzyme patterns in disease. *Clin Chim Acta* 1972;40(1):21-5.

Stolbach LL, Krant MJ, Inglis NI, Fishman WH. Correlation of serum L-phenylalanine-sensitive alkaline phosphatase, derived from intestine, with the ABO blood group of cirrhotics. *Gastroenterology* 1967;52(5):819-27.

Sussman NL, Eliakim R, Rubin D, Perlmutter DH, DeSchryver-Kecskemeti K, Alpers DH. Intestinal alkaline phosphatase is secreted bidirectionally from villous enterocytes. *Am J Physiol* 1989;257(1 Pt 1):G14-23.

Swallow DM, Povey S, Parkar M, Andrews PW, Harris H, Pym B, et al. Mapping of the gene coding for the human liver/bone/kidney isozyme of alkaline phosphatase to chromosome 1. *Ann Hum Genet* 1986;50 ( Pt 3):229-35.

Tan KK, Aw SE. The purification and properties of heat-stable alkaline phosphatase isoenzymes from HeLa cells. *Biochim Biophys Acta* 1971;235(1):119-27.

Tenenhouse HS, Scriver CR, Vizel EJ. Alkaline phosphatase activity does not mediate phosphate transport in the renal-cortical brush-border membrane. *Biochem J* 1980;190(2):473-6.

Tibi L, Collier A, Patrick AW, Clarke BF, Smith AF. Plasma alkaline phosphatase isoenzymes in diabetes mellitus. *Clin Chim Acta* 1988;177(2):147-55.

Tietz NW *et al.* *Textbook of clinical chemistry*. Philadelphia: W. B. Saunders Company; 1982.

Tsumura M, Ueno Y, Kinouchi T, Koyama I, Komoda T. Atypical alkaline phosphatase isozymes in serum and urine of patients with renal failure. *Clin Chim Acta* 2001;312(1-2):169-78.

Urban E. Intestinal brush border alkaline phosphatase in the rat after proximal small bowel resection. *Proc Soc Exp Biol Med* 1977;155(1):99-104.

Van Belle H. Alkaline phosphatase. I. Kinetics and inhibition by levamisole of purified isoenzymes from humans. *Clin Chem* 1976;22(7):972-6.

Van Hoof VO, Lepoutre LG, Hoylaerts MF, Chevigne R, De Broe ME. Improved agarose electrophoretic method for separating alkaline phosphatase isoenzymes in serum. Clin Chem 1988;34(9):1857-62.

Van Hoof VO, Hoylaerts MF., Lepoutre L.G, et al. Detection and preliminary characterization of an intestinal variant "alkaline phosphatase isoenzyme in human serum, Biologic prospective. Paris: John Libbey Eurotext; 1989.

Van Hoof VO, Hoylaerts MF, Geryl H, Van Mullem M, Lepoutre LG, De Broe ME. Age and sex distribution of alkaline phosphatase isoenzymes by agarose electrophoresis. Clin Chem 1990;36(6):875-8.

Van Hoof VO DB. Interpretation and clinical significance of alkaline phosphatase isoenzyme patterns. In: Critical reviews in clinical laboratory sciences: CRC Press; 1994. p. 197-293.

Verpooten GF, Nouwen EJ, Hoylaerts MF, Hendrix PG, de Broe ME. Segment-specific localization of intestinal-type alkaline phosphatase in human kidney. Kidney Int 1989;36(4):617-25.

Vijan S, Hwang EW, Hofer TP, Hayward RA. Which colon cancer screening test? A comparison of costs, effectiveness, and compliance. Am J Med 2001;111(8):593-601.

Walker AW. Intestinal alkaline phosphatase in serum of patients on maintenance haemodialysis. Clin Chim Acta 1974;55(3):399-405.

Walker JM. SDS Polyacrylamide gel electrophoresis of protein. in Walker JM (Ed.), The protein protocols handbook. 2nd ed. New Jersey: Humana; 2002.

Wang JY, Tang R, Chiang JM. Value of carcinoembryonic antigen in the management of colorectal cancer. Dis Colon Rectum 1994;37(3):272-7.

Watanabe T, Wada N, Kim EE, Wyckoff HW, Chou JY. Mutation of a single amino acid converts germ cell alkaline phosphatase to placental alkaline phosphatase. *J Biol Chem* 1991;266(31):21174-8.

Weiss MJ, Henthorn PS, Lafferty MA, Slaughter C, Raducha M, Harris H. Isolation and characterization of a cDNA encoding a human liver/bone/kidney-type alkaline phosphatase. *Proc Natl Acad Sci U S A* 1986;83(19):7182-6.

Weiss MJ, Ray K, Henthorn PS, Lamb B, Kadesch T, Harris H. Structure of the human liver/bone/kidney alkaline phosphatase gene. *J Biol Chem* 1988;263(24):12002-10.

Weiss MJ, Cole DE, Ray K, Whyte MP, Lafferty MA, Mulivor R, et al. First identification of a gene defect for hypophosphatasia: evidence that alkaline phosphatase acts in skeletal mineralization. *Connect Tissue Res* 1989;21(1-4):99-104.

Whitehead T. WHO document. Lab/76 1976;1:1-49.

National Cancer Institute. ผลงานประจำปี 2545. Bangkok: Ministry of public Health; 2002.