### PHYSIOLOGICAL FACTORS CORRELATED WITH

#### **6 MINUTE WALK DISTANCE IN MALE PATIENTS**

WITH TYPE 2 DIABETES MELLITUS

### KITIMA RONGSAWAD

### **MASTER OF SCIENCE**

IN MOVEMENT AND EXERCISE SCIENCES

THE GRADUATE SCHOOL CHIANG MAI UNIVERSITY AUGUST 2006

ISBN 974-9894-85-5

### PHYSIOLOGICAL FACTORS CORRELATED WITH

#### **6 MINUTE WALK DISTANCE IN MALE PATIENTS**

WITH TYPE 2 DIABETES MELLITUS

KITIMA RONGSAWAD

A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN

PARTIAL FULFILLMENT OF THE REQUIREMENTS

FOR THE DEGREE OF MASTER OF SCIENCE

IN MOVEMENT AND EXERCISE SCIENCES

AUGUST 2006

ISBN 974-9894-85-5

### PHYSIOLOGICAL FACTORS CORRELATED WITH

## 6 MINUTE WALK DISTANCE IN MALE PATIENTS

### WITH TYPE 2 DIABETES MELLITUS

**KITIMA RONGSAWAD** 

### THIS THESIS HAS BEEN APPROVED

# TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS

FOR THE DEGREE OF MASTER OF SCIENCE

IN MOVEMENT AND EXERCISE SCIENCES

**EXAMINING COMMITTEE** 

Jatuporn Wonspathle **CHAIRPERSON** 

Lect. Dr. Jatuporn Wongsathikun

S. Chommeghi

Lect. Dr. Samatchai Chamnongkich

Rugeli Chaushijahul MEMBER

**MEMBER** 

Asst. Prof. Dr. Rungchai Chaunchaiyakul

30 August 2006 © Copyright by Chiang Mai University

#### ACKNOWLEDGEMENT

This thesis could not have been completed without the help of this people.

I am extremely grateful to Dr. Jatuporn Wongsathikun as my thesis advisor, who provides me with supports and recommendations through my study duration. Also, great thankful to Asst. Prof. Natapong Kosachunhanun, M.D. for his assistance and guidance while recruiting subjects.

I would like to express my appreciation to Dr. Samatchai Chamnongkich and Asst. Prof. Dr. Rungchai Chaunchaiyakul for their useful comments.

Without the helps from all of the OPD 21 staffs, this study could not be done. I do appreciate for their kindness and support. Finally, I would like to express my thanks to all of the participants for their generosity and willingness to make this study comes true.

**All rights reserved** 

iii