

## REFERENCES

- Ausavarungnirun, R., Winichagoon, P., Fucharoen, S., Epstein, N., Simkins, R. (1998). Detection of  $\zeta$ -globin chains in the cord blood by ELISA (enzyme-linked immunosorbent assay): rapid screening for  $\alpha$ -thalassemia 1 (Southeast Asian type). *Am J Hematol*, 57(4), 283-286.
- Bergstrom, J. A. and Poon, A. (2002). Evaluation of a single-tube multiplex polymerase chain reaction screen for detection of common  $\alpha$ -thalassemia genotypes in a clinical laboratory. *Am J Clin Pathol*, 118(1), 18-24.
- Bernini, L.F. (2001). Geographic distribution of  $\alpha$ -thalassemia. in Steinberg M.H. (Eds.), *Disorders of Hemoglobin: Genetics, Pathophysiology, and Clinical management* ( pp.878-894), New York, NY: Cambridge University Press.
- Boonsa, S., Sanchaisuriya, K., Fucharoen, G., Wiangnon, S., Jetsrisuparb, A., Fucharoen, S. (2004). The diverse molecular basis and hematological features of Hb H and AEBart's diseases in Northeast Thailand. *Acta Haematol*, 111(3), 149-154.
- Bunn, H. F. and Forget, B. G. (1986). *Hemoglobin: Molecular genetic and Clinical aspects*. United States of America: W.B. Sanders Press.
- Chan, A. Y., So, C. K., Chan, L. C. (1996). Comparison of the HbH inclusion test and a PCR test in routine screening for  $\alpha$ -thalassemia in Hong Kong. *J Clin Pathol*, 49(5), 411-413.

- Chang, J. G., Lee, L. S., Lin, C. P., Chen, P. H., Chen, C. P. (1991). Rapid diagnosis of  $\alpha$ -thalassemia-1 of Southeast Asian type and hydrops fetalis by polymerase chain reaction. *Blood*, 78(3), 853-854.
- Chern, S. R. and Chen, C. P. (2000). Molecular prenatal diagnosis of thalassemia in Taiwan. *Int J Gynaecol Obstet*, 69(2), 103-106.
- Chong, S. S., Boehm, C. D., Higgs, D. R., Cutting, G. R. (2000). Single-tube multiplex-PCR screen for common deletional determinants of  $\alpha$ -thalassemia. *Blood*, 95(1), 360-362.
- Chui, D. H. and Wayne, J. S. (1998). Hydrops fetalis caused by  $\alpha$ -thalassemia: an emerging health care problem. *Blood*, 91(7), 2213-2222.
- Chui, D. H., Wong, S. C., Chung, S. W., Patterson, M., Bhargava, S., Poon, M. C. (1986). Embryonic  $\zeta$ -globin chains in adults: a marker for  $\alpha$ -thalassemia-1 haplotype due to a greater than 17.5-kb deletion. *N Engl J Med*, 314(2), 76-79.
- Clarke, G. M. and Higgins, T. N. (2000). Laboratory investigation of hemoglobinopathies and thalassemias: review and update. *Clin Chem*, 46(8 Pt 2), 1284-1290.
- El-Masry, S., Lotfy, M., El-Shahat, M., Badra, G. (2006). Serum laminin assayed by Slot-Blot-ELISA in patients with combined viral hepatitis C and schistosomiasis. *Clin Biochem*, 39(6), 652-657.
- Embury, S. H., Miller, J. A., Dozy, A. M., Kan, Y. W., Chan, V., Todd, D. (1980). Two different molecular organizations account for the single  $\alpha$ -globin gene of the  $\alpha$ -thalassemia-2 genotype. *J Clin Invest*, 66(6), 1319-1325.

- Fucharoen, S., Fucharoen, G., Sanchaisuriya, K., Pengjam, Y. (2002). Molecular analysis of a Thai  $\beta$ -thalassemia heterozygote with normal haemoglobin A<sub>2</sub> level: implication for population screening. *Ann Clin Biochem*, 39(Pt 1), 44-49.
- Fucharoen, S., Sanchaisuriya, K., Fucharoen, G., Panyasai, S., Devenish, R., Luy, L. (2003). Interaction of hemoglobin E and several forms of  $\alpha$ -thalassemia in Cambodian families. *Haematologica*, 88(10), 1092-1098.
- Fucharoen, S., Winichagoon, P., Pootrakul, P., *et al.* (1988). Differences between two types of Hb H disease,  $\alpha$ -thalassemia 1/ $\alpha$ -thalassemia 2 and  $\alpha$ -thalassemia 1/Hb Constant Spring. *Birth Defect*, 23(5A), 309-315.
- Fucharoen, S., Winichagoon, P., Wisedpanichkij, R., Sae-Ngow, B., Sriphanich, R., Oncoung, W., *et al.* (1998). Prenatal and postnatal diagnoses of thalassemias and hemoglobinopathies by HPLC. *Clin Chem*, 44(4), 740-748.
- Galanello, R., Paglietti, E., Melis, M. A., Giagu, L., Cao, A. (1984). Hemoglobin inclusions in heterozygous  $\alpha$ -thalassemia according to their  $\alpha$ -globin genotype. *Acta Haematol*, 72(1), 34-36.
- Garshasbi, M., Oberkanins, C., Law, H. Y., Neishabury, M., Kariminejad, R., Najmabadi, H. (2003).  $\alpha$ -globin gene deletion and point mutation analysis among in Iranian patients with microcytic hypochromic anemia. *Haematologica*, 88(10), 1196-1197.
- Garver, F. A., Singh, H., Moscoso, H., Kestler, D. P., McGuire, B. S., Jr. (1984). Identification and quantification of hemoglobins A<sub>2</sub> and Bart's with an enzyme-labeled immunosorbent assay. *Clin Chem*, 30(7), 1205-1208.

- Hartwell, S. K., Srisawang, B., Kongtawelert, P., Christain, D., Grudpan, K. (2005). Review on screening and analysis techniques for hemoglobin variants and thalassemia. *Talanta*, 65, 1149-1161.
- Higgs, D. R., Vickers, M. A., Wilkie, A. O., Pretorius, I. M., Jarman, A. P., Weatherall, D. J. (1989). A review of the molecular genetics of the human  $\alpha$ -globin gene cluster. *Blood*, 73(5), 1081-1104.
- Imagawa, M., Yoshitake, S., Hamaguchi, Y., Ishikawa, E., Niitsu, Y., Urushizaki, I. (1982). Characteristics and evaluation of antibody-horseradish peroxidase conjugates prepared by using a maleimide compound, glutaraldehyde, and periodate. *J Appl Biochem*, 4, 41-57.
- Intapan, P. (1981). *An improved method for the detection of red cell hemoglobin H inclusions*. Bachelor's term paper, Chiang Mai university.
- Jintaridth, P. (2005). *Production of chicken IGY antibodies specific for hemoglobin gamma-chain and mouse monoclonal antibody specific for hemoglobin Bart's for thalassemia diagnosis*. Doctor of philosophy's thesis, Mahidol University.
- Keren, D.F. (2003). *Clinical evaluation of hemoglobinopathies : Part I Thalassemia* [Online]. Available: [http://www.wardelab.com/arc\\_14-2.html](http://www.wardelab.com/arc_14-2.html) [2006, June 11].
- Kidd, R. D., Baker, H. M., Mathews, A. J., Brittain, T., Baker, E. N. (2001). Oligomerization and ligand binding in a homotetrameric hemoglobin: two high-resolution crystal structures of hemoglobin Bart's ( $\gamma_4$ ), a marker for  $\alpha$ -thalassemia. *Protein Sci*, 10(9), 1739-1749.
- Kitsirisakul, B., Steger, H. F., Sanguansermisri, T. (1996). Frequency of  $\alpha$ -thalassemia-1 of the Southeast Asian-type among pregnant women in northern

Thailand determined by PCR technique. *Southeast Asian J Trop Med Public Health*, 27(2), 362-363.

Kohler, G. and Milstein, C. (1975). Continuous cultures of fused cells secreting antibody of predefined specificity. *Nature*, 256(5517), 495-497.

Krishnamurti, L., Chui, D. H., Dallaire, M., LeRoy, B., Wayne, J. S., Perentesis, J. P. (1998). Coinheritance of  $\alpha$ -thalassemia-I and hemoglobin E/ $\beta^o$ -thalassemia: practical implications for neonatal screening and genetic counseling. *J Pediatr*, 132(5), 863-865.

Kyriacou, K., Kyri, A., Kalogirou, E., Vasiliades, P., Angastiniotis, M., Ioannou, P. A., et al. (2000). Hb Bart's levels in cord blood and  $\alpha$ -thalassemia mutations in Cyprus. *Hemoglobin*, 24(3), 171-180.

Lafferty, J. D., Crowther, M. A., Wayne, J. S., Chui, D. H. (2000). A reliable screening test to identify adult carriers of the ( $--SEA$ )  $\alpha^o$ -thalassemia deletion. Detection of embryonic  $\zeta$ -globin chains by enzyme-linked immunosorbent assay. *Am J Clin Pathol*, 114(6), 927-931.

Laosombat, V., Wongchanchailert, M., Sattayasevana, B., Wiriyasateinkul, A., Fucharoen, S. (2001). Clinical and hematologic features of  $\beta^o$ -thalassemia (frameshift 41/42 mutation) in Thai patients. *Haematologica*, 86(2), 138-141.

Lau, Y. L., Chan, L. C., Chan, Y. Y., Ha, S. Y., Yeung, C. Y., Wayne, J. S., et al. (1997). Prevalence and genotypes of  $\alpha$ - and  $\beta$ -thalassemia carriers in Hong Kong -- implications for population screening. *N Engl J Med*, 336(18), 1298-1301.

- Lemmens-Zygulska, M., Eigel, A., Helbig, B., Sanguansermisri, T., Horst, J., Flatz, G. (1996). Prevalence of  $\alpha$ -thalassemias in Northern Thailand. *Hum Genet*, 98(3), 345-347.
- Li, D., Liao, C., Li, J., Xie, X., Huang, Y., Zhong, H. (2006). Detection of  $\alpha$ -thalassemia in  $\beta$ -thalassemia carriers and prevention of Hb Bart's hydrops fetalis through prenatal screening. *Haematologica*, 91(5), 649-651.
- Liebhaber, S. A. (1989).  $\alpha$ -thalassemia. *Hemoglobin*, 13(7-8), 685-731.
- Luo, H. Y., Clarke, B. J., Gauldie, J., Patterson, M., Liao, S. K., Chui, D. H. (1988). A novel monoclonal antibody based diagnostic test for  $\alpha$ -thalassemia-1 carriers due to the (-SEA/) deletion. *Blood*, 72(5), 1589-1594.
- Ma, S. K., Ma, V., Chan, A. Y., Chan, L. C., Chui, D. H. (2002). Routine screening of (-SEA)  $\alpha$ -thalassemia deletion by an enzyme-linked immunosorbent assay for embryonic  $\zeta$ -globin chains. *Acta Haematol*, 108(1), 8-12.
- Makonkawkeyoon, L., Ongchai, S., Sanguansermisri, T. (1992a). Determination of hemoglobin Bart's in  $\alpha$ -thalassemia traits by two-site immunoradiometric assay. I. Purification of hemoglobin Bart's and preparation of specific anti-Hb Bart's. *J Med Assoc Thai*, 75(9), 508-513.
- Makonkawkeyoon, L., Ongchai, S., Sanguansermisri, T. (1992b). Determination of hemoglobin Bart's in  $\alpha$ -thalassemia traits by two-site immunoradiometric assay. II. Detection of hemoglobin Bart's in  $\alpha$ -thalassemia traits. *J Med Assoc Thai*, 75(10), 565-569.
- Nagler, D. K., Lechner, A. M., Oetl, A., Kozaczynska, K., Scheuber, H. P., Gippner-Steppert, C., et al. (2006). An enzyme-linked immunosorbent assay for human

cathepsin X, a potential new inflammatory marker. *J Immunol Methods*, 308(1-2), 241-250.

Nopparatana, C. (1998). Molecular diagnosis of thalassemias. *Songkla Med J*, 16(3), 145-159.

Nuntaprasert, A., Mori, Y., Tsukiyama-Kohara, K., Kai, C. (2005). Establishment of swine interleukin-6 sandwich ELISA. *Comp Immunol Microbiol Infect Dis*, 28(2), 121-130.

Old, J. M. (2003). Screening and genetic diagnosis of haemoglobin disorders. *Blood Rev*, 17(1), 43-53.

Pan, L. L., Eng, H. L., Kuo, C. Y., Chen, W. J., Huang, H. Y. (2005). Usefulness of brilliant cresyl blue staining as an auxiliary method of screening for  $\alpha$ -thalassemia. *J Lab Clin Med*, 145(2), 94-97.

Panyasai, S., Sringam, P., Fucharoen, G., Sanchaisuriya, K., Fucharoen, S. (2002). A simplified screening for  $\alpha$ -thalassemia 1 (SEA type) using a combination of a modified osmotic fragility test and a direct PCR on whole blood cell lysates. *Acta Haematol*, 108(2), 74-78.

Pootrakul, S. and Dixon, G. H. (1970). Hemoglobin Mahidol: a new hemoglobin  $\alpha$ -chain mutant. *Can J Biochem*, 48(9), 1066-1078.

Porstmann, B., Porstmann, T., Nugel, E., Evers, U. (1985). Which of the commonly used marker enzymes gives the best results in colorimetric and fluorimetric enzyme immunoassays: horseradish peroxidase, alkaline phosphatase or  $\beta$ -galactosidase? *J Immunol Methods*, 79(1), 27-37.

- Rugless, M. J., Fisher, C. A., Stephens, A. D., Amos, R. J., Mohammed, T., Old, J. M. (2006). Hb Bart's in cord blood: an accurate indicator of  $\alpha$ -thalassemia. *Hemoglobin*, 30(1), 57-62.
- Sanchaisuriya, K., Fucharoen, G., Sae-ung, N., Jetsrisuparb, A., Fucharoen, S. (2003). Molecular and hematologic features of hemoglobin E heterozygotes with different forms of  $\alpha$ -thalassemia in Thailand. *Ann Hematol*, 82(10), 612-616.
- Sanguansermisri, T., Thanaratanakorn, P., Steger, H. F., Tongsong, T., Sirivatanapa, P., Wanapirak, C., *et al.* (2001). Prenatal diagnosis of hemoglobin Bart's hydrops fetalis by HPLC analysis of hemoglobin in fetal blood samples. *Southeast Asian J Trop Med Public Health*, 32(1), 180-185.
- Sirichotiyakul, S., Tantipalakorn, C., Sanguansermisri, T., Wanapirak, C., Tongsong, T. (2004). Erythrocyte osmotic fragility test for screening of  $\alpha$ -thalassemia-1 and  $\beta$ -thalassemia trait in pregnancy. *Int J Gynaecol Obstet*, 86(3), 347-350.
- Siriratmanawong, N., Fucharoen, G., Sanchaisuriya, K., Ratanasiri, T., Fucharoen, S. (2001). Simultaneous PCR detection of  $\beta$ -thalassemia and  $\alpha$ -thalassemia 1 (SEA type) in prenatal diagnosis of complex thalassemia syndrome. *Clin Biochem*, 34(5), 377-380.
- Smetanina, N. S., Oner, C., Baysal, E., Oner, R., Bozkurt, G., Altay, C., *et al.* (1996). The relative levels of  $\alpha 2$ ,  $\alpha 1$ , and  $\zeta$ -mRNA in HB H patients with different deletional and nondeletional  $\alpha$ -thalassemia determinants. *Biochim Biophys Acta*, 1316(3), 176-182.




- Tang, D. C., Fucharoen, S., Ding, I., Rodgers, G. P. (2001). Rapid differentiation of five common  $\alpha$ -thalassemia genotypes by polymerase chain reaction. *J Lab Clin Med*, 137(4), 290-295.
- Tangvarasittichai, O., Sitthiworanan, C., Dechgitvigrom, W., Sanguansermisri, T., Jeenapongsa, R. (2005). Prevalence and haematological parameters of thalassemia in Lower Northern Thailand. *Haema*, 8(2), 241-244.
- Tang, W., Luo, H. Y., Albitar, M., Patterson, M., Eng, B., Wayne, J. S., *et al.* (1992). Human embryonic  $\zeta$ -globin chain expression in deletional  $\alpha$ -thalassemias. *Blood*, 80(2), 517-522.
- Tang, W., Luo, H. Y., Eng, B., Wayne, J. S., Chui, D. H. (1993). Immunocytological test to detect adult carriers of (--SEA/) deletional  $\alpha$ -thalassemia. *Lancet*, 342(8880), 1145-1147.
- Venturi, G., Mel, R., Marchi, A., Mancuso, S., Russino, F., Pra, G. D., *et al.* (2006). Humoral immunity and correlation between ELISA, hemagglutination inhibition, and neutralization tests after vaccination against tick-borne encephalitis virus in children. *J Virol Methods*, 134(1-2), 136-139.
- Wanapirak, C., Muninthorn, W., Sanguansermisri, T., Dhananjayanonda, P., Tongsong, T. (2004). Prevalence of thalassemia in pregnant women at Maharaj Nakorn Chiang Mai Hospital. *J Med Assoc Thai*, 87(12), 1415-1418.
- Wang, C., Beganyi, L., Fernandes, B. J. (2000). Measurements of red cell parameters in  $\alpha$ -thalassemia trait: Correlation with the genotype. *Lab Hematol*, 6, 163-166.
- Weatherall, D. J. (2001). Phenotype-genotype relationships in monogenic disease: lessons from the thalassemias. *Nat Rev Genet*, 2(4), 245-255.

Weatherall, D. J. and Clegg, J. B. (2001). *The Thalassemia Syndromes* (4 ed.). Oxford, UK: Blackwell Science.

Winichagoon, P., Fucharoen, S., Wasi, P. (1992). The molecular basis of  $\alpha$ -thalassemia in Thailand. *Southeast Asian J Trop Med Public Health*, 23 Suppl 2, 7-13.

Xu, X. M., Zhou, Y. Q., Luo, G. X., Liao, C., Zhou, M., Chen, P. Y., *et al.* (2004). The prevalence and spectrum of  $\alpha$  and  $\beta$ -thalassemia in Guangdong Province: implications for the future health burden and population screening. *J Clin Pathol*, 57(5), 517-522.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved