IN VIVO BIOTINYLATED CD147 IMMOBILIZED ON STREPTAVIDIN MAGNETIC BEAD: A NOVEL

STRATEGY FOR IMMUNOGEN

PREPARATION

PHAWIN CHAROENSOOK

MASTER OF SCIENCE
IN MEDICAL TECHNOLOGY

THE GRADUATE SCHOOL
CHIANG MAI UNIVERSITY

MARCH 2006

ISBN 974-9890-50-7

IN VIVO BIOTINYLATED CD147 IMMOBILIZED ON STREPTAVIDIN MAGNETIC BEAD: A NOVEL STRATEGY FOR IMMUNOGEN

PREPARATION

PHAWIN CHAROENSOOK

A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN PARTIAL FULFILLMENT OF THE REQUIREMENTS

FOR THE DEGREE OF

MASTER OF SCIENCE

IN MEDICAL TECHNOLOGY

THE GRADUATE SCHOOL
CHIANG MAI UNIVERSITY
MARCH 2006

ISBN 974-9890-50-7

IN VIVO BIOTINYLATED CD147 IMMOBILIZED ON STREPTAVIDIN MAGNETIC BEAD: A NOVEL STRATEGY FOR IMMUNOGEN

PREPARATION

PHAWIN **CHAROENSOOK**

THIS THESIS HAS BEEN APPROVED TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE DEGREE OF MASTER OF SCIENCE IN MEDICAL TECHNOLOGY

EXAMINING COMMITTEE

Assistant Professor Dr. Chatchai Tayapiwatana

CHAIRPERSON

Associate Professor Dr. Sansanee C. Chaiyaroj

Associate Professor Dr. Watchara Kasinrerk

29 March 2006

© Copyright by Chiang Mai University

ACKNOWLEDGEMENT

I would like to express my deepest gratitude and sincere appreciation to my advisor, Assist. Prof. Dr. Chatchai Tayapiwatana, for his moral support, excellent guidance, valuable suggestion, kindness and encouragement throughout my study. The thesis could not have accomplished without his understanding and gracious assistance.

I am extremely grateful to my co-advisor Assoc. Prof. Dr. Watchara Kasinrerk for his valuable help, kind advice and many provided experimental materials. My grateful appreciation is also extended to Dr. Sawitree Chiampanichayakul for providing the BW5147 cell lines and kind help.

I would like to specially thank Dr. Nutjeera Intasai, Mr. Chajornsak Trakulpour and Mr. Pramoon Aruncharus for their excellent advice, consultant and kindness. I am very thankful to all staffs in both Dr. Chatchai and Dr. Watchara's lab for their kindness, assistance and friendship. I am grateful to all personnel and faculty members for their assistance in using the equipment at Faculty of Associated Medical Sciences, Chiang Mai University. I am also thankful to the financial support from the Graduated School, Chiang Mai University, the Thailand Research Fund and the National Center for Genetic Engineering and Biotechnology.

Finally, I would like to express my deepest gratitude to my parents for their infinite love, all of their great supports throughout my life, and especially for this Master Degree thesis. In addition, I would like to especially thank Ms. Phatchaneeya Thammawong for her advice, consultant, kind help and sharing knowledge.