

REFERENCES

- Aguzzi, A. (2001). Blood simple prion diagnostics. *Nature Medicine*, 7, 289–90.
- Asawamasakda, W., Benakis, A., Meshnick., S.R. (1994). The interaction of artemisinin with red cell membranes. *J. Lab. Clin. Med*, 123, 757-62.
- Baneyx, F. (1999). Recombinant protein expression in *Escherichia coli*. *Curr. Opin. Biotechnol.* 10, 411–21.
- Bank, A. (2007). AHSP: a novel hemoglobin helper. *J. Clin. Inves.*, 117:1746–49.
- Bessette, P.H., Aslund, F., Beckwith, J., Georiou, G. (1999). Efficient folding of protein with multiple disulfide bonds in the *Escherichia coli* cytoplasm. *Proc Natl Acad Sci*, 96, 13703-8.
- Betke, K. (1953). Determination of the alkaline denaturation of the red blood pigments. *Klin Wochenschr*, 31, 557-8.
- Bunn, H.F. and Forget, B.G. (1986). *Hemoglobin: Molecular genetic and Clinical aspects*. United States of America: W.B. Sanders Press.
- Chong, S.S., Boehm, C.D., Higgs, D.R., Cutting, G.R. (2000). Single-tube multiplex-PCR screen for common deletional determinants of α -thalassemia. *Blood*, 95, 360-2.
- Clara, M. (2004). NMR Structure of the α -Hemoglobin Stabilizing Protein. *J. Biol. Chem*, 279: 34963-70.

- Clarke, G.M. and Higgins, T.N. (2000). Laboratory investigation of hemoglobinopathies and thalassemias: review and update. *Clin Chem*, 46, 1284-1290.
- Creuza, V.B., Godbillon, C.V., Pato, C., Pre'hu, C., Wajcman, H., Marden, M.C. (2004). Transfer of human α - to β -hemoglobin via its chaperone protein: evidence for a new state. *J. Biol. Chem*, 279,36530–3.
- dos Santos, C.O., Duarte, A.S., Saad, S.T., Costa, F.F. (2004). Expression of alpha-hemoglobin stabilizing protein gene during human erythropoiesis. *Exp Hematol*, 32,157-62.
- dos Santos, C.O., Costa, F.F. (2005). AHSP and beta-thalassemia: a possible genetic modifier. *Hematology*, 10, 157-61.
- Duilio, A., Tutino, M.L., Marino, G. (2004). Recombinant protein production in Antarctic Gram-negative bacteria. *Methods Mol Biol*, 267, 225-37.
- Fall, R.R. and Vagelos, P.R. (1972). Acetyl coenzyme A carboxylase. Molecular forms and subunit composition of biotin carboxyl carrier protein. *J Biol Chem*, 247, 8005-15.
- Feng, L., Gell, D.A., Zhou, S., Gu, L., Kong, Y., Li, L., *et al.* (2004). Molecular mechanism of AHSP-mediated stabilization of α -hemoglobin. *Cell*. 119,629–40.
- Fucharoen, S., Winichagoon, P., Wisedpanichkij, R., Sae-Ngow, B., Sriphanich, R., Oncoung, W., *et al.* (1998). Prenatal and postnatal diagnoses of thalassemias and hemoglobinopathies by HPLC. *Clin Chem*, 44, 740-748.

- Fujiwara, Y., Browne, C.P., Cunniff, K., Goff, S.C., Orkin, S.H. (1996). Arrested development of embryonic red cell precursors in mouse embryos lacking transcription factor GATA-1. *Proc. Natl Acad. Sci*, 93, 12355–58.
- Galanello, R., Ruggeri, R., Paglietti, E., Addis, M., Melis, M.A., Cao, A. (1983). A family with segregating triplicated alpha globin loci and β -thalassaemia. *Blood*, 62, 1035–40.
- Galanello, R., Perseu, L., Giagu, N., Sole, G. (2003). Expression in beta-thalassemia carriers with thalassemia intermedia phenotype. *Blood*, 102, 1881.
- Galfre, G. and Milstein, C. (1981). Preparation of monoclonal antibodies: strategies and procedures. *Methods Enzymol*, 73, 3-46.
- Gell, D., Kong, Y., Eaton, S.A., Weiss, M.J., Mackay, J.P. (2002) Biophysical characterization of the alpha-globin binding protein alpha-hemoglobin stabilizing protein. *J Biol Chem*, 277, 40602-9.
- Goding, J. W. (1986). *Monoclonal Antibodies: Principles and Practice* (Second ed.). London: Academic press Harcourt Brace Jovanovich, Publishers.
- Hamdane, D., Vasseur-Godbillon, C., Baudin-Creuzat, V., Hoa, G.H., and Marden, M.C. (2007). Reversible hexacoordination of α -hemoglobin-stabilizing protein (AHSP)/ α -hemoglobin versus pressure. Evidence for protection of the α -chains by their chaperone. *J. Biol. Chem*, 282,6398–404.
- Hannig, G. and Makrides, S.C. (1998). Strategies for optimizing heterologous protein expression in Escherichia coli. *Trends Biotechnol*, 16, 54-60.
- Hartwell, S.K., Srisawang, B., Kongtawelert, P., Christain, D., Grudpan, K. (2005). Review on screening and analysis techniques for hemoglobin variants and thalassemia. *Talanta*, 65, 1149-1161.

- Hedlund B. Hemoglobins of human embryos, fetuses, and neonates. In: Fairbanks VF, ed. Hemoglobinopathies and thalassemias. New York: Brian C. Decker, 1980:14-7.
- Heinz, F.X., Allison, S.L., Stiasny, K., Schalich, J., Holzmann, H., Mandl, C.W. and Kunz, C. (1995) Recombinant and virion-derived soluble and particulate immunogens for vaccination against tick-borne encephalitis. *Vaccine* 13, 1636-42.
- Higgs D.R., Thein S.L., Woods W.G. (2001). The molecular pathology of the thalassaemias. In: Weatherall DJ, Clegg B, eds. The thalassaemia syndromes. 4th ed. Oxford, England: Blackwell Science, 133-91.
- Hofstaetter, C., Gonser, M., Goelz, R. (1993). Perinatal case report of unexpected thalassemia Hb Bart. *Fetal Diagn Ther*, 8, 418-422.
- Kanno, H., Kamatani, N., Hamada, T., Furihata, K., Hattori, Y., Miwa, S., *et al.* (2005). Alpha hemoglobin stabilizing protein (AHSP) is a susceptibility gene to drug/infection-induced hemolytic anemia. *Blood*, 106, Abstract 1678.
- Keren, D.F. (2003). *Clinical evaluation of hemoglobinopathies : Part I Thalassemia* [Online]. Available: http://www.wardelab.com/arc_14-2.html [2006, June 11].
- Kiefhaber, T., Rudolph, R., Kohler, H.H., Buchner, J. (1991). Protein aggregation *in vitro* and *in vivo*: a quantitative model of the kinetic competition between folding and aggregation. *Biotechnology* (N Y). 9, 825-9.
- Kihm, A.J., Kong, Y., Hong, W., Russell, J.E., Rouda, S., Adachi, K. *et al.* (2002). An abundant erythroid protein that stabilizes free alpha-haemoglobin. *Nature*, 417, 758-63.

- Kohler, G. and Milstein, C. (1975). Continuous cultures of fused cells secreting antibody of predefined specificity. *Nature*, 256, 495-7.
- Kong, Y., Zhou, S., Kihm, A.J., Katein, A.M., Yu, X., Gell, D.A. *et al.* (2004). Loss of alpha-hemoglobin-stabilizing protein impairs erythropoiesis and exacerbates beta-thalassemia. *J Clin Invest*, 114, 1457-66.
- Koths, K. (1995). Recombinant proteins for medical use: the attractions and challenges. *Curr Opin Biotechnol*, 6, 681-7.
- Krishnamurti, L., Chui, D.H., Dallaire, M., LeRoy, B., Waye, J.S., Perentesis, J.P. (1998). Coinheritance of α -thalassemia-1 and hemoglobin E/ β^0 -thalassemia: practical implications for neonatal screening and genetic counseling. *J Pediatr*, 132, 863-65.
- Kulozik, A.E., Thein, S.L., Wainscoat, J.S., Gale, R., Kay, L.A., Wood, J.K., *et al.* (1987). Thalassaemia intermedia: interaction of the triple alpha-globin gene arrangement and heterozygous beta-thalassaemia. *Br. J. Haematol*, 66, 109–12.
- Lai, M.I., Jiang, J., Silver, N., Best, S., Menzel, S., Mijovic, A.(2006). α -Haemoglobin stabilizing protein is a quantitative trait gene that modifies the phenotype of β -thalassaemia. *Br. J. Haematol*, 133, 675–82.
- LaVallie, E.R. and McCoy, J.M. (1995). Gene fusion expression systems in *Escherichia coli*. *Curr Opin Biotechnol*, 6, 501-6.
- Laosombat, V., Wongchanchailert, M., Sattayasevana, B., Wiriyasateinkul, A., Fucharoen, S. (2001). Clinical and hematologic features of β^0 -thalassemia (frameshift 41/42 mutation) in Thai patients. *Haematologica*, 86(2), 138-141.

- Luzzatto, L., Notaro, R. (2002). Haemoglobin's chaperone. *Nature*, 417, 703-5.
- Lundeberg, J., Wahlberg, J., Uhlen, M. (1999). Rapid colorimetric quantification of PCR-amplified DNA. *Biotechniques*, 10, 68-75.
- Makrides S.C. (1996). Strategies for achieving high-level expression of genes in *Escherichia coli*. *Microbiol Rev*, 60,512-38.
- Miele, G., Manson, J., Clinton, M. (2001). A novel erythroid-specific marker of transmissible spongiform encephalopathies. *Nat. Med*, 7, 361-4.
- Moors, A., Melis-Lieken, J., De Vlioger-Bensel, M., De Groof-Cornelis, E., Van Ros, G. (1979). Evaluation of a simplified microchromatographic technique for hemoglobin A₂ determination. *Acta Haematol*, 61, 15-26.
- Nopparatana, C. (1998). Molecular diagnosis of thalasseмии. *Songkla Med J*, 16, 145-159.
- Old, J. M. (2003). Screening and genetic diagnosis of haemoglobin disorders. *Blood Rev*, 17, 43-53.
- Olivieri N.F. (1999). The β -thalassemias. *N Engl J Med*, 341, 99-109.
- Panyasai, S., Sringam, P., Fucharoen, G., Sanchaisuriya, K., Fucharoen, S. (2002). A simplified screening for α -thalassemia 1 (SEA type) using a combination of a modified osmotic fragility test and a direct PCR on whole blood cell lysates. *Acta Haematol*, 108, 74-8.
- Perutz, M.F. (1978). Hemoglobin Structure and Respiratory Transport. *Scientific American*, 239, 6.
- Pootrakul P., Sirankapracha P., Hemsorach S., Mounsub W., Kumbunlue R., Piangitjagum A. *et al* (2000). A correlation of erythrokinetics, ineffective

erythropoiesis, and erythroid precursor apoptosis in Thai patients with thalassemia. *Blood*, 96, 2606-12.

Rietsch, A. and Beckwith, J. (1998). The genetics of disulfide bond metabolism.

Annu Rev Genet, 32, 163-84.

Rifkind, R.A., Bank, A., Marks, P.A., Nossel, H.L., Ellison, R.R., Lindenbaum, J. (1984). *Fundamentals of hematology* (Second ed.). Chicago, London: Year book medical publishers, Inc.

Rund, D. and Rachmilewitz, E. (2005). β -Thalassemia. *N Engl J Med*, 353, 1135-46.

Sanguansermisri, T., Thanaratanakorn, P., Steger, H.F., Tongsong, T., Sirivatanapa, P., Wanapirak, C., *et al.* (2001). Prenatal diagnosis of hemoglobin Bart's hydrops fetalis by HPLC analysis of hemoglobin in fetal blood samples. *Southeast Asian J Trop Med Public Health*, 32, 180-5.

Santala, V. and Lamminmaki, U. (2004). Production of a biotinylated single-chain antibody fragment in the cytoplasm of *Escherichia coli*. *J Immunol Methods*, 284, 165-75.

Santiveri, C.M., Manuel Perez-Canadillas, J., Vadivelu, M.K., Allen M.D., Rutherford, T.J., Watkins, N.A., *et al.* (2004). NMR structure of the α -hemoglobin stabilizing protein: Insights into conformational heterogeneity and binding. *J. Biol. Chem*, 279, 34963–70.

Sarnaik, S. A. (2005). Thalassemia and Related Hemoglobinopathies. *Indian J Pediatr*, 72, 319-24.

Sears, D.W. (1999). Overview of Hemoglobin's Structure/Function Relationships. Available: <http://tutor.lscf.ucsb.edu/instdev/sears/biochemistry/tw-hbn/hba-overview.htm>. [2004, July 25].

- Sibler, A.P., Kempf, E., Glacet, A., Orfanoudakis, G., Bourel, D. Weiss, E. (1999). In vivo biotinylated recombinant antibodies: high efficiency of labelling and application to the cloning of active anti-human IgG1 Fab fragments. *J Immunol Methods*, 224, 129-40.
- Simmons, A., and Fimls. (1989). *Hematology a combined theoretical & technical approach*. California: W. B. Saunders company. USA.
- Sirichotiyakul, S., Tantipalakorn, C., Sanguansermisri, T., Wanapirak, C., Tongsong, T. (2004). Erythrocyte osmotic fragility test for screening of α -thalassemia-1 and β -thalassemia trait in pregnancy. *Int J Gynaecol Obstet*, 86, 347-50.
- Sorensen, H.P. and Mortensen, K.K. (2005). Advanced genetic strategies for recombinant protein expression in *Escherichia coli*. *J biotechnol*, 115, 113-28.
- Swartz J.R. (2001). Advances in *Escherichia coli* production of therapeutic proteins. *Curr Opin Biotechnol*, 12, 195-201.
- Tayapiwatana, C., Chotpadiwetkul, R. and Kasinrerak, W. (2006) A novel approach using streptavidin magnetic bead-sorted in vivo biotinylated survivin for monoclonal antibody production. *J Immunol Methods* 317, 1-11.
- Thein, S.L., Al-Hakim, I., Hoffbrand, A.V. (1984). Thalassaemia intermedia: a new molecular basis. *Br. J. Haematol*, 56, 333-7.
- Thein, S.L. (2005). Pathophysiology of β Thalassemia - A Guide to Molecular Therapies. *Hematology Am Soc Hematol Educ Program*, 31-7.
- Telino, E., De Luca, P.M., Matos, D.C., Azeredo-Coutinho, R.B., Meirelles, M.N., Conceicao-Silva, F., Schubach, A. and Mendonca, S.C. (2006) In vitro responses of human peripheral blood mononuclear cells to whole-cell,

- particulate and soluble extracts of *Leishmania* promastigotes. *Clin Exp Immunol* 143, 338-44.
- Vaysal, E., Huisman, T.H.J. (1994). Detection of common deletional α -thalassemia-2 determinants by PCR. *Am J Hematol*, 46, 208–13.
- Viprakasit, V., Tanphaichitr, V.S., Chinchang, W., Sangkla, P., Weiss, M.J., Higgs, D. R. (2004). Evaluation of α hemoglobin stabilizing protein (AHSP) as a genetic modifier in patients with β thalassemia. *Blood*, 103,3296–9.
- Weiss, M.J. and Orkin, S.H. (1995).GATA transcription factors: Key regulators of hematopoiesis. *Exp.Hematol*, 23, 99–107.
- Weiss, M.J., Zhou, S., Feng, L., Gell, D.A., Mackay, J.P., Shi, Y., *et al.* (2005). Role of alpha-hemoglobin-stabilizing protein in normal erythropoiesis and beta-thalassemia. *Ann N Y Acad Sc*, 1054, 103-17.
- Weatherall, M.J. (1994) The Thalassemias. In the molecular basic of blood disease (stamatoyannopoulos, G. *et al.*, eds) pp, 157-205 WB saunders company, Philadelphia.
- Weatherall, D.J. (2001). Phenotype-genotype relationships in monogenic disease: lessons from the thalassemias. *Nat Rev Genet*, 2, 245-255.
- Weatherall, D.J. and Clegg, J.B. (2001). *The Thalassemia Syndromes* (4 ed.). Oxford, UK: Blackwell Science.
- Weickert, M.J., Doherty D.H., Best E.A., Olins P.O. (1996). Optimization of heterologous protein production in *Escherichia coli*. *Curr. Opin. Biotechnol.* 7, 494–9.
- Wintrobe, M. M. (1932). The size and hemoglobin content of the erythrocyte. *J. Lab. Clin. Med.* 17, 899-911

Yelton, D.E. and Scharff, M.D. (1980). Monoclonal antibodies. *Am Sci*, 68, 510-6.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved