

REFERENCES

- Abbas, A. K. and A. H. Lichtman (2005). Cellular and Molecular Immunology. Pennsylvania, Elsevier Inc.
- Amalfitano, A., M. A. Hauser, et al. (1998). "Production and characterization of improved adenovirus vectors with the E1, E2b, and E3 genes deleted." *J Virol* 72(2): 926-33.
- Barajas, M., G. Mazzolini, et al. (2001). "Gene therapy of orthotopic hepatocellular carcinoma in rats using adenovirus coding for interleukin 12." *Hepatology* 33(1): 52-61.
- Batra, S. K., M. Jain, et al. (2002). "Pharmacokinetics and biodistribution of genetically engineered antibodies." *Curr Opin Biotechnol* 13(6): 603-8.
- Bergelson, J. M., J. A. Cunningham, et al. (1997). "Isolation of a common receptor for Coxsackie B viruses and adenoviruses 2 and 5." *Science* 275(5304): 1320-3.
- Biswas, C., Y. Zhang, et al. (1995). "The human tumor cell-derived collagenase stimulatory factor (renamed EMMPRIN) is a member of the immunoglobulin superfamily." *Cancer Res* 55(2): 434-9.
- Boldicke, T. (2007). "Blocking translocation of cell surface molecules from the ER to the cell surface by intracellular antibodies targeted to the ER." *J Cell Mol Med* 11(1): 54-70.
- Chen, J. P., C. Lin, et al. (2001). "Molecular therapy with recombinant antisense c-myc adenovirus for human gastric carcinoma cells in vitro and in vivo." *J Gastroenterol Hepatol* 16(1): 22-8.

Clayman, G. L., D. K. Frank, et al. (1999). "Adenovirus-mediated wild-type p53 gene transfer as a surgical adjuvant in advanced head and neck cancers." *Clin Cancer Res* 5(7): 1715-22.

Ellis, S. M., K. Nabeshima, et al. (1989). "Monoclonal antibody preparation and purification of a tumor cell collagenase-stimulatory factor." *Cancer Res* 49(12): 3385-91.

Elshami, A. A., A. Saavedra, et al. (1996). "Gap junctions play a role in the 'bystander effect' of the herpes simplex virus thymidine kinase/ganciclovir system in vitro." *Gene Ther* 3(1): 85-92.

Fechner, H., A. Haack, et al. (1999). "Expression of coxsackie adenovirus receptor and alphav-integrin does not correlate with adenovector targeting in vivo indicating anatomical vector barriers." *Gene Ther* 6(9): 1520-35.

Gabison, E. E., T. Hoang-Xuan, et al. (2005). "EMMPRIN/CD147, an MMP modulator in cancer, development and tissue repair." *Biochimie* 87(3-4): 361-8.

Gao, X. and H. Hu (2008). "Quality control of the proteins associated with neurodegenerative diseases." *Acta Biochim Biophys Sin (Shanghai)* 40(7): 612-8.

Graham, F. L., J. Smiley, et al. (1977). "Characteristics of a human cell line transformed by DNA from human adenovirus type 5." *J Gen Virol* 36(1): 59-74.

Greber, U. F., P. Webster, et al. (1996). "The role of the adenovirus protease on virus entry into cells." *EMBO J* 15(8): 1766-77.

- Hakomori, S. (1996). "Tumor malignancy defined by aberrant glycosylation and sphingo(glyco)lipid metabolism." *Cancer Res* 56(23): 5309-18.
- Hamada, K., R. Alemany, et al. (1996). "Adenovirus-mediated transfer of a wild-type p53 gene and induction of apoptosis in cervical cancer." *Cancer Res* 56(13): 3047-54.
- He, T. C., S. Zhou, et al. (1998). "A simplified system for generating recombinant adenoviruses." *Proc Natl Acad Sci U S A* 95(5): 2509-14.
- Henderson, R. A., S. Mossman, et al. (2005). "Cancer vaccines and immunotherapies: emerging perspectives." *Vaccine* 23(17-18): 2359-62.
- Hitt, M. M., C. L. Addison, et al. (1997). "Human adenovirus vectors for gene transfer into mammalian cells." *Adv Pharmacol* 40: 137-206.
- Iacono, K. T., A. L. Brown, et al. (2007). "CD147 immunoglobulin superfamily receptor function and role in pathology." *Exp Mol Pathol* 83(3): 283-95.
- Jain, M., N. Kamal, et al. (2007). "Engineering antibodies for clinical applications." *Trends Biotechnol* 25(7): 307-16.
- Kasinrerk, W., E. Fiebigler, et al. (1992). "Human leukocyte activation antigen M6, a member of the Ig superfamily, is the species homologue of rat OX-47, mouse basigin, and chicken HT7 molecule." *J Immunol* 149(3): 847-54.
- Kasinrerk, W., N. Tokrasinwit, et al. (1999). "CD147 monoclonal antibodies induce homotypic cell aggregation of monocytic cell line U937 via LFA-1/ICAM-1 pathway." *Immunology* 96(2): 184-92.
- Kataoka, H., R. DeCastro, et al. (1993). "Tumor cell-derived collagenase-stimulatory factor increases expression of interstitial collagenase, stromelysin, and 72-kDa gelatinase." *Cancer Res* 53(13): 3154-8.

- Kirsch, A. H., L. A. Diaz, Jr., et al. (1997). "The pattern of expression of CD147/neurothelin during human T-cell ontogeny as defined by the monoclonal antibody 8D6." *Tissue Antigens* 50(2): 147-52.
- Kontermann, R. E. (2004). "Intrabodies as therapeutic agents." *Methods* 34(2): 163-70.
- Lee, C. and M. H. Yu (2005). "Protein folding and diseases." *J Biochem Mol Biol* 38(3): 275-80.
- Leopold, P. L., G. Kreitzer, et al. (2000). "Dynein- and microtubule-mediated translocation of adenovirus serotype 5 occurs after endosomal lysis." *Hum Gene Ther* 11(1): 151-65.
- Lewin, B., L. Cassimeris, et al. (2007). *Cells*. Ontario, Jones and Bartlett Publishers
- Li, E., D. Stupack, et al. (1998). "Adenovirus endocytosis requires actin cytoskeleton reorganization mediated by Rho family GTPases." *J Virol* 72(11): 8806-12.
- Li, E., D. G. Stupack, et al. (2000). "Association of p130CAS with phosphatidylinositol-3-OH kinase mediates adenovirus cell entry." *J Biol Chem* 275(19): 14729-35.
- Li, H., M. Alonso-Vanegas, et al. (1999). "Intracerebral adenovirus-mediated p53 tumor suppressor gene therapy for experimental human glioma." *Clin Cancer Res* 5(3): 637-42.
- Lobato, M. N. and T. H. Rabbitts (2004). "Intracellular antibodies as specific reagents for functional ablation: future therapeutic molecules." *Curr Mol Med* 4(5): 519-28.
- Maestro, R., A. P. Dei Tos, et al. (1999). "Twist is a potential oncogene that inhibits apoptosis." *Genes Dev* 13(17): 2207-17.

- Majhen, D. and A. Ambriovic-Ristov (2006). "Adenoviral vectors--how to use them in cancer gene therapy?" *Virus Res* 119(2): 121-33.
- Marasco, W. A. and S. Dana Jones (1998). "Antibodies for targeted gene therapy: extracellular gene targeting and intracellular expression." *Adv Drug Deliv Rev* 31(1-2): 153-170.
- Meier, O. and U. F. Greber (2004). "Adenovirus endocytosis." *J Gene Med* 6 Suppl 1: S152-63.
- Mittal, S. K., M. R. McDermott, et al. (1993). "Monitoring foreign gene expression by a human adenovirus-based vector using the firefly luciferase gene as a reporter." *Virus Res* 28(1): 67-90.
- Miyazawa, N., P. L. Leopold, et al. (1999). "Fiber swap between adenovirus subgroups B and C alters intracellular trafficking of adenovirus gene transfer vectors." *J Virol* 73(7): 6056-65.
- Naruhashi, K., K. Kadomatsu, et al. (1997). "Abnormalities of sensory and memory functions in mice lacking Bsg gene." *Biochem Biophys Res Commun* 236(3): 733-7.
- Rosenfeld, M. A., W. Siegfried, et al. (1991). "Adenovirus-mediated transfer of a recombinant alpha 1-antitrypsin gene to the lung epithelium in vivo." *Science* 252(5004): 431-4.
- Rowe, W. P., R. J. Huebner, et al. (1953). "Isolation of a cytopathogenic agent from human adenoids undergoing spontaneous degeneration in tissue culture." *Proc Soc Exp Biol Med* 84(3): 570-3.
- Russell, W. C. (2000). "Update on adenovirus and its vectors." *J Gen Virol* 81(Pt 11): 2573-604.

- Sanz, L., A. M. Cuesta, et al. (2005). "Antibody engineering: facing new challenges in cancer therapy." *Acta Pharmacol Sin* 26(6): 641-8.
- Schuler, M., R. Herrmann, et al. (2001). "Adenovirus-mediated wild-type p53 gene transfer in patients receiving chemotherapy for advanced non-small-cell lung cancer: results of a multicenter phase II study." *J Clin Oncol* 19(6): 1750-8.
- Seidman, M. A., S. M. Hogan, et al. (2001). "Variation in adenovirus receptor expression and adenovirus vector-mediated transgene expression at defined stages of the cell cycle." *Mol Ther* 4(1): 13-21.
- Song, J. S. (2005). "Adenovirus-mediated suicide SCLC gene therapy using the increased activity of the hTERT promoter by the MMRE and SV40 enhancer." *Biosci Biotechnol Biochem* 69(1): 56-62.
- Stewart, P. L., C. Y. Chiu, et al. (1997). "Cryo-EM visualization of an exposed RGD epitope on adenovirus that escapes antibody neutralization." *EMBO J* 16(6): 1189-98.
- Stone, D., A. David, et al. (2000). "Viral vectors for gene delivery and gene therapy within the endocrine system." *J Endocrinol* 164(2): 103-18.
- Sun, J. and M. E. Hemler (2001). "Regulation of MMP-1 and MMP-2 production through CD147/extracellular matrix metalloproteinase inducer interactions." *Cancer Res* 61(5): 2276-81.
- Swisher, S. G., J. A. Roth, et al. (1999). "Adenovirus-mediated p53 gene transfer in advanced non-small-cell lung cancer." *J Natl Cancer Inst* 91(9): 763-71.
- Tragoopua, K., N. Intasai, et al. (2008). "Generation of functional scFv intrabody to abate the expression of CD147 surface molecule of 293A cells." *BMC Biotechnol* 8: 5.

- Tomko, R. P., R. Xu, et al. (1997). "HCAR and MCAR: the human and mouse cellular receptors for subgroup C adenoviruses and group B coxsackieviruses." *Proc Natl Acad Sci U S A* 94(7): 3352-6.
- Tuting, T., W. J. Storkus, et al. (1997). "Gene-based strategies for the immunotherapy of cancer." *J Mol Med* 75(7): 478-91.
- Wang, K., S. Huang, et al. (1998). "Adenovirus internalization and infection require dynamin." *J Virol* 72(4): 3455-8.
- Weber, J. (1976). "Genetic analysis of adenovirus type 2 III. Temperature sensitivity of processing viral proteins." *J Virol* 17(2): 462-71.
- Wickham, T. J., E. J. Filardo, et al. (1994). "Integrin alpha v beta 5 selectively promotes adenovirus mediated cell membrane permeabilization." *J Cell Biol* 127(1): 257-64.
- Yang, D. C., R. L. Elliott, et al. (2002). "Gene targets of antisense therapies in breast cancer." *Expert Opin Ther Targets* 6(3): 375-85.
- Yurchenko, V., G. Zybarth, et al. (2002). "Active site residues of cyclophilin A are crucial for its signaling activity via CD147." *J Biol Chem* 277(25): 22959-65.
- Zhang, W. W. (1999). "Development and application of adenoviral vectors for gene therapy of cancer." *Cancer Gene Ther* 6(2): 113-38.
- Zhang, Y. and J. M. Bergelson (2005). "Adenovirus receptors." *J Virol* 79(19): 12125-31.