

REFERENCES

1. Department of economic and social affairs (DESA). World population prospects: the 2006 revision [database on the Internet]. www.un.org/esa/population/unpop.htm. 2007 [cited 25 September 2008].
2. Balcombe NR, Sinclair A. Ageing: definitions, mechanisms and the magnitude of the problem. *Best Pract Res Clin Gastroenterol*. 2001;15:835-49.
3. Sturnieks DL, St-George R, Lord SR. Balance disorders in the elderly. *Clin Neurophys*. 2008;xx:1-12.
4. Bauby CE, Arthur DK. Active control of lateral balance in human walking. *J Biomech*. 2000;33:1433-40.
5. Chen HC, Ashton-Miller JA, Alexander NB. Stepping over obstacles: gait patterns of healthy young and old adults. *J Gerontol*. 1991;46:M196-203.
6. Chou LS, Kaufman KR, Brey RH. Stepping over an obstacle challenges dynamic stability in the elderly adults. In: Smith G, editor. *Proceedings of 24th Annual Meeting of the American Society of Biomechanics*; 2000; University of Illinois, Chicago Illinois. 2000.
7. Chou LS, Kaufman KR, Hahn ME, Brey RH. Medio-lateral motion of the center of mass during obstacle crossing distinguishes elderly individuals with imbalance. *Gait Posture*. 2003 18:125-33.
8. Yack HJ, Berger RC. Dynamic stability in the elderly: identifying a possible measure. *J Gerontol*. 1993;48:225-30.
9. Kavanagh JJ, Barret RS, Morrison S. Upper body accelerations during walking in healthy young and elderly men. *Gait posture*. 2004;20:291-8.

10. Kavanagh JJ, Barrett RS, Morrison S. Age-related differences in head and trunk coordination during walking. *Hum Mov Sci.* 2005;24:574-87.
11. Menz HB, Lord SR, Fitzpatrick RC. Age-related differences in walking stability. *Age Ageing.* 2003;32:137-42.
12. Menz HB, Lord SR, Fitzpatrick RC. Acceleration patterns of the head and pelvis when walking are associated with risk of falling in community-dwelling older people. *J Gerontol* 2003;58:446-52.
13. Menz HB, Lord SR, Fitzpatrick RC. Acceleration patterns of the head and pelvis when walking on level and irregular surfaces. *Gait Posture.* 2003a;18:35-46.
14. Stevens JA, Sogolow ED. Gender differences for non-fatal unintentional fall related injuries among older adults. *Injury Prevention.* 2005;11:115-11.
15. Hyndman D, Ashburn A, Stack E. Fall events among people with stroke living in the community: circumstances of falls and characteristics of fallers. *Arch Phys Med Rehabil* 2002;83:165-70.
16. World health organization (WHO). Definition of an older or elderly person. [database on the Internet]. www.who.org. 2008 [cited 23 September 2008].
17. Shumway-Cook A, Anson D, Haller S. Postural sway biofeedback: its effect on reestablishing stance stability in hemiplegic patients. *Arch Phys Med Rehabil.* 1988;69:395-400.
18. Winter DA. Human balance and posture control during standing and walking. *Gait Posture.* 1995;3:193-214.
19. Woollacott MH, Tang PF. Balance control during walking in the older adult: research and its implications. *Phys Ther* 1997;77:646-60.

20. Klawans HL, Tufo HM, Osrfeld AM. Neurologic examination in elderly population. *Dis Nerv Syst.* 1971;32:274-9.
21. Thomas DR. Loss of skeletal muscle mass in aging: examining the relationship of starvation, sarcopenia and cachexia. *Clin Nutr.* 2007;26:389-99.
22. Díez F. Guidelines for the diagnosis of osteoporosis by densitometric methods. *J Manipulative Physiol Ther.* 2002;25:403-15.
23. Tucker MG, kavanagh JJ, Barret RS, Morrison S. Age-related differences in postural reaction time and coordination during voluntary sway movements. *Hum Mov Sci.* 2008;27:728-37.
24. Hausdorff JM. Gait dynamics, fractals and falls: Finding meaning in the stride-to-stride fluctuations of human walking. *Hum Mov Sci.* 2007;26:555-89.
25. Perry J. *Gait analysis: normal and pathological function.* New York: SLACK; 1992.
26. Rose J, Gamble JG. *Human Walking.* Baltimore: Williams & Wilkins; 1981.
27. Lord SR, Sherrington C, Menze HB. *Falls in the older people: risk factors and strategies for prevention.*: Cambridge university press; 2001
28. Patla AE, Rietdyk S. Visual control of limb trajectory over obstacles during locomotion: effect of obstacle height and width. *Gait Posture.* 1993;1:44-60.
29. Austin GP, Garrett GE, Bohannon RW. Kinematics analysis of obstacle clearance during locomotion. *Gait Posture.* 1999;10:109-20.
30. Chou LS, Draganich LF. Stepping over an obstacle increases the motions and moments of the joints of the trailing limb in young adults. *J Biomech.* 1997;30:331-37.

31. Sparrow WA, Shinkfield AJ, Chow S, Begg RK. Characteristics of gait in stepping over obstacles. *Hum Mov Sci.* 1996;15:605-22.
32. Chou LS, Kaufman KR, Brey RH, Draganich LF. Motion of the whole body's center of mass when stepping over obstacles of different heights. *Gait Posture.* 2001;13:17-26.
33. Wang Y, Watanabe K. The relationship between obstacle height and center of pressure velocity during obstacle crossing. *Gait Posture* 2008;27 172-5.
34. Hahn ME, Chou LS. Age-related reduction in sagittal plane center of mass motion during obstacle crossing. *J Biomech* 2004;37:837-44.
35. Kavanagh JJ, Menz HB. Accelerometry: a technique for quantifying movement patterns during walking. *Gait Posture* 2008;28:1-15.
36. Moe-Nilssen R. A new method for evaluating motor control in gait under real-life environmental conditions part 1: the instrument. *Clin Biomech.* 1998a;13:320-7.
37. Moe-Nilssen R. A new method for evaluating motor control in gait under real-life environmental conditions part 2: gait analysis. *Clin Biomech.* 1998b;13:328-35.
38. Berg K, Wood-Dauphinee SL, Williams JI. Measuring balance in the elderly: validation of an instrument. *Can J Public Health.* 1992;83:7-11.
39. Shumway-Cook A, Brauer S, Woollacott M. Predicting the probability for falls in community-dwelling older adults using the timed up & go test. *Phys Ther.* 2000;80:896-903.
40. Hayes KW, Johnson ME. Measures of adult general performance tests. *Arthr Rheum.* 2003;49:28-42.

41. Berg K, Wood-Dauphinee S, Williams JI. The balance scale: reliability assessment with elderly residents and patients with an acute stroke. *Scand J Rehabil Med.* 1995;27:27-36.
42. Berg K, Wood-Dauphinee S, Williams JI, Gayton DG. Measuring balance in the elderly: preliminary development of an instrument. *Physiother Can.* 1989;41:304-11.
43. Mathias S, Nayak US, Isaacs B. Balance in elderly patients: the "get-up and go" test. *Arch Phys Med Rehabil.* 1986 67:387-9.
44. Podsiadlo D, Richardson S. The timed "up & go": a test of basic functional mobility for frail elderly persons. *J Am Geriatr Soc.* 1991 39:142-8.
45. Shamay S, Hui-Chan CW. The timed up & go test: its reliability and association with lower-limb impairments and locomotor capacities in people with chronic stroke. *Arch Phys Med Rehabil* 2005;86:1641-7.
46. Hatch J, Gill-Body KM, Portney LG. Determinants of balance confidence in community-dwelling elderly people. *Phys Ther.* 2003;83:1072-79.
47. Bischoff HA, Stahelin HB, Monsch AU, Iversen MD, Weyh A, Dechend MV, et al. Identifying a cut-off point for normal mobility: a comparison of the timed up and go test in community-dwelling and institutionalised elderly women.,. *Age and Ageing.* 2003;32:315-20.
48. Griffiths IW. *Principle of biomechanics & motion analysis.* Philadelphia: Lippincott Williams & Wilkins; 2006.
49. Train the brain forum committee. Thai mental state examination (TMSE). *Siriraj Hosp Gaz.* 1993;45:359-74.

50. Lu TW, Chen HL, Chen SC. Comparisons of the lower kinematics between young and older adults when crossing obstacles of different heights. *Gait & Posture*. 2006;23:417-79.
51. Begg RK, Sparrow WA, Lythgo ND. Time-domain analysis of foot-ground reaction forces in negotiating obstacles. *Gait Posture*. 1998;7:99-109.
52. Shumway-Cook A, Baldwin M, Polissar NL, Gruber W. Predicting the probability for falls in community-dwelling older adults. *Phys Ther*. 1997;77:812-9.
53. Chou LS, Draganich LF. Placing the trailing foot closer to an obstacle reduces flexion of the hip, knee, and ankle to increase the risk of tripping. *J Biomech*. 1998;31:685-91.
54. Moe-Nilssen R. A new method for evaluating motor control in gait under real-life environmental conditions Part 1: The instrument. *Clin Biomech*. 1998;13:320-7.
55. Henriksen M, Lunda H, Moe-Nilssen R, Bliddal H, Danneskiold-Samsøe B. Test-retest reliability of trunk accelerometric gait analysis. *Gait Posture* 2004;19:288-97.
56. Moe-Nilssen R, Helbostad JL. Interstride trunk acceleration variability but not step width variability can differentiate between fit and frail older adults. *Gait Posture*. 2005;21:164-70.
57. Trew M, Everett T. Human movement an introductory text. 4th ed. China: Churchill Livingstone; 2001.

58. Lu TW, Yen HC, Chen HL. Comparisons of the inter-joint coordination between leading and trailing limbs when crossing obstacles of different heights. *Gait Posture* 2008;27:309-15.
59. Helbostad J, Moe-Nilssen R. The effect of gait speed on lateral balance control during walking in healthy elderly. *Gait Posture*. 2003;18:27-36.
60. Hirasaki E, Moore ST, Raphan T, Cohen B. Effects of walking velocity on vertical head and body movements during locomotion. *Exp Brain Res* 1999;127:117-30.
61. Menz HB, Morris ME, Lord SR. Foot and ankle characteristics associated with impaired balance and functional ability in older people. *J Gerontol*. 2005;60:1546-52.
62. Maki BE. Gait changes in older adults: predictors of falls or indicators of fear. *J Am Geriatr Soc*. 1997;45:313-20.
63. Weerdesteyn V, Nienhuis B, Duysens J. Advancing age progressively affects obstacle avoidance skills in the elderly. *Hum Mov Sci* 2005;24:865-80.
64. Menz HB, Lord SR, St George R, Fitzpatrick RC. Walking stability and sensorimotor function in older people with diabetic peripheral neuropathy. *Arch Phys Med Rehabil* 2004;85:245-52.
65. Zijlstra w, Hof AL. Displacement of the pelvis during human walking: experimental data and model predictions. *Gait & Posture*. 1997;6:249-62.
66. Latt MD, Menz HB, Fung VS, Lord SR. Walking speed, cadence and step length are selected to optimize the stability of head and pelvis accelerations. *Exp Brain Res* 2008;184:201-9.

67. Zijlstra A, Goosen JHM, Verheyen CCPM, Zijlstra W. A body-fixed-sensor based analysis of compensatory trunk movements during unconstrained walking. *Gait Posture*. 2008;27:164-7.
68. Zijlstra W, Hof AL. Assessment of spatio-temporal gait parameters from trunk accelerations during human waling. *Gait & Posture*. 2003;18:1-10.
69. Moylan KC, Binder EF. Falls in older adults: risk assessment, management and prevention. *Am J Med*. 2007;120:493-7.
70. Fleiss JL, cited in Delitto A, Strube MJ. Reliability in the clinical setting. *American physical therapy association research section newsletter*. 1986;24:2-8.