DEVELOPMENT OF HIGH EFFICIENCY HYBRIDOMA TECHNOLOGY FOR PRODUCTION OF MONOCLONAL ANTIBODIES

NAPAPORN APIRATMATEEKUL

DOCTOR OF PHILOSOPHY

IN BIOMEDICAL SCIENCE

THE GRADUATE SCHOOL
CHIANG MAI UNIVERSITY
MAY 2012

DEVELOPMENT OF HIGH EFFICIENCY HYBRIDOMA TECHNOLOGY FOR PRODUCTION OF MONOCLONAL ANTIBODIES

NAPAPORN APIRATMATEEKUL

A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN PARTIAL FULFILLMENT OF THE REQUIREMENTS

FOR THE DEGREE OF

DOCTOR OF PHILOSOPHY

IN BIOMEDICAL SCIENCE

THE GRADUATE SCHOOL

CHIANG MAI UNIVERSITY

CHIANG MAI UNIVERSITY

MAY 2012

DEVELOPMENT OF HIGH EFFICIENCY HYBRIDOMA TECHNOLOGY FOR PRODUCTION OF MONOCLONAL ANTIBODIES

NAPAPORN APIRATMATEEKUL

THIS THESIS HAS BEEN APPROVED TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE DEGREE OF DOCTOR OF PHILOSOPHY IN BIOMEDICAL SCIENCE

EXAMINING COMMITTEE	THESIS ADVISORY COMMITTEE
CHAIRPERSON	CO-LE - ADVISOR
Dr. Panida Khunkaewla Co C MEMBER	Prof. Dr. Watchara Kasinrerk Solution Occident CO-ADVISOR
Prof. Dr. Watchara Kasinrerk MEMBER	Assoc. Prof. Dr. Chatchai Tayapiwatana S. Chiamar CO-ADVISOR
Assoc. Prof. Dr. Chatchai Tayapiwatana Kongtanlut, P. MEMBER	Asst. Prof. Dr. Sawitree Chiampanichayakul
Assoc. Prof. Dr. Prachya Kongtawelert	
S. Chiampa 2 MEMBER	

25 May 2012

Asst. Prof. Dr. Sawitree Chiampanichayakul

©Copyright by Chiang Mai University

ACKNOWLEDGEMENTS

The author wishes to express sincere gratitude and appreciation to Prof. Dr. Watchara Kasinrerk, thesis advisor, for his excellent guidance, continuous discussion and infinite knowledge. Without his support and encouragement, this thesis could not be accomplished.

My sincerest thanks particularly go to Assoc. Prof. Dr. Chatchai Tayapiwatana and Asst. Prof. Dr. Sawitree Chiampanichayakul, my thesis co-advisors for their special efforts, unforgettable support, and encouragement.

I would like to offer my special thanks to Prof. Dr. Vaclav Horejsi, Dr. Tomas Brdicka and Dr. Pavel Otahal for their valuable guidance, supervisions and assistance during my stay and doing research in the Laboratory of Molecular Immunology, Institute of Molecular Genetics, Academy of Sciences of the Czech Republic, Prague, Czech Republic.

I also wish to express my great appreciation to all staff members of Prof. Dr. Watchara Kasinrerk, Assoc. Prof. Dr. Chatchai Tayapiwatana and Prof. Dr. Vaclav Horejsi for their kind help, friendship and co-operation. I would like to give special thanks to Dr. Supansa Pata for her greatest experimental training and kindness. Many thanks are also extended to all of my friends for their help and warm friendship.

I also wish to express my great appreciation to Assoc. Prof. Dr. Prachya Kongtawelert and Dr. Panida khunkaewla and all examining committees for their kindness suggestions and valuable advice.

I would like to thank the Department of Medical Technology, Faculty of Associated Medical Sciences, Chiang Mai University, Chiang Mai, Thailand and the Laboratory of Molecular Immunology, Institute of Molecular Genetics, Academy of Sciences of the Czech Republic, Prague, Czech Republic for providing instruments and a place for the study.

I would like to gratefully acknowledge the Office of the Higher Education Commission, Thailand Research Fund (TRF), and the National Sciences and Technology Development Agency (NSTDA) for their financial support.

Finally, I would like to express my great gratitude to my parents and my relative for their love and encouragement throughout this study.

Napaporn Apiratmateekul

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved