

ชื่อเรื่องวิทยานิพนธ์	ความรู้สึกไม่แน่นอนในความเจ็บป่วยและพฤติกรรมการเผชิญปัญหาของผู้ป่วยที่ได้รับการขูดมดลูก ในโรงพยาบาลมหาราชนครเชียงใหม่
ชื่อผู้เขียน	นางสาวอมรรัตน์ พุเต็มวงศ์
ศึกษาศาสตรมหาบัณฑิต	สาขาวิชาการส่งเสริมสุขภาพ
คณะกรรมการสอบวิทยานิพนธ์	ผู้ช่วยศาสตราจารย์ ดร.สุชาดา ไกรพิบูลย์ ประธานกรรมการ รองศาสตราจารย์อุเทน ปัญโญ กรรมการ ผู้ช่วยศาสตราจารย์โสภณ อรุณรัตน์ กรรมการ

บทคัดย่อ

การวิจัยนี้มีวัตถุประสงค์ เพื่อศึกษาระดับความรู้สึกไม่แน่นอนในความเจ็บป่วยของผู้ป่วยที่ได้รับการขูดมดลูกที่มีภาวะผิดปกติทางสูติศาสตร์และทางนรีเวชวิทยา ทั้งในระยะก่อนได้รับการขูดมดลูกและในระยะหลังได้รับการขูดมดลูก รวมทั้งศึกษาพฤติกรรมการเผชิญปัญหาของผู้ป่วยทั้ง 2 กลุ่ม กลุ่มตัวอย่าง ได้แก่ ผู้ป่วยที่มีภาวะผิดปกติทางสูติศาสตร์และทางนรีเวชวิทยา ที่มารับการขูดมดลูกที่หน่วยผ่าตัดเล็กทางนรีเวชและหน่วยสังเกตอาการหลังผ่าตัดเล็ก จำนวน 125 คน โดยใช้วิธีเลือกแบบเจาะจง เครื่องมือที่ใช้ในการวิจัยเป็นแบบสัมภาษณ์และนำข้อมูลที่ได้มาวิเคราะห์ด้วยโปรแกรมสำเร็จรูป SPSS for Windows โดยการหา ค่าความถี่ ค่าร้อยละ ค่าเฉลี่ย ส่วนเบี่ยงเบนมาตรฐานและการประมาณค่าเฉลี่ยประชากร

ผลการวิเคราะห์ข้อมูล พบว่า

1. ผู้ป่วยที่ได้รับการขูดมดลูกที่มีภาวะผิดปกติทางสูติศาสตร์ ในระยะก่อนและหลังได้รับการขูดมดลูก มีความรู้สึกไม่แน่นอนในความเจ็บป่วยอยู่ในระดับน้อยถึงมาก
2. ผู้ป่วยที่ได้รับการขูดมดลูกที่มีภาวะผิดปกติทางนรีเวชวิทยา ทั้งในระยะก่อนและหลังได้รับการขูดมดลูก มีความรู้สึกไม่แน่นอนในความเจ็บป่วยอยู่ในระดับมาก

ค

3. ผู้ป่วยที่ได้รับการขูดมดลูกที่มีภาวะผิดปกติ ทั้งทางสูติศาสตร์และนรีเวชวิทยา มี
พฤติกรรมการเผชิญปัญหา ทั้งในด้านการมุ่งแก้ปัญหาและด้านการจัดการกับอารมณ์อยู่ในระดับ
ปานกลาง

มหาวิทยาลัยเชียงใหม่
Chiang Mai University

Thesis Title	Uncertainty in Illness and Coping Behaviors of Patients Receiving Curettage in Maharaj Nakorn Chiang Mai Hospital	
Author	Miss Amornrat Futerrwong	
M.Ed.	Health Promotion	
Examining Committee	Asst.Prof.Dr. Suchada Kraiphibul	Chairman
	Assoc.Prof. Uthen Panyo	Member
	Asst.Prof. Sapon Arunrutana	Member

Abstract

The purpose of this research was to study the level of uncertainty in illness and coping behaviors of patients receiving curettage that have both abnormality in obstetrical and gynecological conditions, before and after curettage. Purposive sampling was used to select 125 patients receiving curettage with abnormality in obstetrical and gynecological conditions at the Minor Operation and Observe Unit, Maharaj Nakorn Chiang Mai Hospital. The instrument used for collecting data was interview questionnaire. Data analysis was conducted through SPSS for Windows for frequency, percentage, arithmetic mean, standard deviation and population mean.

The findings were as follows:

1. The patients receiving curettage with abnormality in obstetrical conditions, both before and after curettage had uncertainty in illness at low to high level.
2. The patients receiving curettage with abnormality in gynecological conditions, both before and after curettage had uncertainty in illness at high level.

3. The patients receiving curettage with abnormality in obstetrical and gynecological conditions used problem-focused coping behavior and emotional-focused coping behavior at moderate level.