



2. ปัจจัยภายใน ได้แก่ ได้รับความรู้ไม่ถูกต้องเกี่ยวกับการคุมกำเนิด เมื่อเกิดความสงสัยมักปรึกษาเพื่อนทำให้ได้รับความรู้ที่ผิด มีความเชื่อไม่ถูกต้องเกี่ยวกับวิธีการคุมกำเนิด โดยเฉพาะวิธีการรับประทานยาเม็ดคุมกำเนิด เช่น เชื่อว่าการรับประทานยาเม็ดคุมกำเนิดทำให้อ้วน เกิดสิวฝ้า หน้าอกและบั้นท้ายหย่อน เป็นสาเหตุทำให้วัยรุ่นส่วนใหญ่หลีกเลี่ยงวิธีการคุมกำเนิด โดยการรับประทานยาคุมกำเนิด การที่วัยรุ่นหญิงเกรงใจคู่มากทำให้ไม่มีการคุมกำเนิด การดื่มเครื่องดื่มที่มีแอลกอฮอล์ก่อนการมีเพศสัมพันธ์ทำให้อยู่ในอาการเมาไม่มีสติ และการตั้งใจให้เกิดการตั้งครรภ์แม้ยังไม่พร้อมที่จะมีการตั้งครรภ์โดยมีเหตุผลบางประการ

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved

<b>Thesis Title</b>	Risk Factors Leading to Unwanted Teenager Pregnancy in the Muang District Chiang Mai Province
<b>Author</b>	Miss. Patcharaluk Suwan
<b>Degree</b>	Master of Education (Health Promotion)
<b>Thesis Advisory Committee</b>	Assistant Prof. Dr. Suchada Kraipibul Chairperson Associate Prof. Anek Changnoi Member

### ABSTRACT

The objective of this research was to study the Unwanted Pregnancy Risk factors of teenagers in Chiangmai Province, Thailand. This research was a qualitative research, which dealt with the data collection that had been done through an in-depth interviewing via questionnaire linked to the information wanted. Additionally, the documentary studies had also been done on the related research issues. Analysis and verification of data were carried out along with field data collecting as well as data classification, data linkage, data interpretation and summary.

According to the study, the researcher found that the risk factors of unexpected pregnancy of teenagers in Chiangmai Province came from the following facts.

- 1) The external factors were composed of mass media and printed materials that caused sexual curiosity which occurred in the teenager's group and their desire was to imitate the scenes inside the publication. Furthermore, the domestic culture had been changed quite a lot, for instance, touching and feeling each other became

a common practice among the teenagers. Virginity was meaningless for pre-marriage sexual intercourse had been practiced commonly and it became acceptable. The raising of children played an important role in constructing and cultivating right attitude towards sex. Finally, the living inside dormitory allowed teenagers to have freedom on sex, particularly on the dating of the opposite sex.

2) The internal factors were consisted of incorrect knowledge of contraceptive criteria and in case of doubt; teenagers normally consulted their friends who provided wrong knowledge, and misunderstanding, especially on the taking of contraceptive pills. For example, some teenagers believed that taking contraceptive pills would bring pimples and acnes as well as causing obesity and chubby breasts including unpleasant looking of the buttock. Another factor was the girls were afraid of their lovers; thus, they neglected the contraceptive measures. We could not over look the cause of alcoholic drinks, especially before intercourse for it was true cause that drunkards were always careless and neglect. Sometimes, the intention to have pregnancy was possible for unknown reason.