ชื่อเรื่องการค้นคว้าแบบอิสระ

บทบาทสมาชิกครอบครัวในการคูแลผู้ป่วยวัณ โรค

จังหวัดพิษณุโลก

ชื่อผู้เขียน

นางจินตนา ทิพทัส

สาธารณสุขศาสตรมหาบัณฑิต

คณะกรรมการสอบการค้นคว้าแบบอิสระ:

รองศาสตราจารย์ชมนาด	พจนามาตร์	ประธานกรรมการ
อาจารย์จิตตาภรณ์	จิตรีเชื้อ	กรรมการ
รองศาสตราจารย์ชลอศรี	แดงเปี่ยม	กรรมการ
อาจารย์ คร.ยุวยงค์	จันทรวิจิตร	กรรมการ

บทคัดย่อ

การศึกษาครั้งนี้มีวัตถุประสงค์เพื่อศึกษาบทบาทสมาชิกครอบครัวในการดูแลผู้ป่วย วัณโรคในการให้คำปรึกษาแนะนำดูแลด้านการรักษาพยาบาล ด้านจิตใจ ด้านสังคม และด้านเศรษฐกิจ กลุ่มตัวอย่างคัดเลือกแบบเจาะจง จากสมาชิกครอบครัวของผู้ป่วยวัณโรคที่ได้ รับการคัดเลือกจากเจ้าหน้าที่ให้ทำหน้าที่เป็นพี่เลี้ยงในการกำกับการรับประทานยาของผู้ป่วยที่ รับการรักษาตั้งแต่ 1 เดือนขึ้นไป ณ ศูนย์วัณโรคเขต 9 พิษณุโลก และมีภูมิลำเนาอยู่ในจังหวัด พิษณุโลก จำนวน 40 ราย รวบรวมข้อมูลโดยการสัมภาษณ์และสังเกต วิเคราะห์ข้อมูลโดยใช้สถิติเชิงพรรณนา

ผลการศึกษาพบว่ากลุ่มตัวอย่างมีคะแนนการปฏิบัติในบทบาทการดูแลผู้ป่วยวัณโรค โดยรวมอยู่ในระดับปานกลาง มีคะแนนเฉลี่ยกิดเป็นร้อยละ 76.9 เมื่อจำแนกรายด้านพบว่า คะแนน ในด้านการให้คำปรึกษาแนะนำดูแลด้านการรักษาพยาบาล ด้านจิตใจ และด้านสังคม อยู่ในระดับ ปานกลาง โดยมีคะแนนเฉลี่ยกิดเป็นร้อยละ 79.7 76.3 และ71.4 ตามลำดับ แต่ด้านเศรษฐกิจอยู่ใน ระดับดี คะแนนเฉลี่ยกิดเป็นร้อยละ 81.4

ดังนั้นสมาชิกครอบครัวควรให้การคูแลผู้ป่วยวัณโรคด้านการรักษาพยาบาล รวมทั้ง ด้านจิตใจและสังคมให้มากขึ้น และไม่ควรละเลยด้านเศรษฐกิจเพื่อให้ผู้ป่วยได้รับการฟื้นฟูสภาพ แบบองค์รวม ซึ่งจะส่งผลต่อการเพิ่มอัตราการรักษาที่หายขาดจากวัณโรค Independent Study Title

Roles of Family Members in Caring of Tuberculosis Patients

Phitsanulok Province

Author

Mrs. Jintana Tiptas

Master of Public Health

Independent Study Examining Committee:

Assoc. Prof.	Chomnard	Potjanamart	Chairperson
Lect.	Jittaporn	Chitreecheur	Member
Assoc.Prof.	Chalorsri	Dangpiam	Member
Lect. Dr.	· Yuwayong	Jantaravijit	Member

Abstract

The purpose of this study was to describe the roles of family members in caring of tuberculosis patients in terms of medical and nursing care, psychological care and socio – economic care. Forty subjects were selected by purposive sampling from family members who were stayed in Phitsanulok Province and monitored the patients in taking medicine who received treatment for more than 1 month at the Tuberculosis Center Region 9 Phitsanulok. Data were collected by interview and observation. Data were analyzed by descriptive statistics.

The results showed that the total mean score of the roles of family members in caring of tuberculosis patients fell into moderate level (76.9 percents). It was found that the roles of family members in medical and nursing care, psychological care and social care were at moderate level, with an average score of 79.7, 76.3 and 71.4 percents respectively. It was also found that the economic care fell into good level, with an average score of 81.4 percent.

Therefore, the family members should pay more attention on medical and nursing care, psychological care, and social care. The economic assisting should not be neglected. With these supports, the patients would receive the holistic care. Consequently, this would increase the cure rate of tuberculosis.