

REFERENCES

- (2001). Wolfe, M.W., Salkeld, S.L. and Cook, S.D. Bone Morphogenetic Proteins in the Treatment of Non-unions and Bone Defects: Historical Perspective and Current Knowledge [Online]. Available: <http://www.med.upenn.edu/ortho/oj/1999/html/oj12sp99p1.html> [2001, 9 May]
- (2001). Wozney J.M. *An Overview of Bone Morphogenetic Proteins* [Online]. Available: http://www.gicd.org/p11_96Anover.html [2001, 9 May]
- (2003). *National Institutes of Health: Image Processing and Analysis in Java* [Online]. Available: <http://rsb.info.nih.gov/ij/> [2003, 17 December]
- (2004). King [Online]. Available: <http://www.indstate.edu/thcme/mwking/growfact.html> [2004, 21 March]
- Anitua, E., (1999). "Plasma rich in growth factors : preliminary results of use in the preparation of future sites for implants.", *Int J Oral Maxillofac implants*. 14 : 529-535.
- Antoniades, H.N., (1981). "Human platelet-derived growth factor (PDGF) : Purification of PDGF-I and PDGF-II and separation of their reduced subunit.", *Proc Nat Acad Sci USA*. 78(12): 7314-7317
- Antoniades, H.N., Calanopoulos, T., Neville-Golden, J., Kirtsy, C.H. and Lynch, S.E., (1991). "Injury induces in vivo expression of platelet-derived growth factor (PDGF) and PDGF receptor mRNAs in skin epithelial cells and PDGF mRNA in connective tissue fibroblasts.", *Proc Natl Acad Sci USA*. 88 : 565-569.

- Arpornmaeklong, P., Kochel, M., Depprich, R., Kübler, N. R. and Würzler, K. K., (2004). "Influence of platelet-rich plasma (PRP) on osteogenic differentiation of rat bone marrow stromal cells. An *in vitro* study.", *J Oral Maxillofac. Surg.* 33: 60-70.
- Assoian, R.K., Komoriya, A., Meyers, C.A., Miller, D.M. and Sporn, M.B., (1983) "Transforming growth factor in human platelet.", *J Biol Chem.* 258(11) : 7155-7160.
- Brand, R.A. and Rubin, C.T.(1987).Fracture Healing. in *The Scientific Basis of Orthopaedics.*(pp.325-345), Norwalk:Appleton and Lange
- Burgers, A.W., (1989). "Epidermal growth factor and transforming growth factor A.", *Br Med Bull.* 45(2) : 401-424.
- Caffesse R.G. and Quinones C.R., (1993) "Polypeptide growth factors and attachment proteins in periodontal wound healing and regeneration.", *Periodontology* 2000. 1: 69-79
- Carola, R.,Harley, J.P. and Noback, C.R., (1990).Bones and Osseous Tissue. in *Human Anatomy and Physiology.*(pp 133-51), New York: McGrawHill Publishing Company
- Cormack, D.H.(2001).Dense connective tissue, cartilage, bone, and joints. in *Essential histology.* 2ndEd.(pp175-208), Philadelphia: Lippincott William and Wilkins
- Dugrillon, A., Eichler, H., Kern, S., and Klüter, H., (2002). " Autologous concentrated platelet-rich plasma (cPRP) for local application in bone regeneration.", *International Journal of Oral and Maxillofacial Surgery.* 31(6):615-619.

- Fennis, J.P.M., Stoelinga, P.J.W., and Jansen, J.A., (2001). "Mandibular Reconstruction: A Clinical and Radiographic Animal Study on the Use of Autogenous Scaffolds and Platelet-Rich Plasma." *Int. J. Oral Maxillofac. Surg.* 2001;31:281-286.
- Fürst, G., Gruber, R., Tangl, S., Zechner, W., Haas, R., Mailath, G., Sanroman, F., Watzek, G., (2003). "Sinus grafting with autogenous platelet-rich plasma and bovine hydroxyapatite: A histomorphometric study in minipigs.", *Clinical Oral Implants Research* 14 (4);500-508.
- Garant, P.R.(2003). *Oral Cells and Tissues*. Chicago: Quintessence Publishing Co, Inc
- Gentrella, M., Massague, J. and Canalis, E., (1986). "Human platelet-derived transforming growth factor- β stimulates parameters of bone growth in fetal rat calvariae.", *Endocrinology*. 119 : 2306-2312.
- Gernot, W., Wilfried, K. G. K., Marika, Kunz-K., Anja, H. L. and Wilfried, W., (2001). "Correlation of Platelet Concentration in Platelet-Rich Plasma to the Extraction Method, Age, Sex, and Platelet Count of the Donor.", *Int Oral Maxillofac Implants*. 16:693-699.
- Hauschka, P.W., Mavrakos, A.E., Iafrati, M.D., Doleman, S.E. and Klagbrun, M., (1986). "Growth factors in bone matrix.", *J Biol Chem*. 261(27) : 12665-12674.
- Howell, T., Fiorellini, J.P., Paquette, D.W., Offenbacher, S., Giannobile, W.V. and Lynch, S.E., (1997). "A phase I/II clinical trial to evaluate a combination of recombinant human platelet-derived growth factor-BB and recombinant human insulin-like growth factor-I in patients with periodontal disease.", *J Periodontol*. 68 : 1186-1193.

- James, M.S. and Webster, S.S.J. (1983). Automated Skeletal Histomorphometry. in Bone Histomorphometry techniques and Interpretation. (pp.285-295),CRC Press,IncFlorida
- Junqueira, L.C. and Carneiro, J.(2003).Bone. in Basic Histology.10thEd.(pp.141-159), New York: Lange Medical Books McGraw-Hill
- Kassolis, I.D., Rosen, P.S. and Reynolds, M.A., (2000). “Alveolar ridge and sinus augmentation utilizing platelet-rich plasma in combination with freeze-dried bone allograft : case series”, *J. Periodontol.* 71 : 1654-4661.
- Kirker-Head, C.A.(1996). Novel Biological Agents to enhance Fracture Healing in Equine Fracture Repair.(pp.93-102), Philadelphia: W.B. Saunders Company
- Kirker-Head, C.A., (1995). “Long-Term Healing of Bone Using Recombinant Human Bone Morphogenetic Protein 2”, *Clinical Orthopaedics and Related Research.* 318: 222-230
- Lamerigts, N. M. P., Buma, P., Aspenberg P., Schreurs B. W., and Sloof, T.J.J.H.,(1999). “Role of growth factors in the incorporation of unloaded bone allografts in the goat.”, *Clinical Orthopaedics and Related Research* 368:260-270
- Lynch, S.E., de Castilla, G.R., Williams, R.C. et al., (1991). “The effects of short-term application of a combination of platelet-derived and insulin-like growth factors on periodontal wound healing.”, *J Periodontol.* 62 : 458-467.
- Markel, M.D.(1996a).Bone Structure and the Response of Bone to Stress. in Equine Fracture Repair.(pp.3-9), Philadelphia: W.B. Saunders Company
- Markel, M.D.(1996b).Fracture Healing and Its Noninvasive Assessment. in Equine Fracture Repair.(pp.19-29), Philadelphia: W.B. Saunders Company

Marx, R.E.(1999).Platelet-rich plasma: a source of multiple autologous growth factors for bone grafts. in *Tissue Engineering*.(pp.71-82),Chicago:Quintessence Publishing Co, Inc.

Marx, R.E., Carlson, E.R., Eichstaedt, R.M., Schimmele, S.R., Strauss, J.E. and Georgeff, K.R., (1998). “ Platelet-rich plasma : Growth factor enhancement for bone graft.”, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 85 : 638-646.

Mohan, S. and Baylink, D.J., (1991). “Bone growth factors”, *Clinical orthopaedics and related research..* 263: 30-48

Nash, T.J., Howlett, C.R., Martin, C., Steele, J., Johnson, K.A. and Hicklin, D.J., (1994). “Effect of platelet-derived growth factor on tibial osteotomies in rabbits.”, *Bone.* 15 : 203-208.

Okazaki, Y., Watanabe, K., hatanaka, T. and Ueda, M., (2001). “Sinus floor augmentation using a combination of (beta) – tricalciumphosphate and platelet-rich plasma (Abstracts : Poster presentation).”, *Clin Oral Implants Res.* 12(4) : 411.

Park, J.B., Matsuura, M. and Han, K.Y., (1995). “Periodontal regeneration in Class III furcation defects of beagle dogs using guided tissue regenerative therapy with platelet-dervied and insulin-like growth factors on periodontal wound healing.”, *J Periodontol.* 66 : 462-477.

Petrungaro, P.S., (2001). “ Using plate-rich plasma to accelerate soft tissue maturation in esthetics periodontal surgery.”, *Compendium.* 22(9):729-742.

- Rappolee, D.A., Mark, D., Banda, M.J. and Werb, Z., (1998). "Wound macrophages express TGF α and other growth factors in vivo : Analysis by mRNA phenotyping.", *Science*. 247: 708-712
- Robiony, M., Polini, F., Costa, F., and Politi, M., (2002). "Osteogenesis distraction and platelet-rich plasma for bone restoration of the severely atrophic mandible: preliminary results", *J Oral Maxillofac Surg* 60:630-635.
- Ross, M.H., Kaye, G.I. and Pawlina W.(2003).Bone. in *Histology: A Text and Atlas*.4thEd(pp.180-212),Philadelphia: Lippincott William and Wilkins
- Ross, R., Raines, E. W.,and Bowen-Pope,D. F., (1986) "The biology of platelet derived growth factor", *Cell Vol*.46:155-169
- Seeley, R.R., Stephens, T.D. and Tate, P. (2003). *Skeletal System: Bones and Bone Tissue*. in *Anatomy and Physiology*.6th Ed (pp.166-169), Boston: McGrawHill
- Shanaman, R., Filstein, M.R. and Danesh-Meyer, M.J., (2001). "Localized ridge augmentation using GBR and platelet-rich plasma : case reports.", *Int J Periodontics Restorative dent*. 21(4) : 345-355.
- Sitaras, N.M., Sariban, E., pantazis, P., Zetter, B. and Antoniades, H.N., (1987). "Human iliac afferny endothelial cells express both genes encoding the chains of platelet-derived growth factor (PDGF) and synthesize PDGF-like mitogen.", *J Cell Physiol*. 132 : 376-380.
- Skerry, T.M.(1998).Fracture Healing. in *Manual of Small Animal Fracture Repair and Management*.(pp.29-34),United Kingdom:British Small Animal Veterinary Association.

- Tischler, M.(2002). *Platelet Rich Plasma: The use of autologous growth factors to enhance bone and soft tissue graft* [Online]. Available: http://www.nysdental.org/publications/full_article-archives.cfm?ID=57 [2004, 18 February]
- Urist, M.R., (1965). "Bone: Formation by autoinduction.", *Science* 150: 893-899
- Vikjaer, D., Bloms, Hjorting-Hansen E. and Pinholt, E.M., (1997). "Effect of platelet-derived growth factor-BB on bone formation in calvarial defects : An experimental study in rabbits.", *Eur J Oral Sci.* 105 : 59-66.
- Wang, H.L., Pappert, T.D., Castelli, W.A., Chiego, D.J., Shyr, Y., and Smith, B.A., (1994). "The effect of platelet-derived growth factor on the cellular response of the periodontium: an autoradiographic study on dogs.", *J Periodontol.* 65:429-436
- Wartiovaara, U., Salven, P., Mikkola, H. et al., (1998). "Peripheral blood platelets express VEGF-C which are released during platelet activation.", *Thromb Haemost.* 80:171-175
- Weibrich, G., Kleis, W.K.G., and Hafner, G., (2002). "Growth factor levels in the platelet-rich plasma produced by 2 different methods: Curasan-type PRP kit versus PCCs PRP ststem.", *Int J Oral Maxillofac Implants.* 17:184-190
- Wijelath E.S., Rahman S., Murray J., Patel Y., Savidge G. and Sobel M., (2004) "Fibronectin promotes VEGF-induced CD34 cell differentiation into endothelial cells.", *J Vasc Surg.* Mar;39(3):655-60.

Zechner, W., Tangl, S., Haas, R. and Mailath, G., (2001). "Implantation in combination with PRP – An experimental study in mini-pigs. (abstracts ; oral presentation).", *Clin Oral Implants Res.* 12 (4) : 394.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved