

## REFERENCES

AIDS and STD Prevention and Control Section, Chiang Mai Provincial Public Health Office, 2007 statistics downloaded from: [www.chiangmaihealth.com](http://www.chiangmaihealth.com).

Albano, F., Spagnuolo, M. I., Berni Canani, R., & Guarino, A (1999). Adherence to antiretroviral therapy in HIV-infected children. **AIDS Care: 11:** 711-714.

Ammassari, A., Trotta, M. P., Murri, R., Castelli, F., Narciso, P., Noto, P., Vecchiet, J., D'Arminio Monforte, D., Wu, A. W., & Antinori, A. (2002). Correlates and predictors of adherence to antiretroviral therapy: Overview of published literature. **J Acquir Immune Defic Syndr: 31:** s123-s127.

Bangsberg, D. R., Hecht, F. M., Charebois, E. D., Zolopa, A. R., Holodniy, M., & Sheiner, L. (2000). Adherence to protease inhibitors, HIV-1 viral load, and development of drug resistance in an indigent population. **AIDS: 14:** 357-366.

Bangsberg, D. R., Hecht, F. M., Clague, H. (2001). Provider assessment of adherence to HIV antiretroviral therapy. **J Acquir Immune Defic Syndr: 26:** 435-42.

Bangsberg, D. R., Bronstone, A., Hofmann, R. (2002). A computer-based assessment detects regimen misunderstandings and nonadherence for patients on HIV antiretroviral therapy. **AIDS Care: 14:** 3-15.

Bartlett, J. A., DeMasi, R., Quinn, J., Moxham, C. & Rousseau, F. (2001). Overview of the effectiveness of triple combination therapy in antiretroviral-naïve HIV-1 infected adults. **AIDS, 15,** 1369-77.

- Belzer, M. E., Fuchs, D. N., Luftman, G. A., & Tucker, D. J. (1999). Antiretroviral adherence issues among HIV-positive adolescents and young adults. **Journal of Adolescent Health: 25**, 316-319.
- Berkely, S. (1993). AIDS in the developing world: an epidemiologic overview. **Clin Infect Dis: 17** (Suppl 2): S329-36.
- Bond, K. E., Celentano, D. D., Phonsophakul, S., & Vaddhanaphuti, C. (1997). Mobility and migration: Female commercial sex workers and the HIV epidemic in Northern Thailand. In G. Herdt (Ed.), **Sexual cultures and migration in the era of AIDS: Anthropological and demographic perspectives** (pp. 185-215). Oxford: Clarendon Press.
- Boni, S., Pontali, E., DeGol, P., Pedemonte, P., & Bassetti, D. (2000). Compliance to combination antiretroviral therapy in HIV-1 infected children. **International Journal of Antimicrobial Agents: 16**, 371-372.
- Brouwer, C. N. M., Lok, C. L., Wolffers, I., & Seagalls, S. (2000). Psychosocial and economic aspects of HIV/AIDS and counseling of caretakers of HIV-infected children in Uganda. **AIDS Care: 12**, 535-540.
- Brown, T., & Sittitrai, W. (1995). Heterosexual risk behaviors in Asia: The implication for HIV/AIDS. *Current science*, 69, 840-848.
- Byrne, M., Hoing, J., Jurgrau, A., Heffernan, S.M., & Donahue, M., C. (2002). Achieving adherence with antiretroviral medications for pediatric HIV disease. **AIDS Read: 12**, 151-4, 161-4.
- Chesney, M, A. (2000). Factors affecting adherence to antiretroviral therapy. **Clin Inf Dis: 30**, S171-S176.

Chesney, M. A., Ickovics, J. R., Chambers, D. B., Gifford, A. L., Neidig, J., Zwickl, B., & Wu, A. W. (2000). Self-reported adherence to antiretroviral medications among participants in HIV clinical trials: The AACTG Adherence Instruments. **AIDS Care: 12**, 255-266.

Chesney, M. A., Morin, M., & Sherr, L. (2000). Adherence to HIV combination therapy. **Social Science & Medicine: 50**, 1599-1605.

Children and AIDS (2005) UNICEF publication. Downloaded in 2006 at:  
[http://www.unicef.org/publications/index\\_38048](http://www.unicef.org/publications/index_38048)

Davies, M., Boulle, A., Fakir, T., Nuttall, J., & Eley, B. (2008). Adherence to antiretroviral therapy in young children in Cape Town, South Africa, measured by medication return and caregiver self-report: a prospective cohort study. **BMC Pediatrics 8**: 34 8-34.

DiMatteo, M. R., Giordani, P. J., Lepper, H. S., & Croghan, T. W. (2002). Patient adherence and medical treatment outcomes: a meta-analysis. **Med Care 40**: 794-811.

Eldred, L. J., Wu A. W., Chaisson, R. E., & Moore, R. D. (1998). Adherence to antiretroviral and pneumocystis prophylaxis in HIV disease. **J Acquir Immune Defic Syndr and Hum Rertovir: 18**, 117-125

Friedland G. H., & Andrews L.A. (2001). Adherence to antiretroviral therapy. **AIDS Rev. 3**:111-120.

Farley, J. J., Hines, S., Musk, A., Ferrus, S., & Tepper, V. (2003). Assessment of Adherence to antiviral therapy in HIV infected children using the Medication Events Monitoring System (MEMS), pharmacy refill, provider assessment,

care-giver self-report, and appointment keeping. **J Acquir Immune Defic Syndr: 33:** 211-218.

Feingold, A. R., Rutstein, R. M., Meislich, D., Brown, T., & Rudy, B., J. (2000). Protease inhibitor therapy in HIV-infected children. **AIDS Patient Care and STDs: 14,** 589-602.

Frey, M. A., & Naar-King, S. (2000). The challenge of measuring adherence in children and adolescents. **Journal of Child and Family Nursing, 4,** 296 – 300.

Friedland, G. H., & Williams, A. (1999). Attaining higher goals in HIV treatment: the central importance of adherence. **AIDS: 13,** 61-72.

Gao, X., Nau, D. P., Rosenbluth, S. A., Scott, V., & Woodward, C. (2000). The relationship of disease severity, health beliefs and medication adherence among HIV patients. **AIDS Care: 12,** 387-398.

Gifford, A. L., Bormann, J. E., Shively, M. J., Wright, B. C., Richman, D. D., & Bozzette, S. A. (2000). Predictors of self-reported adherence and plasma HIV concentrations in patients on multi-drug antiretroviral regimens. **J Acquir Immune Defic Syndr: 23,** 386-395.

Gill, C. J., Hamler, D. H., Simon, J. L., Thea, D. M., Sabin, L. L., (2005). No room for complacency about adherence to antiretroviral therapy in sub-Saharan Africa. **Aids 19:** 1243-9.

Golin, C. E., Liu, H., Hays, R. D., Miller, L. G., Beck, C. K., Ickovics, J., Kaplan, A., H., Wenger, N, S. (2002). A prospective study of predictors of adherence to combination antiretroviral medication. **J Gen Intern Med 17:** 756-65.

Gordillo, V, del Amo, J. Soriano, V. Gonzalez-Lahoz, J. (1999). Sociodemographic and psychological variables influencing adherence to antiretroviral therapy.

**AIDS: 13:** 1763-9.

Gortmaker, S. L., Hughes, M., & Cervia, J. (2001). Effect of combination therapy including protease inhibitors on mortality among children and adolescents infected with HIV-1. **New England Medical Journal: 345**, 1522-1528.

Hall, J., Roter, D., & Katz, N. (1988). Meta-analysis of correlates of provider behaviour in medical encounters. **Medical Care: 26**, 657-675.

Hammami, N., Nöstlinger, Hoérée, T., Lefèvre, P., Jonckheer, T., & Kolsteren, P. (2004). Integrating adherence to highly active antiretroviral therapy into children's daily lives: A qualitative study. **Pediatrics Vol 114, No 5.**

Herdt, G. (1997). Sexual cultures and population movement: Implications for AIDS/STDs. In G. Herdt (Ed.), **Sexual cultures and migration in the era of AIDS: Anthropological and demographic perspectives.** Oxford: Clarendon Press.

Horizons/Population Council, International Centre for Reproductive Health and Coast Province General Hospital, Mombasa-Kenya, (2004). **Adherence to antiretroviral therapy in adults: A guide for trainers.** Nairobi: Population Council.

Ickovics, J. R., & Meade, C. S., (2002). Adherence to HAART among patients with HIV: Breakthroughs and barriers. **AIDS Care 14**, 309-318.

Ickovics, J. R., & Meade, C. S., (2002). Adherence to antiretroviral therapy among patients with HIV: A critical link between behavioral and biomedical sciences.

**Journal of AIDS: 31** 98-102.

Ickovics, J. R., & Meisler, A. W., (1997). Adherence and retention in AIDS clinical trials: A framework for clinical research and clinical care. **Journal of**

**Clinical Epidemiology: 50**, 385-391.

International HIV/AIDS Alliance, 2007 downloaded from:

[www.aidsalliance.org/graphics/secretariat/publications/FS04\\_Adherence\\_2007.doc](http://www.aidsalliance.org/graphics/secretariat/publications/FS04_Adherence_2007.doc)

Katko, E., Johnson, G. M., Foeler, S. L., & Turner, R. B. (2001). Assessment of adherence with medications in human immunodeficiency virus-infected children. **Pediatric Infectious Disease Journal: 20** (12): 174-176.

Kelly, S. J. M. (2006). **HIV and AIDS: A justice perspective**. Jesuit Centre for Theological Reflection. Downloaded from:

<http://www.jctr.org.zm/downloads/hivkelly.pdf>

Levine, C., Foster, G., & Williamson, J. **A Generation at Risk: The Global Impact of HIV/AIDS on Orphans and Vulnerable Children**. Cambridge University

Press.

Maneesriwongul, W. L., Tulathong, S., Fennie, K. P., & Williams, A. B. (2006). **J Acquir Immune Defic Syndr: 43**, Supp 1.

Mannheimer, S., Friedland, G., Matts, J. (2002). The consistency of adherence to antiretroviral therapy predicts biological outcomes for human



immunodeficiency virus-infected persons in clinical trials. **Clin Infect Dis** **34**: 1115-1121.

Marhefka, S. L., Farley, J. J., Rodrigue, J. R., Sandrik, L. L., Sleasman, J. W., & Tepper, V. J. (2004). Clinical assessment of medication adherence among HIV infected children: Examination of the Treatment Interview Protocol (TIP). **AIDS Care: 16 (3)**: 323-337.

Martinez, J., Bell, D., Camacho, R., Henry-Reid, L. M., Bell, M., & Watson, C. (2000). Adherence to antiviral drug regimens in HIV-infected adolescent patients engaged in care in a comprehensive adolescent and young adult clinic. **Journal of the National Medical Association: 92**, 55-61.

Médecins Sans Frontières (2005). **Pediatric HIV fact sheet**. Downloaded from: [www.doctorswithoutborders.org/news/hiv-aids/pediatric\\_factsheet\\_06-2005.pdf](http://www.doctorswithoutborders.org/news/hiv-aids/pediatric_factsheet_06-2005.pdf)

Medical Research Council (2002). **Research in focus: HIV/AIDS**. Downloaded from: [www.mrc.ac.th](http://www.mrc.ac.th)

Mills E. J., Nachega, J. B., Bangsberg, D. R., Singh, S., Rachlis, B., Wu, P., Wilson, K., Buchan, I., Gill, C. J., & Coomper, C. (2006). Adherence to HAART: a systematic review of developed and developing nation patient-reported barriers and facilitators. **PLoS Med 3**: e438.

Ministry of Public Health. **National guidelines for the Clinical Management of HIV Infection in children and Adults**. 6<sup>th</sup> ed. Bangkok, Thailand: Ministry of Public Health: 2005.

Ministry of Public Health, Thailand and the World Health Organization, Regional Office for South-East Asia. (2005). **External Review of the health sector response to HIV/AIDS in Thailand.**

Murphy, D. A., Wilson, C. M., Durako, S. J., Muenz, L. R., & Belzer, M. (2001). Antiretroviral medication adherence among the REACH HIV-infected adolescent cohort in the USA. **AIDS Care: 13**, 27-40.

Naar-King, S., Frey, M., Harris, M., & Arfken, C. (2005). Measuring adherence to treatment of pediatric HIV/AIDS. **AIDS Care: 17 (3):** 345-349.

Naar-King, S., Arfken, C., Frey, M., Harris, M., Secord, E., & Ellis, D. (2006). Psychosocial factors and treatment adherence in pediatric HIV/AIDS. **AIDS Care: 18(6):** 621-628.

Nicholson, O., Mellins, C., Dolezal, C., Brackis-Cott, E., & Abrams, E. J. (2006). HIV treatment-related knowledge and self-efficacy among caregivers of HIV-infected children. **Patient Education and Counseling: 61**, 405-410.

Paterson, D. L., Swindells, S., & Mohr, J, et al. (2000). Adherence to protease inhibitor therapy and outcomes in patients with HIV infection. **Ann Intern Med: 133**, 21-30.

Paterson, D. L., Potoski, B., Capitano, B., (2002). Measurement of adherence to antiretroviral medications. **J AIDS: 31** S103-106.

Pediatric AIDS Clinical Trial Group (PACTG) (no date). Pediatric Adherence Questionnaire Modules 1 and 2: <http://www.fstrf.org/qol/peds/pedadhere.html>



- Polisset, J., Ametonou, F., Arrive, E., Aho, A., & Perez, F. (2008). Correlates of adherence to antiretroviral therapy in HIV-infected children in Lomé, Togo, West Africa. **AIDS Behav; 13:** 23-32.
- Poppa, A., Davidson, O., Deutsch, J., Godfrey, D., Fisher, M., Head, S., Horne, & R., Sherr, L., (2004). British HIV Association (BHIVA)/British Association for Sexual Health and HIV (BASHH) guidelines on provision of adherence support to individuals receiving antiretroviral therapy (2003). British HIV Association **HIV Medicine: 5** (Suppl. 2), 46-60.
- Pontali, E. (2005). Facilitating adherence to highly active antiretroviral therapy in children with HIV infection: what are the issues and what can be done? **Paediatr Drugs; 7:** 137-149.
- Power, R., Koopman, C., Vlok, J., Israelski, D. M., Stone, L., Chesney, M. A., & Spiegel, D. (2003). Social support, substance use, and denial in relationship to antiretroviral treatment adherence among HIV-infected persons. **AIDS Patient Care and STD's: 17(5):** 245-252.
- Reddington, C., Cohen, J. M., Baldillo, A., Toye, M., Smith, D., Kneut, C., et al. (2000). Adherence to medication regimens among children with human immunodeficiency virus infection. **Pediatric Infectious Diseases: 19,** 1148-1153
- Remien, R., Hirky, A. E., Johnson, M. O., Weinhardt, L. S., Whitter, D., & Le, G. M. (2003). Adherence to medication treatment: A qualitative study of facilitators and barriers among a diverse sample of HIV+ men and women in four US cities. **AIDS and Behavior: 7(1),** 61-72.

- Riddle, J., & Moon, M., W. (1996). Children with HIV becoming adolescents: Caring for long-term survivors. **Pediatric Nursing: 22**, 220-223, 227, 255.
- Russell, J., Krantz, S., & Neville, S. (2004). Patient provider relationship and adherence to highly active antiretroviral therapy. **Association of Nurses in AIDS Care: 15**, 40-47.
- Sabate E, ed. (2003) **Adherence to long-term therapies: evidence for action**. Geneva, World Health Organization, 2003.
- Sawyer, S. M., & Aroni, R. A. (2003). Sticky issue of adherence. **Journal of Pediatric and Child Health: 39** 2-5.
- Shah, C. A. (2007). Adherence to highly active antiretroviral therapy (HAART) in pediatric patients infected with HIV: Issues and Interventions. **Indian Journal of Pediatrics: 74** 55-60.
- Sharland, M., Blanche, S., Castelli, G., Ramos, J., & Gibb, D. M. (2004). PENTA guidelines for the use of antiretroviral therapy, 2004. **HIV Medicine 5:** (Suppl. 2) 61-86).
- Sherr, L. (2000). Understanding Adherence. **J HIV Ther 5;** 30-35.
- Shernoff, M. (2002). Uncertainty and quality of life: psychosocial realities of combination anti-retroviral therapy. **Journal of HIV/AIDS and Social Services, 1**(1), 25-43.
- Simoni, J. M., Montgomery, A., Martin, E., New, M., Demas, P. A., & Rana, S. (2007). Adherence to antiretroviral therapy for pediatric HIV infection: A qualitative systematic review with recommendations for research and clinical management. **Pediatrics 119**(6) e1371-1383.

- Steele, R. G., & Grauer, D. (2003) Adherence to antiretroviral therapy for pediatric HIV infection: Review of the literature and recommendations for research. **Clinical Child and Family Psychology Review: 6:** 17-30.
- Steele, R. G., Anderson, B., Rindel, B. (2001). Adherence to antiretroviral therapy among HIV-positive children: examination of the role of caregiver health beliefs. **AIDS Care: 13;** 617-29.
- Temple, M. E., Koranyi, K., & Nahata, M. C. (2001). The safety and antiviral effect of protease inhibitors in children. **Pharmacotherapy: 21,** 287-294.
- Thai working group on HIV/AIDS projection. (2001). Projection for HIV/AIDS in Thailand, 2000-2020.
- Turner, B. J. (2002). Adherence to antiretroviral therapy by human immunodeficiency virus-infected patients. **J Infect Dis: 185 Suppl 2:** S143-51.
- Turner, B. J. Hecht, F, M. (2001). Improving on a coin toss to predict patient adherence to medications. **Ann Intern Med: 134** 1004-6.
- United Nations Development Program (UNDP) (2004). **Thailand's response to HIV/AIDS: progress and challenges. Thematic MDG Report.** Downloaded from: [www.UNDP.or.th/documents/HIV\\_AIDS\\_FullReport\\_ENG.pdf](http://www.UNDP.or.th/documents/HIV_AIDS_FullReport_ENG.pdf)
- United Nations Program on HIV/AIDS (UNAIDS) (2008). **Report on the global AIDS epidemic.** Downloaded from: [www.unaids.org/en/KnowledgeCentre/HIVData/GlobalReport/2008](http://www.unaids.org/en/KnowledgeCentre/HIVData/GlobalReport/2008)
- United Nations Program on HIV/AIDS (UNAIDS) (2003). **HIV/AIDS and young people: Hope for tomorrow.** Downloaded from: [www.unaids.org/DocOrder/OrderForm.aspx](http://www.unaids.org/DocOrder/OrderForm.aspx).

United Nations Program on HIV/AIDS (UNAIDS) (2002). **Paediatric HIV infection and AIDS: UNAIDS point of view.** Downloaded from:

[www.data.unaids.org/publications/IRC-pub02/JC750-Paediatric-POV\\_en\\_pdf](http://www.data.unaids.org/publications/IRC-pub02/JC750-Paediatric-POV_en_pdf)

United Nations Program on HIV/AIDS (UNAIDS) & United Nations Children's Fund (UNICEF) (2005). **A call to action: Children the missing face of AIDS.**

Downloaded from:

[www.data.unaids.org/publications/ExternalDocuments/UNICEF\\_Unitedforchildren\\_25Oct05\\_en.pdf](http://www.data.unaids.org/publications/ExternalDocuments/UNICEF_Unitedforchildren_25Oct05_en.pdf)

Joint United Nations Programme on HIV/AIDS (UNAIDS) and World Health Organization (WHO) 2007. **AIDS epidemic update.** Downloaded from:

[www.data.unaids.org/pub/EPISlides/2007/2007\\_epiupdate\\_en.pdf](http://www.data.unaids.org/pub/EPISlides/2007/2007_epiupdate_en.pdf)

Van Dyke, R. B., Lee, S., Johnson, G. M., Wiznia, A., Mohan, K., Stanley, K., Morse, E. V., Krogstad, P.A., & Nachman, S. (2002). Reported adherence as a determinant of response to highly active antiretroviral therapy in HIV-infected children. **Pediatrics: 109** (4) 61.

Wagner, G. J. (2002). Predictors of antiretroviral adherence as measured by self-report, electronic monitoring, and medication diaries. **AIDS Patient Care and STD's: 16** (12): 599-608.

Wang, X., Wu, Z. (2007). Factors associated with adherence to antiretroviral therapy among HIV/AIDS patients in rural China. **AIDS: 21** (suppl 8): s149-155.

Watson, D. C., & Farley, J. J., (1999) Efficacy of and adherence to highly active antiretroviral therapy in children infected with human immunodeficiency virus type 1. **Pediatric Infectious Disease Journal: 18**: 682-89.

- Wiener, L., Riekert, K., Ryder, C., Wood, L. V. (2004). Assessing medication adherence in adolescents with HIV when electronic monitoring is not feasible. **AIDS Patient Care STDS: 18:** 527-538.
- Williams, A. (1997). Antiretroviral therapy: Factors associated with adherence. **Association of Nurses in AIDS Care: 8,** Supplement, 18-23
- Williams, P. L., Storm, D., Montepiedra, G., Nichols, S., Kammerer, B., Sirois, P. A., Farley, J., Malee, K. (2006). Predictors of adherence to antiretroviral medications in children and adolescents with HIV infection. **Pediatrics; 118(6):** e1745-e1757.
- Wongkhomthong, S., Kaime-Atterhog, W., & Ono, K. (1995). **AIDS in the developing world: A case study of Thailand.** Bangkok: Holistic Publishing.
- Working Group on Antiretroviral Therapy and Medical Management of Infants, Children and Adolescents with HIV Infection, (2001). Guidelines for the use of antiretroviral agents in pediatric HIV infection. Downloaded from: [www.hivatis.org](http://www.hivatis.org)
- World Health Organization (2006). **Taking stock: HIV in children.** Downloaded from: [www.who.int/hiv/toronto2006/takingstockchildren.pdf](http://www.who.int/hiv/toronto2006/takingstockchildren.pdf)
- World Health Organization Regional Office for South East Asia (2004). **HIV/AIDS meeting the challenges.** Downloaded from: [www.searo.who.int/LinkFiles/Publications\\_aids-149.pdf](http://www.searo.who.int/LinkFiles/Publications_aids-149.pdf)
- World Health Organization, Geneva (2004). Perspectives and practice in antiretroviral treatment: **Involvement of people living with HIV/AIDS in treatment preparedness in Thailand, a case study.** Downloaded from:

[www.doctorswithoutborders.org/news/2004/WHO-MSF\\_ThailandReport](http://www.doctorswithoutborders.org/news/2004/WHO-MSF_ThailandReport)

World Health Organization Regional Office for South East Asia & UNAIDS (2002).

**Scaling-up towards universal access to HIV prevention, treatment and care.**

World Health Organization Regional Office for South East Asia, (2002). **Fast sheet**

**on HIV/AIDS for nurses and midwives.** Downloaded from:

[www.searo.who.int/LinkFiles/Publications\\_Factsheet-HIV-AIDSNurses.pdf](http://www.searo.who.int/LinkFiles/Publications_Factsheet-HIV-AIDSNurses.pdf)

World Health Organization Regional Office for South East Asia, (2007). **HIV/AIDS**

**in the South-East Asia Region.** Downloaded from: [www.searo.who.int/hiv-aids](http://www.searo.who.int/hiv-aids)

World Health Organization, Geneva (2006). **Antiretroviral therapy of HIV**

**infection in infants and children in resource-limited settings: towards universal access. Recommendations for a public health approach.**

Downloaded from: [www.who.int/hiv/pub/guidelines/paediatric020907.pdf](http://www.who.int/hiv/pub/guidelines/paediatric020907.pdf)

World Health Organization Regional Office for South East Asia, (2004). **Expanding**

**Access to HIV/AIDS Treatment: A Strategic Framework for Action at Country Level.** Downloaded from:

[www.searo.who.int/LinkFiles/Publications\\_sea-aids-145.pdf](http://www.searo.who.int/LinkFiles/Publications_sea-aids-145.pdf)

Wrubel, J., Moskowitz, J. T., Richards, A., Prakke, H., Acree, M., & Folkman, S.

(2005). Pediatric adherence: Perspectives of mothers of children with HIV.

**Soc. Sci. & Med: 61:** 2423-2433.