

ผลการวิจัยพบดังนี้

1. ทักษะคิดของมารดาต่อการดูแลเด็ก ลักษณะทางพุทธศาสนา การสนับสนุนทางสังคมจากครอบครัวและบุคลากรทางการแพทย์ มีความสัมพันธ์ทางบวกกับพฤติกรรมการดูแลเด็กออกทิสติกของมารดาอย่างมีนัยสำคัญทางสถิติที่ระดับ .01 ($r = .613, .400, .389$ และ $.260$ ตามลำดับ) ส่วนความเครียดมีความสัมพันธ์กับพฤติกรรมการดูแลเด็กออกทิสติกของมารดาอย่างไม่มีนัยสำคัญทางสถิติ

2. ทักษะคิดของมารดาต่อการดูแลเด็กและลักษณะทางพุทธศาสนาสามารถร่วมกันทำนายพฤติกรรมการดูแลเด็กออกทิสติกของมารดาได้อย่างมีนัยสำคัญทางสถิติที่ระดับ .01 โดยสามารถทำนายได้ร้อยละ 40.80

จากงานวิจัยนี้ผู้วิจัยมีข้อเสนอแนะว่า นักจิตวิทยาการปรึกษาควรนำข้อมูลเกี่ยวกับปัจจัยทางจิตสังคมมาเป็นข้อมูลพื้นฐานในการหาแนวทางให้การปรึกษากับมารดาเด็กออกทิสติกเพื่อให้สามารถดูแลเด็กได้อย่างสมบูรณ์

Thesis Title	Psychosocial Factors Predicting Child Care Behaviors in Autistic Children's Mothers						
Author	Mr. Jirawat Thananarapong						
Degree	Master of Science (Counseling Psychology)						
Thesis Advisory Committee	<table> <tr> <td>Associated Professor Pornpimol</td> <td>Worawutbuddhapongs</td> <td>Chairperson</td> </tr> <tr> <td>Assistant Professor Pimmas</td> <td>Tapanya</td> <td>Member</td> </tr> </table>	Associated Professor Pornpimol	Worawutbuddhapongs	Chairperson	Assistant Professor Pimmas	Tapanya	Member
Associated Professor Pornpimol	Worawutbuddhapongs	Chairperson					
Assistant Professor Pimmas	Tapanya	Member					

ABSTRACT

The purposes of this survey research were initiated in order to study the relationships between psychosocial factors and child care behaviors in autistic children's mothers and predicting autistic child care behaviors by psychosocial factors. One questionnaire and five measuring scales, 1) child care behaviors scale, 2) attitude of child care scale by the researcher was systematically organized and the rate of confidence reached .88 and .84 , respectively, 3) demographic questionnaire, 4) religious characteristics scale was created by Bhanthumnavin and others (1997), 5) social support from primary group and professional care worker scale was created by Kaewnopparut (1998) and 6) stress scale was created by Kaewnopparut (1998), were use in this study. The questionnaire and scales were randomly given to 150 mothers of autistic children admitted to Rajanagarindra Institute of Child Development Chiang Mai, Psychiatry Faculty of Medicine Chiang Mai University, Occupational Therapy Clinic Faculty of Associated Medical Science Chiang Mai University, Special child center of Chiang Mai Ram hospital and Special Education Center of Region 8 Chiang Mai. Data were then collected and analyzed using descriptive statistics, Pearson's product-moment correlation coefficients and stepwise multiple regressions. The results are as follows :

1. Four factors, attitude of child care, religious characteristics, social support from primary group and professional care worker are positive correlate to child care behaviors in autistic children's mothers at the level of significant .01 ($r = .613, .400, .389, .260$ and $.244$, respectively) while factor stress is uncorrelate to child care behaviors in autistic children's mothers.

2. Attitude of child care and religious characteristics are copredictors of child care behaviors in autistic children's mothers. ($p < .01$, $R^2 = 40.80$).

From this study, researcher propose counselling psychologist should employ the information regarding to the psychosocial factors as baseline information for counselling autistic children's mother can completely nurture their child.