

ชื่อเรื่องวิทยานิพนธ์

ความสัมพันธ์ระหว่างอัตราอินทรีย์ ความสามารถในการดูแลตนเอง และคุณภาพชีวิตของผู้ป่วยมะเร็งปากมดลูกที่ได้รับรังสีรักษา

ชื่อผู้เขียน

นางกนกพร ใจแก้ว

พยาบาลศาสตรมหาบัณฑิต

สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์

คณะกรรมการสอบวิทยานิพนธ์

ผู้ช่วยศาสตราจารย์ทัศนีย์ มหามุขภาพ

ประธานกรรมการ

ผู้ช่วยศาสตราจารย์พิบูล บุญช่วง

กรรมการ

ผู้ช่วยศาสตราจารย์วิลาวัณย์ เสนารัตน์

กรรมการ

อาจารย์ ดร.อวยพร ตัญมุขกุล

กรรมการ

บทคัดย่อ

การวิจัยครั้งนี้ เป็นการศึกษาความสัมพันธ์ระหว่างอัตราอินทรีย์ ความสามารถในการดูแลตนเอง และคุณภาพชีวิตของผู้ป่วยมะเร็งปากมดลูกที่ได้รับรังสีรักษา กลุ่มตัวอย่างคือ ผู้ป่วยมะเร็งปากมดลูก ที่มารับการรักษา ณ หน่วยรังสีรักษา สถาบันมะเร็งแห่งชาติและโรงพยาบาลราชวิถี จำนวน 100 ราย โดยวิธีการเลือกตัวอย่างตามเกณฑ์ที่กำหนดไว้ เครื่องมือที่ใช้ในการวิจัยประกอบด้วย แบบสอบถาม ซึ่งแบ่งเป็น 4 ส่วนคือ แบบบันทึกข้อมูลส่วนบุคคล แบบวัดอัตราอินทรีย์ของอัมไพ คิรินิพิคณ์ ซึ่งดัดแปลงมาจากแบบวัดอัตราอินทรีย์แทนเนสซีของพิทส์ แบบวัดความสามารถในการดูแลตนเองของวรวรรณ เหนือคลอง และแบบวัดคุณภาพชีวิตของสมจิต หนูเจริญกุล และคณะ นำไปหาความเชื่อมั่นของเครื่องมือโดยใช้สัมประสิทธิ์อัลฟาของครอนบาค ได้ค่าความเชื่อมั่นของแบบวัดอัตราอินทรีย์เท่ากับ 0.85 แบบวัดความสามารถในการดูแลตนเองเท่ากับ 0.77 และแบบวัดคุณภาพชีวิตเท่ากับ 0.72

ผลการวิเคราะห์ที่ขอมูลพบว่า

1. อັตมโนทัศน์มีความสัมพันธ์ทางบวกกับความสามารถในการดูแลตนเองของผู้ป่วยมะเร็งปากมดลูกที่ได้รับรังสีรักษา อย่างมีนัยสำคัญทางสถิติที่ระดับ .05
2. ความสามารถในการดูแลตนเองมีความสัมพันธ์ทางบวกกับคุณภาพชีวิตของผู้ป่วยมะเร็งปากมดลูกที่ได้รับรังสีรักษา อย่างมีนัยสำคัญทางสถิติที่ระดับ .05
3. อັตมโนทัศน์มีความสัมพันธ์ทางบวกกับคุณภาพชีวิตของผู้ป่วยมะเร็งปากมดลูกที่ได้รับรังสีรักษา อย่างมีนัยสำคัญทางสถิติที่ระดับ .05
4. ปัจจัยพื้นฐานเรื่องอายุ มีความสัมพันธ์ทางลบกับอັตมโนทัศน์ ความสามารถในการดูแลตนเอง และคุณภาพชีวิต อย่างมีนัยสำคัญทางสถิติที่ระดับ .05, .01 และ .05 ตามลำดับ
5. ปัจจัยพื้นฐานเรื่องสถานภาพสมรส มีความสัมพันธ์ทางลบกับอັตมโนทัศน์ อย่างมีนัยสำคัญทางสถิติที่ระดับ .05 แต่ไม่มีความสัมพันธ์กับความสามารถในการดูแลตนเองและคุณภาพชีวิต
6. ปัจจัยพื้นฐานเรื่องรายได้ มีความสัมพันธ์ทางบวกกับอັตมโนทัศน์ ความสามารถในการดูแลตนเอง และคุณภาพชีวิต อย่างมีนัยสำคัญทางสถิติที่ระดับ .01, .001 และ .05 ตามลำดับ
7. ปัจจัยพื้นฐานเรื่องระดับการศึกษา มีความสัมพันธ์ทางบวกกับอັตมโนทัศน์ และความสามารถในการดูแลตนเอง อย่างมีนัยสำคัญทางสถิติที่ระดับ .05 และ .05 ตามลำดับ แต่ไม่มีความสัมพันธ์กับคุณภาพชีวิต
8. ปัจจัยพื้นฐานเรื่องสภาพที่อยู่อาศัย มีความสัมพันธ์ทางบวกกับอັตมโนทัศน์และความสามารถในการดูแลตนเองอย่างมีนัยสำคัญทางสถิติที่ระดับ .05 และ .01 ตามลำดับ แต่ไม่มีความสัมพันธ์กับคุณภาพชีวิต
9. ปัจจัยพื้นฐานเรื่องระยะของโรคมี่มีความสัมพันธ์ทางลบกับอັตมโนทัศน์ ความสามารถในการดูแลตนเองและคุณภาพชีวิต อย่างมีนัยสำคัญทางสถิติที่ระดับ .05, .05 และ .05 ตามลำดับ

Thesis Title Relationship Among Self-Concept Self-Care Agency and Quality of Life of Cervical Cancer Patients Receiving Radiotherapy

Author Mrs.Kanokporn Jaikaew

M.N.S. Medical and Surgical Nursing

Examining Committee

Assist. Prof. Tatsana Mahanupab	Chairman
Assist. Prof. Pikul Boonchuang	Member
Assist. Prof. Wilawan Senaratana	Member
Dr. Ouyporn Tonmukayakul	Member

Abstract

The main purpose of this research was to study relationship among self-concept, self-care agency and quality of life of cervical cancer patients receiving radiotherapy. The research subjects consisted of 100 cervical cancer patients receiving radiotherapy at the National Cancer Institute and Rajavithi Hospital. The samples were selected according to criteria.

Instruments used for data collection were a questionnaire : personal data sheet, Ampai Siripiput's self-concept scale which adapted from Tennessee self concept scale by Fitts, the self-care agency scale developed by Worawan Nuaklong, and the quality of life scale which developed by Somchit Hanucharurnkul, et al. The


reliability was obtained by means of Cronbach's coefficient alpha. The reliability of self-concept was 0.85, self-care agency was 0.77 and quality of life was 0.72

The results of the study revealed that :

1. There was statistically significant positive correlation between self-concept and self-care agency of the cervical cancer patients receiving radiotherapy ($P < .05$)
2. There was statistically significant positive correlation between self-care agency and quality of life of the cervical cancer patients receiving radiotherapy ($P < .05$)
3. There was statistically significant positive correlation between self-concept and quality of life of the cervical cancer patients receiving radiotherapy ($P < .05$)
4. There were statistically significant negative correlations between age and self-concept, self-care agency, and quality of life ($P < .05$, $P < .01$, and $P < .05$) accordingly.
5. There was statistically significant negative correlation between marital status and self-concept ($P < .05$) but there were no statistically significant correlations between marital status and self-care agency, and quality of life.
6. There were statistically significant positive correlations between income and self-concept, self-care agency, and quality of life ($P < .01$, $P < .001$, and $P < .05$) accordingly.
7. There were statistically significant positive correlations between educational level and self-concept, and self-care agency ($P < .05$, and $P < .05$) but there was no statistically significant correlation between educational level and quality of life.

8. There were statistically significant positive correlations between living accommodation and self-concept, and self-care agency ($P < .05$, and $P < .01$) but there was no statistically significant correlation between living accommodation and quality of life.

9. There were statistically significant negative correlations between the stage of disease and self-concept, self-care agency, and quality of life. ($P < .05$, $P < .05$, and $P < .05$) accordingly.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved