

ชื่อเรื่องวิทยานิพนธ์	ความต้องการของเด็กวัยรุ่น โรคมะเร็งตามการรับรู้ของตนเอง และของพยาบาล
ชื่อผู้เขียน	นางสาวสาวิตรี ลีมกมลทิพย์
พยาบาลศาสตรมหาบัณฑิต	สาขาวิชาการพยาบาลกุมารเวชศาสตร์
คณะกรรมการคุมสอบวิทยานิพนธ์	ผู้ช่วยศาสตราจารย์ ดร. ศรีพรรณ กันธวัง ประธานกรรมการ อาจารย์ นันทา เลี้ยววิริยะกิจ กรรมการ รองศาสตราจารย์ ดร. รัตนาวดี ชอนตะวัน กรรมการ อาจารย์ ดร. ศิริรัตน์ ปานอุทัย กรรมการ ผู้ช่วยศาสตราจารย์ ดร. ทิพาพร วงศ์หงษ์กุล กรรมการ

บทคัดย่อ

โรคมะเร็งและการรักษาส่งผลกระทบอย่างมากต่อเด็กวัยรุ่น โรคมะเร็งทั้งด้านร่างกาย จิตใจอารมณ์และสังคม ซึ่งสะท้อนให้เห็นถึงความต้องการของเด็กวัยรุ่น โรคมะเร็งที่ควรได้รับการดูแลและการตอบสนองจากพยาบาล แต่ยังไม่พบรายงานการศึกษาความต้องการของเด็กวัยรุ่นโรค มะเร็ง การวิจัยครั้งนี้จึงมีวัตถุประสงค์เพื่อศึกษาความต้องการของเด็กวัยรุ่น โรคมะเร็งตามการรับรู้ ของตนเองและของพยาบาล โดยศึกษาในกลุ่มตัวอย่างเด็กวัยรุ่นโรคมะเร็งอายุ 10 – 16 ปี ที่เข้ารับ การรักษาในหอผู้ป่วยกุมารเวชกรรม โรงพยาบาลมหาราชนครเชียงใหม่ และโรงพยาบาลพุทธชินราช ระหว่างเดือนสิงหาคม – ตุลาคม พ.ศ. 2543 จำนวน 30 ราย และพยาบาลวิชาชีพที่ปฏิบัติงานใน หอผู้ป่วยกุมารเวชกรรมของโรงพยาบาลดังกกล่าว ที่มีประสบการณ์การดูแลผู้ป่วยเด็กวัยรุ่นโรคมะเร็ง จำนวน 13 ราย เครื่องมือที่ใช้ในการรวบรวมข้อมูลประกอบด้วย แบบบันทึกข้อมูลส่วนบุคคล แบบสัมภาษณ์ ความต้องการของเด็กวัยรุ่นโรคมะเร็งตามการรับรู้ของตนเอง และแบบสอบถามความต้องการของ เด็กวัยรุ่น โรคมะเร็งตามการรับรู้ของพยาบาล ข้อมูลที่ได้นำมาวิเคราะห์โดยใช้สถิติพรรณนา สถิติแมนนวิชนีย์-ยู ผลการวิจัยมีดังนี้

เด็กวัยรุ่นโรคมะเร็งส่วนใหญ่ มีความต้องการโดยรวม ความต้องการด้านร่างกาย ด้านจิตใจ อารมณ์และสังคมอยู่ในระดับสูง (ร้อยละ 86.67 86.67 90 และ 76.67 ตามลำดับ) พยาบาลทุกคน (ร้อยละ100) ระบุว่าเด็กวัยรุ่นโรคมะเร็งมีความต้องการโดยรวม ด้านร่างกาย และด้านจิตใจอารมณ์ อยู่ในระดับสูง และพยาบาลเกือบทั้งหมด (ร้อยละ 92.31) ระบุว่า เด็กวัยรุ่นโรคมะเร็งมีความต้องการด้านสังคมอยู่ในระดับมาก ความต้องการโดยรวมและความต้องการด้านร่างกายของเด็กวัยรุ่นโรคมะเร็งตามการรับรู้ของตนเองและของพยาบาลมีความแตกต่างกันอย่างมีนัยสำคัญที่ระดับ .05

ผลการศึกษานี้ชี้แนะให้พยาบาลเข้าใจและตระหนักถึงความต้องการของเด็กวัยรุ่นโรคมะเร็งและความแตกต่างระหว่างการรับรู้ความต้องการของเด็กวัยรุ่นโรคมะเร็งและพยาบาล เพื่อให้การพยาบาลที่ตอบสนองความต้องการของเด็กวัยรุ่นโรคมะเร็งได้อย่างเหมาะสมต่อไป

Thesis Title Needs of Adolescents with Cancer as Perceived by Themselves and by Nurses

Author Miss Sawittree Limkamontip

M. N. S. Pediatric Nursing

Examining Committee

Assistance Professor Dr. Seepan	Kantawang	Chairman
Lecturer Nunta	Leowviriyakit	Member
Associate Professor Dr. Ratanawadee	Chontawan	Member
Lecturer Dr. Sirirat	Panuthai	Member
Assistance Professor Dr. Tipaporn	Wonghongkul	Member

Abstract

Cancer and its treatment has serious physical, psycho-emotional and social on adolescents with cancer reflecting their needs to be responded by nurses. However, no related study is reported. The purpose of this study was to describe and compare needs of adolescents with cancer as perceived by themselves and by nurses. The purposive samples were 30 adolescents cancer aged 10-16 years admitted in pediatric wards of caring, Maharaj Nakorn Chaing Mai and Buddhachinaraj Hospitals during August to October 2000, and 13 registered nurses working in those pediatric wards and had experiences in caring for adolescents with cancer at least 1 year. Instruments consisted of Needs Scales of Adolescent with Cancer for Adolescents and Nurses. Data were analyzed by using descriptive statistics and Man-Whitney U test.

The results of this study revealed that the majority of the adolescents with cancer (86.67 %) had overall needs as well as physical, psycho-emotional and social needs at

a high level (86.67%, 86.67%, 90%, 76.67% respectively). All nurses (100%) perceived that adolescents with cancer had overall, physical and psycho-emotional needs at a high level. The majority nurses (92.31%) perceived that social needs of the adolescents were at a high level. In addition, overall and physical needs of adolescents with cancer as perceived by themselves and nurses were significant differences at the level of .05.

The results of the study suggest that nurses should understand adolescent cancer's needs and be aware of the differences between adolescent cancer's needs as perceived by themselves and nurses in order to provide appropriate nursing care.