

ชื่อเรื่องวิทยานิพนธ์

การสังเคราะห์เส้นใยนาโนซิลิคอนคาร์บไบด์จากพืชบางชนิดในภาคเหนือของประเทศไทย

ผู้เขียน

นางสาวชลธิรา แสงสุบัน

ปริญญา

วิทยาศาสตรมหาบัณฑิต (พิสิกส์ประยุกต์)

คณะกรรมการที่ปรึกษาวิทยานิพนธ์

อ. ดร. สุกานดา เจียรศิริสมบูรณ์ ประธานกรรมการ

อ. ดร. พิชัยชัย ลิงหนใจ

กรรมการ

บทคัดย่อ

การวิจัยนี้ได้สังเคราะห์เส้นใยนาโนซิลิคอนคาร์บไบด์โดยใช้เทคนิคการให้ความร้อนด้วยกระแสไฟฟ้า ภายใต้บรรยากาศของแก๊ซอาร์กอน จากแท่งผงผสมของแกรไฟต์เจืออะลูมิเนียมออกไซด์ และเหล็กออกไซด์ที่สัดส่วนร้อยละ 50 โดยน้ำหนัก ผสมกับผงถ่านที่ได้จากการเผาแกลบ ไม่ไฟ ชั้งข้าวโพด และไมยราบยักษ์ แล้วศักยามลักษณะ โครงสร้างทางจุลภาคโดยใช้กล้องจุลทรรศน์อิเล็กตรอนแบบส่องกระดาศ (SEM) พบว่าเส้นใยจากถ่านแกลบ ไมยราบยักษ์ ไม่ไฟ ชั้งข้าวโพด มีขนาดเส้นผ่าศูนย์กลางเฉลี่ยประมาณ 46, 74, 92 และ 112 นาโนเมตร ตามลำดับ ผลการทดลองโดยใช้การเลี้ยวเบนของลำอิเล็กตรอนแบบเลือกพื้นที่ (SAED) จากกล้องจุลทรรศน์อิเล็กตรอนแบบหดหู่ (TEM) และการเลี้ยวเบนของรังสีเอกซ์ (XRD) พบว่าผลผลิตที่สังเคราะห์ได้เป็นเส้นใยนาโนชนิดเบต้าซิลิคอนคาร์บไบด์ และพบว่าผลการวิเคราะห์เส้นใยที่ได้จากการเผาแกลบมีปริมาณเส้นใยนาโนซิลิคอนคาร์บไบด์สูงสุดเมื่อเทียบกับพืชชนิดอื่น

Copyright © by Chiang Mai University
All rights reserved

Thesis Title Synthesis of Silicon Carbide Nanofibers from Some Plants in Northern Thailand

Author Miss Chotira Sangsubun

Degree Master of Science (Applied Physics)

ABSTRACT

Silicon carbide nanofibers were fabricated by the current heating technique in argon atmosphere from mixture of graphite, aluminum oxide and iron oxide powders at 50 wt.% with charcoal of rice husk, bamboo, corncob and mimosa pigra linn. The microstructural characterization by scanning electron microscopy (SEM) showed that the diameters of fibers from rice hulls, mimosa pigra linn, bamboo and corncob were typically 46, 74, 92 and 112 nm, respectively. The results of selected-area electron diffraction from transmission electron microscopy (TEM) and X-ray diffraction (XRD) found that the fibers were β -SiC nanofibers and the fibers from rice husk gave a maximum yield compared to the other plants.

fibers from rice husk gave a maximum yield compared to the other plants.
â€¢
Copyright© by Chiang Mai University
All rights reserved