ชื่อเรื่องการค้นคว้าแบบอิสระ

การรับรู้อันตรายและสถานการณ์การใช้ยาบ้าของนักเรียน ชั้นมัธยมศึกษาตอนต้นในเขตเทศบาลเมือง จังหวัดลำปาง

ชื่อผู้เขียน

นางเยาวภา ผลกันทา

สาธารณสุขศาสตรมหาบัณฑิต

สาขาวิชาสาธารณสุขศาสตร์

## คณะกรรมการสอบการค้นคว้าแบบอิสระ :

รองศาสตราจารย์ชลอศรี แดงเปี่ยม ประธานกรรมการ อาจารย์สุวพรรณ สถิโรภาส กรรมการ รองศาสตราจารย์กรรณิการ์ พงษ์สนิท กรรมการ

## บทคัดย่อ

การศึกษาเชิงพรรณนาครั้งนี้ มีวัตถุประสงค์เพื่อศึกษาการรับรู้อันตรายของยาบ้า และ การรับรู้สถานการณ์การใช้ยาบ้างองนักเรียนชั้นมัธยมศึกษาตอนต้นในเขตเทศบาลเมือง จังหวัด ลำปาง และศึกษาความสัมพันธ์ระหว่างจำนวนแหล่งของการได้รับข้อมูลข่าวสารและปัจจัยพื้นฐาน กับการรับรู้อันตรายของยาบ้างองนักเรียนชั้นมัธยมศึกษาตอนต้นที่กำลังศึกษาชั้นมัธยมศึกษาปีที่ 2 และ 3 โรงเรียนสังกัดกรมสามัญศึกษาที่ตั้งอยู่ในเขตเทศบาลเมืองลำปาง 2 โรง จำนวน 352 คน โดยใช้วิธีสุ่มตัวอย่างแบบง่าย รวบรวมข้อมูลโดยใช้แบบสอบถาม วิเคราะห์ข้อมูลโดยใช้สถิติเชิง พรรณนา และการทดสอบได-สแควร์

กลุ่มตัวอย่างมีการรับรู้อันตรายของยาบ้าอยู่ในระดับมากร้อยละ 58.2 ระดับปานกลาง ร้อยละ 38.4 ระดับน้อยร้อยละ 3.4 ส่วนการรับรู้สถานการณ์การใช้ยาบ้าในโรงเรียนของกลุ่ม ตัวอย่าง ได้แก่ เคยเห็นบุคคลเสพยาบ้า ซึ่งเป็นเพื่อนในโรงเรียน ร้อยละ 14.2 เพื่อนนอกโรงเรียน ร้อยละ 22.4 เคยเห็นการแจกจ่ายยาบ้าในโรงเรียน ร้อยละ 9.7 และเคยเห็นอาการของผู้เสพยาบ้า ร้อยละ 14.8 ทราบว่ามีการซื้อขายยาบ้าในโรงเรียน ร้อยละ 40.9 และมีความเห็นว่าสถานการณ์ การใช้ยาบ้าในโรงเรียนลดลงร้อยละ 32.1

การทดสอบความสัมพันธ์ พบว่า จำนวนแหล่งที่ได้รับข้อมูลข่าวสาร เกรดเฉลี่ย และ เขตที่ตั้งที่พักอาสัย มีความสัมพันธ์กับระดับการรับรู้อันตรายของยาบ้าอย่างมีนัยสำคัญทางสถิติ (p < .01) การได้รับข้อมูลข่าวสารบ่อยที่สุดจากบุคคลต่าง ๆ และเพศ มีความสัมพันธ์กับระดับ การรับรู้อันตรายของยาบ้าอย่างมีนัยสำคัญทางสถิติ (p < .05) โดยมีแนวโน้มว่ากลุ่มตัวอย่างที่ได้รับข้อมูลข่าวสารบ่อยที่สุด จากบิดามารดา และเป็นเพศหญิง จะรับรู้อันตรายของยาบ้ามากกว่ากลุ่มตัวอย่างที่ได้รับข้อมูลข่าวสาร น้อยแหล่ง มีเกรดเฉลี่ยต่ำ มีที่พักอาศัยในเขตอื่น ๆ ได้รับข้อมูลข่าวสารบ่อยที่สุดจากบุคคลอื่น และเป็นเพศชาย ส่วนระดับการศึกษาและอาชีพของบิดามารดาไม่มีความสัมพันธ์กับระดับการรับรู้ อันตรายของยาบ้า

การศึกษาครั้งนี้จะเห็นว่า การใช้สื่อต่าง ๆ และการได้รับข้อมูลข่าวสารจากครู และบิดา มารดา มีอิทธิพลต่อการรับรู้อันตรายของยาบ้าของนักเรียน ดังนั้นโรงเรียนควรร่วมมือกับบิดามารดา หรือผู้ปกครองในการป้องกันและแก้ไขปัญหาการเสพยาบ้าและยาเสพติดอื่น ๆ ของนักเรียน รวมทั้ง ส่งเสริมให้มีกลุ่มเพื่อนและสิ่งแวดล้อมที่ดี Independent Study Title

Perception of Harmful and Situation of Using "YABA" in

Secondary School Students in Lampang Municipal Area

Author

Mrs. Yaowapa Ponganta

Master of Public Health

Public Health

**Examining Committee:** 

Assoc. Prof. Chalorsri Dangpiam

Chairman

Lecturer

Suwapan

Sathiropard

Member

Assoc. Prof.

Kannikar

Pongsanit

Member

## **Abstract**

The purpose of this descriptive study was to find out: the perception of the harm of "YABA" and the situation of "YABA" use among secondary school students in Lampang municipal area and the correlation between the number of information sources and base line data perception of the harm of "YABA". The samples were 352 of 8<sup>th</sup> and 9<sup>th</sup> grade secondary school students from two Formal Education Department schools. They were selected by using simple random technique. Data were collected by using questionnaire which was analysed by descriptive statistics and Chi-square test.

The result showed that 58.2 percent of the subjects had a high-level perception of the harm of "YABA", 38.4 percent had a moderate-level perception and 3.4 percent had a low-level perception and 14.2 percent of the sample had seen school peers use "YABA", 22.4 percent had seen friends outside the school use "YABA", 9.7 percent had seen "YABA" distribution in school, 14.8 percent had seen people affected by "YABA", 40.9 percent had seen "YABA" sold in school and 32.1 percent had the opinion that the use of "YABA" in school was decreased.

The correlation between the students' perception of the harm of "YABA" and the number of information sources, grade point average and residential area was significant (p < .01); the information most frequently received from the people and sex was also significant (p < .05). The students who received a number of information sources, had high grade point average, living in municipal area, frequently receiving information from parents and were female. This group trended to perceive the harm of "YABA" more than the students who received fewer information sources, low grade point average, living in other areas, receiving information from other people and were male. The correlation between the students' perception of the harm of "YABA" and parents' education and occupation was not significant.

This study revealed that mass media and information sources from teachers and parents play important roles in the students' perception of the harm of "YABA". Then, schools should cooperate with parents or guardians to solve the problem and prevent the students from using "YABA" and drug addiction. They should also encourage student to be in good peer groups as well as provide a "YABA" free school environment.