

ชื่อเรื่องการค้นคว้าแบบอิสระ อັตม โนทัศน์ของผู้ติดเชื้อเอชไอวีที่มารับบริการที่โรงพยาบาล  
สวรรคโลกจังหวัดสุโขทัย

ผู้เขียน นางบัวพลอย พรหมแจ้ง

ปริญญา พยาบาลศาสตรมหาบัณฑิต (สุขภาพจิตและการพยาบาลจิตเวช)

คณะกรรมการที่ปรึกษาการค้นคว้าแบบอิสระ

ผู้ช่วยศาสตราจารย์ ดร. ภัทรภรณ์ ทุงปิ่นคำ ประธานกรรมการ  
รองศาสตราจารย์ ดร. พัชรภรณ์ อารีย์ กรรมการ

#### บทคัดย่อ

การติดเชื้อเอชไอวีส่งผลให้มีการเปลี่ยนแปลงทั้งด้านร่างกาย จิตใจ สังคม และจิตวิญญาณ ซึ่งการเปลี่ยนแปลงเหล่านี้จะส่งผลต่ออັตม โนทัศน์ของผู้ติดเชื้อเอชไอวี การศึกษาเชิงพรรณนาคั้งนี้มีวัตถุประสงค์เพื่อศึกษาอັตม โนทัศน์ของผู้ติดเชื้อเอชไอวีที่มารับบริการในคลินิกติดเชื้อโรงพยาบาลสวรรคโลก จังหวัดสุโขทัย จำนวน 224 คน ระหว่างเดือนกุมภาพันธ์ ถึงเดือนมีนาคม พ.ศ. 2547 เครื่องมือที่ใช้ในการศึกษาประกอบด้วย 2 ส่วน คือ 1) แบบสอบถามข้อมูลทั่วไป 2) แบบวัดอັตม โนทัศน์เทคนิสนิพนธ์ภาษาไทย ของอำไพ ศิริพิพัฒน์ (2515) ซึ่งทดสอบความเชื่อมั่นของอັตม โนทัศน์ด้านการวิพากษ์วิจารณ์ตนเองได้เท่ากับ .83 และอັตม โนทัศน์โดยรวมได้เท่ากับ .94 วิเคราะห์ข้อมูลโดยใช้สถิติเชิงพรรณนา

ผลการศึกษาพบว่าเมื่อเปรียบเทียบกับเกณฑ์ปกติของคนไทย กลุ่มตัวอย่างมีอັตม โนทัศน์ด้านการวิพากษ์วิจารณ์ตนเองและอັตม โนทัศน์โดยรวมในทางลบ และเมื่อพิจารณาเป็นรายด้าน พบว่ากลุ่มตัวอย่างมีอັตม โนทัศน์ทุกด้านในทางลบเช่นเดียวกัน โดยมีลำดับตามค่าเฉลี่ย ดังนี้อັตม โนทัศน์ด้านสังคม ( $\bar{X}=49.24$ ,  $SD=6.72$ ) ด้านร่างกาย ( $\bar{X}=51.83$ ,  $SD=7.94$ ) ด้านศีลธรรม จรรยา ( $\bar{X}=54.73$ ,  $SD=9.95$ ) ด้านส่วนตน ( $\bar{X}=54.85$ ,  $SD=9.86$ ) ด้านครอบครัว ( $\bar{X}=54.88$ ,  $SD=10.24$ ) ด้านพึงพอใจในตนเอง ( $\bar{X}=58.43$ ,  $SD=11.71$ ) ด้านความเป็นเอกลักษณ์แห่งตน ( $\bar{X}=81.24$ ,  $SD=13.10$ ) และด้านพฤติกรรม ( $\bar{X}=88.87$ ,  $SD=12.8$ )

ผลการศึกษาครั้งนี้ชี้ให้เห็นว่าผู้ติดเชื้อเอชไอวีมีความรู้สึกทางลบต่อตนเอง ดังนั้น พยายามที่จะเกี่ยวข้องในการดูแลผู้ติดเชื้อเอชไอวี สวมควรวางแผนส่งเสริมอ้อมโนทัศน์ให้ดีขึ้น โดยเฉพาะในด้านสังคม ซึ่งมีค่าเฉลี่ยน้อยที่สุด เพื่อให้ผู้ติดเชื้อเอชไอวีมีความรู้สึกต่อตนเอง ในทางที่ดีขึ้น โดยรู้สึกว่าการไม่รังเกียจ และให้การยอมรับ ส่งผลกระทบต่อคุณภาพชีวิตที่ดีต่อไป



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved

**Independent Study Title** Self-concept Among Persons with HIV Infection Attending  
at Sawankhalok Hospital, Sukhothai Province

**Author** Mrs. Buaploy Promjang

**Degree** Master of Nursing Science (Mental Health and Psychiatric Nursing)

**Independent Study Advisory Committee**


Assistant Professor Dr. Patrapom	Tungpunkom	Chairperson
Associate Professor Dr. Patcharaporn	Aree	Member

### ABSTRACT

The change of physical, psychological, social, and spiritual aspects among persons with HIV infection could affect to their self-concept. Therefore, the purpose of this descriptive study was to determine self-concept among persons with HIV who received service at infectious clinic, Sawankhalok hospital, Sukhothai Province. Two hundred and twenty-four persons with HIV infection were purposively selected into the study during February to March, 2004. The instrument for data collection was a questionnaire consisting of 2 main parts: 1) Demographic Data, 2) The Thai version of Tennessee Self-concept Scale modified by Amphipipat (1972). The reliability of the self-criticism questionnaire was .83 and the total self was .94. Data were analyzed by using descriptive statistics.

The results of the study revealed that a sample had a negative self-criticism and total self when comparing with Thai's normative scores. Considering each aspect, all were fell into a negative self-concept. These, arranged by the order of the average mean scores, included social self ( $\bar{X}=49.24$ ,  $SD=6.72$ ), physical self ( $\bar{X}=51.83$ ,  $SD=7.94$ ), moral-ethical self ( $\bar{X}=54.73$ ,  $SD=9.95$ ), personal self ( $\bar{X}=54.85$ ,  $SD=9.86$ ), family self ( $\bar{X}=54.88$ ,  $SD=10.24$ ), self-satisfaction ( $\bar{X}=58.43$ ,  $SD=11.71$ ), self-identity ( $\bar{X}=81.24$ ,  $SD=13.10$ ), and behavior ( $\bar{X}=88.87$ ,  $SD=12.8$ ).

The results of this study indicated that persons with HIV infection had a negative total self-concept. Therefore, nurses should plan to enhance their self-concept, especially in the area of social self which had a lowest mean scores in order to promote a positive attitude and to enhance a sense of acceptance by society leading to their quality of life.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved